

PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Government of the Republic of the
Philippines

SUPPLY AND DOOR-TO-DOOR DELIVERY OF FY 2024 LEARNING TOOLS AND EQUIPMENT FOR TECHNICAL- VOCATIONAL-LIVELIHOOD (LTE-TVL) WITH 2 LOTS FOR DEPED-CAR

DEPED-CAR RO – CB 2024-10-028

**Sixth Edition
July 2020**

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid.....	7
Section II. Instructions to Bidders.....	11
1. Scope of Bid	12
2. Funding Information.....	12
3. Bidding Requirements	12
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	12
5. Eligible Bidders.....	13
6. Origin of Goods	13
7. Subcontracts	13
8. Pre-Bid Conference	13
9. Clarification and Amendment of Bidding Documents	14
10. Documents comprising the Bid: Eligibility and Technical Components	14
11. Documents comprising the Bid: Financial Component	14
12. Bid Prices	14
13. Bid and Payment Currencies	15
14. Bid Security	15
15. Sealing and Marking of Bids	16
16. Deadline for Submission of Bids	16
17. Opening and Preliminary Examination of Bids	16
18. Domestic Preference	16
19. Detailed Evaluation and Comparison of Bids	16
20. Post-Qualification	17
21. Signing of the Contract	17
Section III. Bid Data Sheet	18
Section IV. General Conditions of Contract	21
1. Scope of Contract	22
2. Advance Payment and Terms of Payment	22
3. Performance Security	22
4. Inspection and Tests	22
5. Warranty	23
6. Liability of the Supplier	23
Section V. Special Conditions of Contract	24
Section VI. Schedule of Requirements	31
Section VII. Technical Specifications	32
Section VIII. Checklist of Technical and Financial Documents	125

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines
Department of Education
Cordillera administrative

**INVITATION TO BID FOR
SUPPLY AND DOOR-TO-DOOR DELIVERY OF FY 2024
LEARNING TOOLS AND EQUIPMENT FOR TECHNICAL-
VOCATIONAL-LIVELIHOOD (LTE-TVL) WITH 2 LOTS
FOR DEPED-CAR**

1. The *Department of Education-Cordillera Administrative Region Regional Office (DepEd – CAR RO)*, through the *2024 General Appropriations Act Fund* intends to apply the sum of:

Lot No.	Approved Budget to the Contract (Php)	Identification No.
1	11,817,812.02	DepEd-CAR RO CB 2024-10-028 – Lot 1
2	5,353,387.18	DepEd-CAR RO CB 2024-10-028 – Lot 2

being the ABC to payments under the contract for each lot. Bids received in excess of the ABC for each lot shall be automatically rejected at bid opening.

2. The *DepEd – CAR RO* now invites bids for the above Procurement Project. ***Delivery of the Goods is required by within ninety (90) calendar days upon receipt of Notice to Proceed.*** Bidders should have completed, within ***five (5) years*** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from *DepEd – CAR RO* and inspect the Bidding Documents at the address given below during ***8:00am to 5:00pm***.
5. A complete set of Bidding Documents may be acquired by interested Bidders on ***October 12, 2024*** from the *DepEd-CAR RO Procurement Unit (BAC Secretariat)* and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of:

<i>Lot No.</i>	<i>Applicable fee for the Bidding Documents each lot (Php)</i>
<i>1</i>	<i>17,000.00</i>
<i>2</i>	<i>8,000.00</i>

The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person, by facsimile, or through electronic means.*

[NOTE: For lot procurement, the maximum fee for the Bidding Documents for each lot shall be based on its ABC, in accordance with the Guidelines issued by the GPPB; provided that the total fees for the Bidding Documents of all lots shall not exceed the maximum fee prescribed in the Guidelines for the sum of the ABC of all lots.]

6. The ***DepEd-CAR RO*** will hold a ***Pre-Bid Conference***¹ on ***October 21, 2024*** at ***9:00 AM*** at the ***OARD, DepEd-CAR RO, Wangal, La Trinidad, Benguet***, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat at the ***Office of the Assistant Regional Director of the DepEd-CAR RO***, address below, ***on or before 9:00 AM of November 5, 2024. Late bids shall not be accepted.***

RONALD B. CASTILLO, CESO V
BAC Chairperson
Procurement Unit Office (BAC Secretariat Office)
DepED-CAR Regional Office
Wangal, La Trinidad, Benguet

8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ***ITB*** Clause 14.
9. ***Bid opening shall be on November 5, 2024 at 9:01 AM at the OARD, DepEd-CAR, Wangal, La Trinidad, Benguet.*** Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. The ***DepEd-CAR RO*** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

Atty. Edward C. Magalgalit, Jr./Randolph Flyn B. Daculog
Chair, BAC Secretariat/Procurement Unit
DepED-CAR Regional Office
Wangal, La Trinidad, Benguet
Email address: car.procurement@deped.gov.ph
Tel. No. (074) 422-1318 Cp No. 09178218490/09207930509
Website: www.depedcar.ph

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

12. You may visit the following websites:

For downloading of Bidding Documents: *depedcar.ph*

October 11, 2024

RONALD B. CASTILLO, CESO V
BAC Chairperson

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *DepEd-CAR RO* wishes to receive Bids for the *Supply and Door-to-Door Delivery of FY 2024 Learning Tools and Equipment for Technical-Vocational-Livelihood (LTE-TVL) with 2 Lots for DepEd-CAR* with identification numbers:

Lot No.	Identification Number
1	DepEd-CAR RO CB 2024-09-020 – Lot 1
2	DepEd-CAR RO CB 2024-09-020 – Lot 2

The Procurement Project (referred to herein as “Project”) is composed of *two (2) lots*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *FY 2024 GAA* in the amount of:

Lot No.	Approved Budget to the Contract (Php)
1	11,817,812.02
2	5,353,387.18

2.2. The source of funding is:

a. NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. **The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.**
 - OR**
 - b. **The bidder should have completed at least two (2) similar contracts and the aggregate contract amounts should be equivalent to at least the percentage of the ABC as required above; and the largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.**
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. **Subcontracting is not allowed.**

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address ***Office of the Assistant Regional Director, DepEd-CAR RO, Wangal, La Trinidad Benguet*** as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *[state relevant period as provided in paragraph 2 of the **IB**]* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. **Philippine Pesos.**

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until ***Sixty (60) calendar days from the deadline of submission of bids***. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit **one (1) copy (labelled as original copy)** of the first and second components of its Bid.

The Procuring Entity requests **two (2) additional hard copies (labelled as Copy 1 and Copy 2)** and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the

case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.

19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as follows:

Option 2 – One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause																		
5.3	For this purpose, contracts similar to the Project shall be: <ul style="list-style-type: none"> a. Contracts related to: <ul style="list-style-type: none"> <i>Lot 1: Supply and Delivery of Supplies/Materials/Tools/Equipment related to Bread and Pastry Production/Cookery/ Food and Beverages Services</i> <i>Lot 2: Supply and Delivery of Supplies/Materials/Tools/Equipment related to Computer Systems Servicing/Hairdressing/Housekeeping/Front Office Services</i> 																	
7.1	<i>Subcontracting is not allowed.</i>																	
12	The price of the Goods shall be quoted DDP [<i>state place of destination</i>] or the applicable International Commercial Terms (INCOTERMS) for this Project.																	
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 5%;">Lot No.</th> <th style="width: 45%;">Description/Specialization</th> <th style="width: 20%;">Amount Cash, Cashier's / Manager's Check, Bank Draft/ Guarantee/ Irrevocable Letter of Credit (2%)</th> <th style="width: 15%;">Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission (5%)</th> <th style="width: 15%;">Bid Securing Declaration (Pursuant to GPPB Resolution No. 03-2012)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td><i>Lot 1: Supply and Delivery of Supplies/Materials/Tools/Equipment related to Bread and Pastry Production/Cookery/ Food and Beverages Services</i></td> <td style="text-align: right;">236,356.24</td> <td style="text-align: right;">590,890.60</td> <td rowspan="2" style="text-align: center; vertical-align: middle;">Please see Section VIII</td> </tr> <tr> <td style="text-align: center;">2</td> <td><i>Lot 2: Supply and Delivery of Supplies/Materials/Tools/Equipment related to Computer Systems Servicing/ Hairdressing/Housekeeping/Front Office Services</i></td> <td style="text-align: right;">107,067.74</td> <td style="text-align: right;">267,669.36</td> </tr> </tbody> </table> <ul style="list-style-type: none"> a. Note: The Bid Security in the form of Cashier's/manager's check shall be payable to DepEd-CAR Regional Office – Cash Section 				Lot No.	Description/Specialization	Amount Cash, Cashier's / Manager's Check, Bank Draft/ Guarantee/ Irrevocable Letter of Credit (2%)	Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission (5%)	Bid Securing Declaration (Pursuant to GPPB Resolution No. 03-2012)	1	<i>Lot 1: Supply and Delivery of Supplies/Materials/Tools/Equipment related to Bread and Pastry Production/Cookery/ Food and Beverages Services</i>	236,356.24	590,890.60	Please see Section VIII	2	<i>Lot 2: Supply and Delivery of Supplies/Materials/Tools/Equipment related to Computer Systems Servicing/ Hairdressing/Housekeeping/Front Office Services</i>	107,067.74	267,669.36
Lot No.	Description/Specialization	Amount Cash, Cashier's / Manager's Check, Bank Draft/ Guarantee/ Irrevocable Letter of Credit (2%)	Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission (5%)	Bid Securing Declaration (Pursuant to GPPB Resolution No. 03-2012)														
1	<i>Lot 1: Supply and Delivery of Supplies/Materials/Tools/Equipment related to Bread and Pastry Production/Cookery/ Food and Beverages Services</i>	236,356.24	590,890.60	Please see Section VIII														
2	<i>Lot 2: Supply and Delivery of Supplies/Materials/Tools/Equipment related to Computer Systems Servicing/ Hairdressing/Housekeeping/Front Office Services</i>	107,067.74	267,669.36															
19.3	The Project will be awarded by lot/s. The NFCC computation, if applicable, must be sufficient for all the lot/s or contract/s to be awarded to the Bidder: <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 10%;">LotNo.</th> <th style="width: 45%;">Description/Specialization</th> <th style="width: 20%;">No. of School recipient</th> <th style="width: 25%;">ABC</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>Bread and Pastry Production NC II</td> <td style="text-align: center;">26</td> <td rowspan="2" style="text-align: center; vertical-align: middle;">11,817,812.02</td> </tr> <tr> <td></td> <td>Cookery NC II</td> <td style="text-align: center;">30</td> </tr> </tbody> </table>				LotNo.	Description/Specialization	No. of School recipient	ABC	1	Bread and Pastry Production NC II	26	11,817,812.02		Cookery NC II	30			
LotNo.	Description/Specialization	No. of School recipient	ABC															
1	Bread and Pastry Production NC II	26	11,817,812.02															
	Cookery NC II	30																

		Food and Beverage Services NC II	16	
	2	Computer Systems Servicing NC II	12	5,353,387.18
		Hairdressing NC II	2	
		Housekeeping NC II	2	
		Front Office Services NC II	4	
	<p>NOTE: The technical specifications of each item and distribution list can be downloaded from this link: https://tinyurl.com/TVL-Tools-2024-2-Lots</p> <p>NOTE: For tools or equipment powered by electricity or fuel, the brand and model of the item/unit offered must be available in the local market. Original Equipment Manufacturer (OEM) or assembled items/units will not be accepted and will be grounds for disqualification. On the other hand, for tools and equipment NOT powered by electricity or fuel, Original Equipment Manufacturer (OEM) or assembled items/units are accepted.</p>			
20.2	<p>Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BAC that it submitted the LCB, the Bidder shall submit copies of the following requirements:</p> <ol style="list-style-type: none"> 1. Latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) 2. During the Post Qualification (Site Inspection), the LCB shall present the following: <ol style="list-style-type: none"> a. All licenses, permits, and other documents it submitted, such as SEC registration, DTI business name registration, Mayor’s permit, TIN, audited financial statements, etc. b. An actual sample of the items being offered c. Submit Project implementation timeline. <p><i>NOTE: Failure to submit any of the post-qualification requirements on time, or finding against the veracity thereof, shall disqualify the bidder for award. Provided in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the bid security in accordance with Section 69 of the IRR of RA 9184.</i></p>			
21.2	<p><i>[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]</i></p> <p><i>No Further Instructions</i></p>			

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.}

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project *{[Include if Framework Agreement will be used:] or Framework Agreement}* specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered at the Recipient Schools (Please see annex A and can be downloaded to the link stated in the BDS). In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered at the Recipient Schools (Please see annex A and can be downloaded to the link stated in the BDS). Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site are Jonalyn C. Ambrona, Education Program Supervisor under CLMD and Vandolph B. Flora, Administrative Officer V under ASD-Asset Management Section.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

	<p>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</p> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p>Spare Parts –</p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <ol style="list-style-type: none"> 1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and 2. in the event of termination of production of the spare parts: <ol style="list-style-type: none"> i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested. <p>The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the costs thereof are included in the contract price.</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [<i>indicate here the time period specified. If not used indicate a time period of three times the warranty period</i>].</p> <p>Spare parts or components shall be supplied as promptly as possible, but in any case, within [<i>insert appropriate time period</i>] months of placing the order.</p>

	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>

	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
	<p>Regular and Recurring Services –</p> <p><i>[In case of contracts for regular and recurring services, state:]</i> “The contract for regular and recurring services shall be subject to a renewal whereby the performance evaluation of the service provider shall be conducted in accordance with Section VII. Technical specifications.”</p>
	<p>Liquidated Damages - Under Section 68 of the 2016 Revised IRR of RA 9184.</p> <p>All contracts executed in accordance with the Act and this IRR shall contain a provision on liquidated damages which shall be payable by the contractor in case of breach thereof. For the procurement of Goods, Infrastructure Projects and Consulting Services, the amount of the liquidated damages shall be at least equal to one-tenth of one percent (0.001) of the cost of the unperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the Procuring Entity may rescind or terminate the contract, without prejudice to other courses of action and remedies available under the circumstances.</p>
2.2	<p>The terms of payment shall be as follows:</p> <p>Full payment shall be effected upon 100% delivery and installation. Five percent (5%) retention money shall be deducted and will be released one (1) year after acceptance by the Procuring Entity of the delivered and installed equipment or submission of surety bond equivalent to the retention money.</p>
4	<p>Delivery and Inspection:</p>

	<ul style="list-style-type: none"> a. The DepED-CAR RO shall conduct pre-delivery inspection of sample item offered before delivery. b. The supplier shall be responsible for the transport of the goods from the store to the recipient schools. c. All goods to be delivered to the recipient schools shall be free from defects, substandard material, imperfection and other analogous defects. d. Only goods with the best quality shall be acceptable to the Department. e. All goods found to be with defects, imperfections and poor quality shall be rejected by the Department at any stage of the contract implementation. f. Delivery shall be during office hours (8:00-5:00). The Supplier shall not deliver goods on a Saturday, Sunday or Holiday. g. Delivered goods at recipient schools shall be inspected by the Inspectorate Team and accepted by the School Property Custodian. h. The Supplier shall be responsible in the preparation and completion of the Inspection and Acceptance Report (IAR) i. The Delivery Receipt (DR) shall be signed by the School Property Custodian.
5	<p>Warranty - Under Section 62.1 of the 2016 revised IRR of RA No. 9184.</p> <p>For the procurement of Goods, in order to assure that manufacturing defects shall be corrected by the supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of Expendable Supplies, or a minimum period of one (1) year, in the case of Non-expendable Supplies, after acceptance by the Procuring Entity of the delivered supplies.</p> <p>The obligation for the warranty shall be covered by either retention money in an amount equivalent to at least one percent (1%) but not to exceed five percent (5%) of every progress payment, or a special bank guarantee equivalent to at least one percent (1%) but not to exceed five percent (5%) of the total contract price. The said amounts shall only be released after the lapse of the warranty period or, in the case of Expendable Supplies, after consumption thereof: Provided, however, That the supplies delivered are free from patent and latent defects and all the conditions imposed under the contract have been fully met.</p> <p>The Supplier shall supply and deliver only the best furniture for the learners and teachers</p> <p>The Supplier warrants that any damage or defect in the goods delivered, the supplier shall automatically and immediately replace the same with no question</p>

	<p>at no cost to the school, DepEd or Government within two weeks from the time of the defects become apparent and reported by the school or the Department</p> <p>The supplier shall replace or immediately compensate the school for replacement of damaged goods, unassembled furniture, or any other defects attributable to the delivery and factory defect of the items delivered within two years from delivery, excepts for damages caused while being used by the learners in the school</p> <p>Supplier must immediately replace defective furniture and deliver its replacement without any cost with one week from the reported presence of defects. Supplier cannot deny or refuse the immediate replacement of the reported patently defective goods delivered to the school reasoning the goods were accepted by the school who are not experts to determine the quality of the goods</p>
--	--

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	Description/Specialization	No. of School Recipient	Unit	Quantity	Delivered, Weeks/Months
1	Bread and Pastry Production NC II	26	Please see Annex A		Within ninety (90) calendar days upon receipt of Notice to Proceed
	Cookery NC II	30			
	Food and Beverage Services NC II	16			
2	Computer Systems Servicing NC II	12	Please see Annex A		Within ninety (90) calendar days upon receipt of Notice to Proceed
	Hairdressing NC II	2			
	Housekeeping NC II	2			
	Front Office Services NC II	4			

I hereby certify to comply with and deliver all the above requirements.

Name of Company/Bidder

Signature Over Printed Name of Representative

Date

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

In case of Renewal of Regular and Recurring Services, the Procuring Entity must indicate here the technical requirements for the service provider, which must include the set criteria in the conduct of its performance evaluation.

Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>

**Technical Specifications of Learning Tools and Equipment for
Technical-Vocational-Livelihood (FY 2024 LTE-TVL)
LOT 1**

Bread and Pastry Production NC II

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Air Compressor with Airbrush Cake Decorating Set	<p>Type: Single Cylinder Piston Compressor; Body Shape : Cylindrical in shape; Material: Copper, Aluminum; Dimension: (L X W X H) 24 cm X 13 cm X 17 cm (minimum); Power Source: 220 Volts AC, 60 Hz with power cord 1.5 meters long minimum with attachment standard male plug type A or provide an adapter plug; Power Rating : 1/6 Hp motor; Capacity: Air pressure adjustment range 0 to 57 Psi; Automatic On/Off Shutoff; Compressor must have oil filter, water trap filter, pressure regulator with gauge, and with mounted airbrush holder and with built in cooling fans; Airbrush Specifications: a) airbrush material: Stainless steel body; b) Needle Dia.: 0.3 mm. c) Cup capacity: 2 cc; d) Airbrush with a 1/3 oz. gravity fluid cup; e) Nozzle that allow to spray from hairline up to 1 1/2 inches wide; f) Operating Pressure: 15-57 Psi. g) rubber hose length: 2 meter (minimum) h.) Air flow: 20 liters/min. Package contents: 1 pc Air compressor, 1 set Air brush kit with case, 5 ft- Rubber/Vinyl Hose, 5 pcs Cleaning Brushes in different width, tools and User's Manual that contains Operation guide, maintenance/ troubleshooting procedure and list of parts.</p>	unit	32		

2	BEATER	Type: Manual Hand Beater Body Shape: Circular Handheld mixer Materials: Stainless Steel with plastic grip Dimension: L-28 cm x Width-7 cm (minimum) Twin beater designed for mixing Preferably with packing case Dishwasher safe	pc	114		
3	BOARD, CHOPPING, 6 COLOR	Type: Food Grade; Body Shape: Rectangular; Material: Plastic (Polypropylene), food grade; Board Size: Length: 38 cm (minimum); Width: 30 cm (minimum); Thickness: 1.27 cm (minimum); Color-coded for use with different types of food, Blue, Red, Yellow, Green, Brown and White; Preferably packed in set; No sharp edges; With hole for storage purposes.	set	81		
4	Boiler, Double	Material: Stainless steel; Thickness: 1/16 inch (1.5 mm) (minimum); Lid material: Glass; Riveted handle on both side; Diameter: 9 1/2 inches (minimum); Total Height: 9.4 inches (minimum); Inset Bottom Diameter: 9 inches (minimum); Inset Top Diameter: 9 inches (minimum); Capacity: 2 liters (minimum); Must be a set which includes one (1) saucepan, one (1) boiler, and one (1) lid; With Stainless steel handle; With smooth surfaces (no sharp edges);	pc	69		
5	BOWL, MIXING (6 PCS/SET)	Type: Mixing Bowl Set; Body Shape: Round; Material: Stainless Steel, 0.8 mm - 1.0 mm thick; Each set must consist of the following capacities: 1 pc - 0.70 liter 1 pc - 1.5 liters 1 pc - 3 liters	pc	132		

		<p>1pc - 4 liters 1pc - 5 liters 1pc - 8 liters Light weight and easy to use, flat base, curved lip Preferably with packing case Dishwasher Safe</p>				
6	CAKE PANS, ROUND #6, #8, #10, #12, #14, #16	<p>Type: Round Pan Body Shape: Round Material: Anodized Aluminum Thickness: 1.29 mm thick (minimum) Depth: 2 inches (50.8 mm) (minimum) Set must each contain the following diameter: 1 pc - 6 inches (152.4 mm) diameter (minimum) 1 pc - 8 inches (203.2 mm) diameter (minimum) 1 pc - 10 inches (254 mm) diameter (minimum) 1 pc - 12 inches (304.8 mm) diameter (minimum) 1 pc - 14 inches (355.6 mm) diameter (minimum) 1 pc - 16 inches (406.4 mm) diameter (minimum) Preferably packed (6 pcs per set) With rolled edge; With smooth surface and no sharp edges</p>	pc	81		
7	CAKE STAND, WITH TIER	<p>Type: Cake Stand with Tier, food grade Body shape: Circular with 3 tier Material: Hard Plastic, Polypropylene, 4 mm thick The tier consists of the following sizes: Tier 1: 18 cm diameter (minimum) Tier 2: 25 cm diameter (minimum) Tier 3 : 30 cm diameter (minimum) Column diameter: 20 to 30 mm (solid) Distance between tiers: 15 cm Over-all Length: 30 cm (minimum) Assembled column is used for maximum strength and stability of the stand Must be Packed in set Smooth and no sharp edges</p>	pc	93		
8	CAKE TURN TABLE	<p>Type: Turn table Body Shape : Circular</p>	pc	59		

		<p>Material: Cast Aluminum Plate and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise</p>				
9	COUPLER	<p>Type: Food Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum) Preferably with storage case The materials used must be non-toxic and dishwasher safe</p>	pc	80		
10	CUP, MEASURING (FOR SOLID)	<p>Type: Measuring Cup Set Body Shape: Round Material: Stainless steel, 0.7 mm thick (minimum) Each set contains the following: 1 pc - 1 cup (237 mL) 1 pc - 1/2 cup (118 mL) 1 pc - 1/3 cup (79 mL) 1 pc - 1/4 cup (59 mL) Handle dimension: Length-12 cm x Width-1 cm (minimum) Measuring capacity engraved on the handle Strip Handles have provision for hanging Preferably with packing case Smooth and no sharp edges Dishwasher safe</p>	set	141		
11	CUP, MEASURING, 250 ML FOR LIQUID	<p>Type: Clear Glass Cup Body Shape: Round Material: Clear, non-porous tempered glass Capacity: 250 ml (with 10 ml or 50 ml increments) With permanent graduation markings Specified metric and English system of measurement With handle & spout for easy pouring</p>	pc	148		

		Preferably with packing case Food grade and safe use for microwave, freezer and dishwasher				
12	CUP, MEASURING, 500ML FOR LIQUID	Type: Clear Glass Cup Body Shape: Round Material: Clear, non-porous tempered glass Capacity: 500 ml (with 10 ml or 50 ml increments) With permanent graduation markings Specified metric and English system of measurement With handle & spout for easy pouring Preferably with packing case Food grade and safe use for microwave, freeze and dishwasher	pc	104		
13	CUTTER, DOUGH	Type: Scraper Body Shape: Straight Blade Material: Stainless Steel straight blade with stainless steel handle Blade dimension: Length : 15 cm x Width: 11 cm x Thickness: 1.2 mm(minimum) Handle Dimension: Length: 15 cm x diameter: 3 cm (minimum) Preferably with packing case Food grade and dishwasher safe Design allows item to be hung for storage	pc	89		
14	CUTTER, PIE	Type: Pie Cutter Wheel knife Body Shape: Round wheel roller Material: Stainless Steel Overall Length: 19.5 cm (minimum) Wheel Diameter: 6.5 cm (minimum) With hanging hook at the tip of the handle for hanging storage Preferably with packing case Comes with finger protection Dishwasher safe	pc	103		
15	FLOUR SIFTER, HAND CRANKED	Type: Hand Cranked Body Shape: Round Shape Material: Stainless steel Dimension: Diameter: 128 mm (minimum) x Height: 125 mm (minimum) Thickness: 0.79 mm (minimum) (body) and constructed with stainless steel wire mesh # 30 bottom Volume markings should be seen inside and outside of the sifter Capacity: 5 cups (1.18 liter) Spring action squeeze handle stainless steel	pc	130		

		Preferably with a packing case Dishwasher safe				
16	GRATER	Type: Four sided Box Grater Body Shape: Box in shape Material: Stainless steel blade and Plastic (Polypropylene handle) Grater Dimensions: Height- 25 cm x Width-13 cm x Depth-10 cm (minimum) Side 1: Large-hole shredder with 6 mm hole Side 2: Slicer with strips about 1.27 cm to 2.54 cm length Side 3: Small-hole shredder with 3 mm hole Side 4: Grater Preferably with packing case Food grade & dishwashing safe	pc	102		
17	KNIFE, KITCHEN	Type: Cook's knife or kitchen knife Body Shape: Flat and Straight Edge Material: Stainless steel blade Handle material: Hard Plastic (Polypropylene) with rivets Overall Length: 33 cm (minimum) Blade Length: 20 cm x Width: 3.2 cm (minimum) Handle Length: 12 cm (minimum) Thickness of Blade: 3 mm (minimum) Pointed Tip and slight curve Preferably with packing case Dishwasher safe Must be branded.	pc	127		
18	Knife, Pallet	Type: Pallet knife Body Shape: Offset Blade Blade material: Stainless steel Handle material: Hardwood (Smooth finish) with rivets Overall length: 30.5 cm - 35.6 cm Blade Dimension: Length- 17 cm x Width-3.8 cm (minimum) Thickness of Blade: 1.7 mm thick (minimum) Preferably with packing case Dishwasher safe Must be branded.	pc	140		
19	LADLE , 3 OZ	Type: Soup ladle Body Shape: bowl shape Material: Stainless steel	pc	97		

		<p>Overall Length: 12 inches (minimum) Bowl Depth: 1.5 inches Bowl Diameter: 3.5 inches (minimum) Capacity: 3 oz. (85 ml) minimum Handle with provision for hanging Preferably with packing case Food grade and dishwasher safe Must be branded</p>				
20	LOAF PAN BIG	<p>Type: Loaf pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm - 2 mm Length: 25.4 cm (minimum) Width: 12.7 cm (minimum) Depth: 7.62 cm (minimum) Preferably with packing case Extended sides for an easy grip With smooth surfaces and no sharp edges Food grade and oven safe Must be branded.</p>	pc	110		
21	LOAF PAN, MEDIUM	<p>Type: Loaf pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm - 2 mm Length: 22.86 cm (minimum) Width: 11.43 cm (minimum) Depth: 6.9 cm (minimum) Preferably with packing case Extended sides for an easy grip With smooth surfaces and no sharp edges Food grade and oven safe Must be branded.</p>	pc	108		
22	LOAF PAN, SMALL	<p>Type: Loaf pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm - 2 mm</p>	pc	113		

		<p>Length: 17.78 cm (minimum) Width: 7.62 cm (minimum) Depth: 5.48 cm (minimum) Preferably with packing case Extended sides for an easy grip With smooth surfaces and no sharp edges Food grade and oven safe Must be branded.</p>				
23	MUFFIN PAN, BIG	<p>Type: Muffin pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm (minimum) Dimension: Length-36.6 cm x Width-22.9 cm x Height-3 cm (minimum) Cup Size: Height- 3 cm x Diameter 8.9 cm (minimum) Number of cups in a tray: 6 cups Preferably with packing case With extended sides for an easy grip With smooth surfaces and no sharp edges Food grade and oven safe Must be branded.</p>	pc	114		
24	MUFFIN PAN, MEDIUM	<p>Type: Muffin pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm (minimum) Dimension: Length-40 cm x Width-27.9 cm x Height-2.8 cm (minimum) Cup Size: Height-2.8cm x Diameter 6.9 cm (minimum) Number of cups in a tray: 12 cups Preferably with packing case With extended sides for an easy grip With smooth surfaces and no sharp edges Food grade and oven safe Must be branded.</p>	pc	116		
25	MUFFIN PAN, SMALL	<p>Type: Muffin pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm (minimum)</p>	pc	107		

		<p>Dimension: Length 40.6 cm x Width-25.4 cm x Height 2.8 cm (minimum) Cup Size: Height-2.8 cm x Diameter 3.8 cm (minimum) Number of cups in a tray: 24 cups Preferably with packing case With extended sides for an easy grip With smooth surfaces and no sharp edges</p>				
26	PIE PAN , 10 INCHES DIAMETER	<p>Type: Pie Pan Body Shape: Round Material: Aluminum, 0.81 mm thick (minimum) Diameter -10 inches (254 mm) minimum Depth: 1.25 inches (31.75 mm) minimum Coated with non-stick coating materials Preferably with packing case Oven safe to 500°F / 260°C Food Grade With extended sides for an easy grip With smooth surfaces and no sharp edges Must be branded.</p>	pc	117		
27	PIE PAN, # 6, #8, #10	<p>Type Pie Pan Body Shape: Round Material: Aluminum, 0.81 mm thick (minimum) 1) # 10 diameter: 10 inches (254 mm) minimum 2) # 8 diameter: 8 inches(203 mm) minimum 3) #6 dianeter: 6 inches (152 mm) minimum Depth: 1.5 inches (38.1 mm) minimum Oven safe to 500°F / 260°C Coated with non-stick coating materials Preferably with packing case Food Grade With extended sides for an easy grip With smooth surfaces and no sharp edges Must be branded.</p>	set	137		
28	PILLARS, CAKE	<p>Type: Cake Pillars, food grade Body Shape: Tubular Material: Crystal clear fiber plastic Tube diameter: 2.5 cm (minimum)</p>	pc	115		

		<p>Base and Top diameter: 3.5 cm (minimum) Height: 13 cm (minimum) Packed in Four (4) pcs per set The materials used must be non-toxic. Must be branded</p>				
29	PIPING BAG	<p>Type: Piping Bag Body Shape: Triangular Material: Transparent Disposable Plastic for dispensing ingredients to pastries Length: 9 inches minimum Width: 3 inches (minimum) Volume: 500 ml (approximate) Preferably with packing case Food grade Must be branded.</p>	pc	126		
30	RECTANGULAR PAN, 1 X 8	<p>Type: Square Pan Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe Must be branded.</p>	pc	126		
31	ROLLING PINS	<p>Type: Rolling Pins Body Shape: Tubular in shape Material: Hardwood (Solid Wood in natural color) Roller Dimensions: 2.5 inches diameter x 9.5 inches length (minimum) Handle dimension: 1 inch diameter x 4 inches length (minimum) Overall length: 17.5 inches (minimum) With rust proof nylon bearings for smooth rolling action Preferably with packing case Smooth surface finish with no sharp edges Materials used must be food grade Must be branded</p>	pc	125		
32	RUBBER SCRAPER	<p>Type: Rubber scraper Body Shape: Flat Material: Silicone blade (head) & Plastic Handle (Polypropylene)</p>	pc	181		

		<p>Head length: 11.5 cm (minimum) Head width: 7.0 cm (minimum) Handle length: 24 cm to 30 cm Preferably with packing case Safe working temperature: -40°F to 446°F The materials used must be non-toxic Must be branded</p>				
33	SAUCE PAN	<p>Type: Sauce Pan Body Shape: Round in shape Material: Stainless Steel with aluminum core Dimension: Diameter- 16 cm x Height-8 cm (minimum) Thickness: 1.8 mm thick (minimum) Riveted Stainless steel Handle Length: 15 cm (minimum) Capacity: 1 quart (minimum) Preferably with packing case With stainless steel cover, Safe for use with stove, oven, broiler and dishwasher The materials used must be non-toxic Must be branded</p>	pc	142		
34	SHEET PAN	<p>Type: Sheet Pan Body Type: Rectangular Material: Aluminum Thickness: 0.91 mm Thick (minimum) Dimension: Length-22 inches x Width-16 inches x Height-1 inch (minimum) Preferably with packing case Smooth finish surfaces without sharp edges Corrosion resistant Superior heat conduction Oven safe to 500°F / 260°C (maximum) Food grade Must be branded.</p>	pc	160		
35	SPOON, MEASURING	<p>Type: Measuring Spoon Body Shape: Bowl in shape Material: Stainless Steel, 0.7 mm thick (minimum) The set consists of the following sizes:</p>	set	175		

		<p>1 pc - 1 tbsp. (15 ml) 1 pc - 1/2 tbsp. (7.5 ml) 1 pc - 1 tsp. (5 ml) 1 pc - 1/2 tsp. (2.5 ml) 1 pc - 1/4 tsp. (1.25 ml) Handle dimension: Length-12 cm x 1 cm (minimum) Measuring capacity engraved on the handle Strip Handles have provision for hanging Preferably with packing case Smooth finish surfaces without sharp edges Dishwasher safe Must be branded.</p>				
36	SPOON, WOODEN	<p>Type: Wooden Spoon Body Shape: Oval Material: Hardwood Dimensions: Length- 10 inches x Width- 2 inches (minimum) Bowl dimension: Length -3 inches X Width 2 inches X Depth -1/2 inches (minimum) Total Length: 10 inches (minimum) Preferably with a packing case Smooth surface finish and no sharp edges Handle with provision for hanging storage purposes Must be branded</p>	pc	101		
37	STRAINER	<p>Type: Basket Body Shape: Round Material: Stainless steel frame & stainless steel wire mesh Strainer diameter: 8 inches (minimum) Thickness of frame: 1.59 mm thick (minimum) Durable tough Wooden Handle with stainless steel rod rim Basket material: stainless steel wire mesh, very fine mesh Half-rounded mesh Preferably with packing case Smooth surfaces and no sharp edges The materials used must be non-toxic Must be branded.</p>	pc	101		

38	TIP, DECORATING	<p>Type: Tube Tips Body Shape: Nozzles with different shape Material: Stainless Steel Tube Height: 3.5 cm to 5 cm Tube Diameter: 2 cm to 3.5 cm Thickness: 0.5 mm (minimum) Tube Tip: Assorted Designs (create swirls, rosettes, flowers, roping, stars, leaves and other designs) Comes with 24 different shapes of nozzles packed in plastic storage box Smooth and deformities free Must be branded</p>	pack	117		
39	WEIGHING SCALE, 10 KGS	<p>Type: Top loading Dial Weighing Scale Body Shape: Flat Pan Material: Aluminum pan and metal body (enamel painted) Dimension: (L X W X H) 26 cm x 21 cm x 26 cm (minimum) Platform L-22 cm x W-22 cm (minimum) Capacity: 10 kg / 22 lb. Sensitivity/Graduated by 10 grams Measurement units: Gram/Kilogram Manual Setting on Zero, must be accurate and durable Mechanism type: Spring Lever Preferably with packing case No sharp edges and rough surfaces Comes with English User's manual that contains Operation guide, maintenance and troubleshooting procedure Must be branded</p>	unit	68		
40	WEIGHING SCALE,5 KGS, DIGITAL	<p>Type: Digital Weighing Scale Material: Hard Plastic body, Stainless Steel Weighing Pan Overall Dimension: (L x W x H) 24 cm x 16 cm x 7 cm (minimum) Stainless Steel Weighing Pan size: (L x W) 13 cm x 13 cm (minimum) Power Source: Battery Operated (Batteries are included) or Optional with AC/DC Adaptor Power Rating: 3 Volts DC - 9 Volts DC (Battery) Capacity: 2 kg -5 kg Weighs in 0.1 (1/10th) grams increments LCD display: 16 mm height with backlights Preferably with packing case</p>	unit	84		

		<p>Safety Features: Auto Power off function and Tare features</p> <p>Accessories: Weighing pan and batteries</p> <p>Comes with English User's manual that contains: Operation guide, maintenance and troubleshooting procedure</p> <p>Must be branded.</p>				
41	WIRE WHISK, MEDIUM	<p>Type Wire Whisk, medium</p> <p>Material: Stainless steel wire</p> <p>Dimensions (L x W): 25.4 cm x 7 cm (minimum)</p> <p>Handle length: 10 cm (minimum) with hanging loop</p> <p>No. of wires: 6 wires</p> <p>Wire Diameter: 1.8 mm (minimum)</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>Must be branded.</p>	pc	132		

I hereby certify to comply with and deliver all the above requirements.

Name of Company/Bidder

Signature Over Printed Name of Representative

Date

Cookery NC II

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Apple corer	Type: Apple Corer Body Shape: Tubular Material: Stainless Steel Total Length: 18 cm (minimum) Handle material: hard plastic, Polypropylene Handle Dimension: Length-10 cm x diameter-2 cm (minimum) Blade size: Length-8cm x Diameter-2 cm (minimum) Preferably with packing case Dishwasher Safe	pc	43		
2	BAIN MARIE, TABLE	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum) Power Souice: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges Accessories: 4 pcs Pans with lid Preferably with packing case Comes with an English manual that contain: Operation guide, Safety guide,maintenance / troubleshooting procedure.	unit	40		

		The offered brand of the item must be an international brand with at least 5years presence at the local market and global presence in the USA, Europe or Japan market. Warranty period of 1 year (parts) and 3 years (service) With Service centers located in major cities in the Philippines				
3	BLENDER, ELECTRIC	Type: Blender Machine Body Shape: Round Jar Material Housing: Plastic (Polypropylene) Jar Height : 25 cm to 28 cm Jar Thickness: 4 mm to 8 mm Heat resistant Glass Jar with cover Source Voltage: 220 Volts / 240 Volts,50 Hz / 60 Hz with power cord 1.5 meter long with attachment of standard Type A male plug or provide plug Adapter 10A/220V. Power Wattage: 300 to 700 watts Blade: Stainless steel, 3 to 4 metal blades Capacity: 1.5 liters to 2 liters With 5 to 10 push button speed setting with pulse control switch Preferably with packing case With English Manual that contain: Operation guide, maintenance andtroubleshooting procedure With Service centers located in major cities in the Philippines. The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or Japan market. Warranty period of 1 year (parts and service)	unit	52		
4	Board, Chopping/Cutting , plastic	Type: Cutting Board Body Shape: Rectangular Material: Plastic (Polypropylene), food grade Board Size: Length: 15 inches (minimum) Width: 12 inches (minimum) Thickness: 0.5 inch (minimum) With hole for storage purposes Preferably with packing case Food Grade and Dishwasher Safe	pc	69		
5	Boiler, Double	Material: Stainless steel Thickness: 1/16 inch (1.5 mm) (minimum) Lid material: Glass Rivetedhandle on both side	pc	40		

		<p>Diameter: 9 1/2 inches (minimum) Total Height: 9.4 inches (minimum) Inset Bottom Diameter: 9 inches (minimum) Inset Top Diameter: 9 inches (minimum) Capacity: 2 liters (minimum) Must be a set which includes one (1) saucepan, one (1) boiler, and one (1) lid With Stainless steel handle and smooth surfaces with no sharp edges</p>				
6	BRAISING PAN, MEDIUM	<p>Type: Braising Pan Body Shape: Round Material: Enameled cast iron and stainless steel Size: Diameter: 28 cm x Height: 10 cm (minimum) Capacity: 4 Liters (Approximate) With stainless steel cover, solid cast Stainless Steel side handles and riveted Handle on both side: Length: 10 cm (minimum) Handle diameter: 8 mm to 10 mm Preferably with packing case Oven-safe up to 500 ° F; broiler, freezer, and Dishwasher-safe Warranty period of 1 year (parts and service)</p>	pc	68		
7	Can Opener	<p>Type: Can Opener Body Shape: Materials: Stainless Steel Dimension: Length-21 cm x Width 10 cm x Depth:2.5cm (minimum) Multi-use: 3 in 1 Can Opener also opens bottle tops- Can lids and tabs Includes hanging loops on the end of each handle Double Round handles that are comfortable and easy to grip With rotating wheel and counter rotating serrated wheel Preferably with packing case Cutting Mechanism leaves a smooth edge on the can for your safety</p>	pc	51		
8	CART, UTILITY	<p>Type: Utility Cart Body Shape: Rectangular Material: Plastic, Polypropylene(PP) Dimension: (L x W x H) 84 cm x 43 cm x 95 cm (minimum) Capacity: 330 lbs (150 kg) loads (minimum) Three (3) Shelving with at least 25 cm distance between shelves Tub shelf measure (L x W x D) 84 cm x 43 cm x 7 cm (minimum) With four (4) Swivel Caster, 10 cm diameter, two which have locking brakes</p>	unit	59		

		<p>Preferably with a packing case Easy grip handles on each end of cart No sharp edges and rough surfaces</p>				
9	CASSEROLE, MEDIUM	<p>Type: Casserole Pot Body Shape: Round Material: Stainless steel, 0.7 mm thick Dimension: Diameter- 24 cm x Height -14 cm (minimum) Tempered glass lid Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Preferably with packing case Dishwasher safe</p>	pc	54		
10	CASSEROLE, SMALL	<p>Type: Casserole Pot Body Shape: Round Material: Stainless steel, 0.7 mm thick Dimension: Diameter- 20 cm x Height -12 cm (minimum) Tempered glass lid Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Preferably with packing case Dishwasher safe</p>	pc	72		
11	COLANDER, MEDIUM	<p>Type: Colander, Medium Body Type: Round Material: 304 Stainless steel Diameter: 30 cm (minimum) Capacity: 8 quarts (9 liters) Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 to 10 mm Body Thickness: 0.8 mm (minimum) Full-ring support base, 15 cm diameter Preferably with a packing case Food grade and Dishwasher safe</p>	pc	61		
12	COLANDER, SMALL	<p>Type: Colander (Small) Body Shape: Round Material: 304 Stainless steel Diameter: 26 cm (minimum)</p>	pc	119		

		Capacity: 5 quarts (5.6 liters) Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Body Thickness: 0.8 mm (minimum) Full-ring support base, 15 cm diameter Preferably with packing case Food grade and Dishwasher safe				
13	CUP, MEASURING (FOR SOLID)	Type: Measuring Cup Set Body Shape: Round Material: Stainless steel, 0.7 mm thick (minimum) Each set contains the following: 1 pc - 1 cup (237 mL) 1 pc - 1/2 cup (118 mL) 1 pc - 1/3 cup (79 mL) 1 pc - 1/4 cup (59 mL) Handle dimension: Length-12 cm x Width-1 cm (minimum) Measuring capacity engraved on the handle Strip Handles have provision for hanging Preferably with packing case Smooth surfaces and dishwasher safe	set	25		
14	DISPENSER, PAPER TOWEL	Type Paper Towel Dispenser Body Shape: Rectangular Material: ABS plastic Dimensions: Length =260 mm x Width =100 mm x Height = 211 mm (minimum) Capacity: 200 paper Paper size: Length-20 cm x Width- 8 cm (Approximate) Mounting style: wall mounted tissue box Comes with 4 pcs screw, 4 pcs Tox for mounting and 1 pc Key to prevent random opening Preferably with a packing case The plastic material used must be non-toxic	pc	44		
15	Fan, Electric	Stand fan, electric Material: Metal, plastic Size/Diameter: 18 inches Power rating: 70 watts (minimum), 220 / 240 VAC, 50 / 60 Hz, Single Phase Rotation Angle: 90 degrees Base: Stable, 16 inches diameter (approx.)	unit	80		

		<p>Removable metal guard on front and rear 3-speed settings Comes with 1.5 meters power cord and with molded male plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option) Smooth surface, no sharp edges Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item 1 year warranty parts and service</p>				
16	Fire Extinguisher (with contents)	<p>1.For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate) 2.Portable type 3.Capacity : 5 - 6 kgs 4.Rechargeable Cylinder Metal 5.Working pressure of Cylinder : 400 psi 6.Brass Valve with Pressure Gage 7.With Rubberized Hose and Aluminum Nozzle Attached 8.With Squeeze lever to discharge and safety pin 10.Painted with Metal Primer and Red Enamel Paint 11.Includes with User's Guide in English that contains: a. Operating procedure on how to use the equipment b. Safety precaution when using the equipment 12.1 year warranty parts and service 13.The item must be branded and have good quality</p>	pc	32		
17	FISH POACHER, MEDIUM	<p>Type: Fish Poacher Body Shape: Oval Pot for Poaching Material: Stainless Steel, 0.64 mm thick Dimensions (L x W x D): 45 cm x 15 cm x 12 cm (minimum) Handle Material: Stainless Steel Riveted looped handles on both side, 7 cm (minimum) Handle diameter: 8 mm to 10 mm Includes stainless steel lid with handle and removable insert Dimensions of the insert (L X w x D): 42 cm x 13 cm x 1.5 cm (minimum) with handle</p>	pc	56		

		Preferably with a packing case Easy care, dishwasher safe				
18	FORK, CARVING	Type: Carving Fork Body Shape: Square shape prong Prong Material: High Carbon Stainless steel Overall Length: 30 cm (minimum) Blade dimension: Length- 15 cm x Width- 0.5 cm x thickness- 0.3 cm (minimum) Number of Prongs: 2 prong Comes with square- shaped prongs and pointed tips ABS Plastic Triple-riveted handle Preferably with packing case Dishwasher safe	pc	58		
19	FORK, KITCHEN	Type: Kitchen Fork Body Shape: Standard Material: Stainless steel Dimension: Length - 32 cm x Width- 3.5 cm (minimum) Fork Size: Length: 8 cm x Width -3.5 cm (minimum) Handle :ABS Plastic Number of Tines: 2 Tines with tapered end Preferably with a packing case Heat resistant up to 220 ° C Dishwasher safe	pc	49		
20	FRYING PAN, LARGE	Type: Frying Pan (large) Body Shape: Round Pan Material: Aluminum with non-stick coating Thickness: 3 mm thick (minimum) Dimension: Diameter-30 cm (minimum) x Height- 5.5 cm (minimum) Handle Material: Stainless steel with Silicone Riveted Handle: 20 cm long (minimum) Preferably with a packing case Oven safe up to 250°F	pc	48		
21	FRYING PAN, MEDIUM	Type: Frying Pan (medium) Body Shape: Round Pan Material: Aluminum with non-stick coating Thickness: 3 mm thick (minimum) Dimension: Diameter-24 cm (minimum) x Height- 4.5 cm (minimum)	pc	44		

		<p>Handle Material: Stainless steel with Silicone Riveted Handle: 19 cm long (minimum) Preferably with a packing case Oven safe up to 250°F</p>				
22	FRYING PAN, SMALL	<p>Type: Frying Pan (small) Body Shape: Round Pan Material: Aluminum with non-stick coating Thickness: 3 mm thick (minimum) Dimension: Diameter-20 cm (minimum) x Height- 3.8 cm (minimum) Handle Material: Stainless steel with Silicone Riveted Handle: 12 cm long (minimum) Preferably with a packing case Oven safe up to 250°F</p>	pc	38		
23	FUNNEL, S/S, MEDIUM	<p>Type: Stainless Steel Funnel Body Shape: Round Material: 304 Stainless Steel Dimension: Diameter-15 cm (minimum) x Height- 15.8 cm (minimum) Tube diameter: 2 cm x Length: 7.3 cm (minimum) Comes with handle for easy hanging Preferably with packing case Dishwasher safe</p>	pc	37		
24	FUNNEL, S/S, SMALL	<p>Type: Stainless Steel Funnel Body Shape: Round Material: 304 Stainless Steel Dimension: Diameter-11 cm (minimum) x Height- 10 cm (minimum) Tube diameter: 1.5 cm x Length: 5 cm (minimum) Comes with handle for easy hanging Preferably with a packing case Dishwasher safe</p>	pc	46		
25	Garbage Bin	<p>Type: Swivel Lid Garbage Bin Body Shape: Round Material: Hard Plastic, Polypropylene Dimension: Diameter-26 cm x Height-47 cm (minimum) Capacity: 4 gallons (minimum) Removable dome shape Lid with spring return swivel Preferably with a packing case</p>	pc	48		

		Color: Any color Smooth and no rough surfaces				
26	GLASS RACK	Type: Glass Rack Body Shape: Square Material: Polypropylene Plastic Overall Dimensions: Length - 19 1/2 inches x Width - 19 1/2 inches x Height - 4 inches (minimum) Compartments: Full-size 25 individual compartment glass rack Compartment Dimensions: Length - 3 1/2 inches x Width - 3 1/2 inches x Height - 4 inches (minimum) Easy grip handles molded into all four sides Preferably with a packing Case The plastic material used must be non-toxic	pc	57		
27	KNIFE, BONING	Type: Flexible Boning Knife Body Shape: Ergonomic Material: High Carbon Steel Overall Length: 28 cm (minimum) Blade: Length-15 cm x Width- 3 cm (minimum), Pointed tip Cutting edge angle from tip to the heel is 13 to 14 degrees Handle Length: 12 cm (minimum) Handle Material: Hard plastic handle with rivets Preferably with packing case Dishwasher safe	pc	84		
28	KNIFE, CHEF	Type: Chef's Knife Body Shape: Flat Materials: Stainless steel Overall length: 30 cm (minimum) Blade Size: Length - 20 cm x Width-4 cm (minimum) Blade thickness: 2.5 mm (minimum) Cutting Edge: Straight, pointed end Handle: Triple Riveted Plastic (Polypropylene) Preferably with packing case The plastic material used must be non-toxic Dishwasher safe Must be branded.	pc	88		

29	KNIFE, CLEAVER	<p>Type: Cleaver Knife Body Shape: Flat Blade Material: Forged Stainless steel Heavy duty Blade length: 17 cm (minimum) Overall length: 30 cm (minimum) Cutting Edge: Straight Handle Material: Ergonomic Wood Handle with triple rivets Blade thickness: 3 mm (minimum) Blade width: 12 cm (minimum) Preferably with packing case The plastic material used must be non-toxic Dishwasher safe Must be branded</p>	pc	69		
30	KNIFE, OYSTER	<p>Type: Oyster Knife Body Shape: Ergonomic Blade material: Stainless steel Blade dimension: length - 7 cm (minimum) x Width - 2 cm (minimum) Blade thickness: 2 mm (minimum) Handle Material: Smooth wooded handle Rounded Handle size: Length-10 cm x Diameter- 3.5 cm (minimum) Total length (from the tip of the handle up to tip of the blade) :17 cm (minimum) Preferably with a packing case Dishwasher Safe Must be branded</p>	pc	64		
31	Light, Emergency	<p>Emergency light, 2 heads LED Materials: metal, anti-rust coated Duration Time (2 heads): 5 hours (minimum) Automatically Light Up during Power Outage Overcharge and Over- discharge Protection Built - In AC Charger, power cord plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option) Battery Test Switch - External Safety Fuse Head: White LED 1W (minimum) 3.5 " Dome Reflector Power rating: 220 -240 VAC , 50/60 Hz 20-24 Hours Charge Time Dimensions: Rectangular 27 x 7 x 27 cm (approx.)</p>	pc	21		

		<p>Sooth surface, no sharp edges Includes User's Manual in English which contains:</p> <ol style="list-style-type: none"> A Diagram of the Parts with their Names, Operating Procedures on how to use the Equipment, Safety Precautions when using the Equipment, Basic Troubleshooting and Maintenance Procedures <p>The item must be branded, Brand name and electrical ratings permanently mark on the item.</p>				
32	MEAT SLICER, SMALL	<p>Type: Meat Slicer Body Shape: Circular Housing Material: Die Cast Aluminum Alloy and body painted Dimensions: Width-40.5 cm x Depth- 45.7 cm x Height- 38 cm (minimum) Stainless Steel Rotary Blade Diameter: 190 mm (minimum) Power Source: 220 Volts-230 Volts, 60 Hz with power cord 1.5 meter long with attachment of standard Type A male plug or provide plug Adapter 10A/220V Power Rated: 150 Watts (minimum) Adjustment slicing /Cutting Thickness: 0 - 20 mm thick Complete with push button switch, pilot light and adjustable control knob for slice thickness Equipped with food carrier, slide bracket, locking plate, blade, knife sharpener, handle bar and fixed ring guard for safety Preferably with a packing case Comes with an English manual that contain: Operation guide, Safety guide,maintenance / troubleshooting procedure and list of parts. With Service centers located in major cities in the Philippines. Warranty period of 1 year (parts and service) Must be branded</p>	unit	35		
33	PAN, ROASTING	<p>Type: Roasting Pan Body Shape:Rectangular Material: Stainless steel Dimension: Length: 40 cm x Width-35 cm x Height -7 1/2cm (minimum) Thickness: 1.5 mm thick (minimum) Welded handles on both sides Removable Stainless steel wire rack Rack dimension: Length: 38 cm x Width 23 cm (minimum) Rack wire diameter: 0.5 cm (minimum)</p>	pc	63		

		<p>Preferably with a packing case Dishwasher Safe Must be branded</p>				
34	PEELER, Y-TYPE	<p>Type: Y-Type Peelers Body Shape: Ergonomic Material: Stainless Steel Overall dimensions (L x W x H): 7 inches x 2 1/4 inches x 1 inch (minimum) Blade Material: 304 Stainless steel, 0.7 mm Head dimension: (L x W x H) 2 1/4 inches x 2 1/4 inches x 1 inch (minimum) Handle Material: Stainless steel Handle length: 4 3/4 inches x 1 inch diameter (minimum) 2 in 1 design with 2 blade reel, built in potato eye remover and hole for hanger Preferably with a packing case Food grade and non-toxic material. Must be branded</p>	pc	81		
35	PEPPER AND SALT MILL	<p>Type: Pepper & Salt Mill Body Shape: Round BODY Material: Wood SIZE: Diameter: 5 cm x Height: 20 cm (minimum) Carved of wood with stainless steel grinding mechanism Color: Natural Screw Cap at the top of the mill to adjust the thickness of peeper or spices Preferably with a packing case Food grade and nontoxic Must be branded</p>	pc	49		
36	PIPING BAG	<p>Type : Piping Bag Body Shape: Triangular Material: Transparent Disposable Plastic for dispensing ingredients to pastries Length: 9 inches minimum Width: 3 inches (minimum) Volume: 500 ml (approximate) Preferablywith packing case Food grade Must be branded.</p>	pc	177		
37	PLATE RACK	<p>Type: Plate Rack Body Shape: Rectangular</p>	pc	70		

		<p>Material: 304 Stainless Steel Dimension: Length-475 mm x Width- 290 mm x Height- 380 mm (minimum) Heavy duty wire shelving, 2.6 mm diameter (minimum) Tubular Post Diameter: 20 mm thick (minimum) Drawer type drainer tray: (L x W x H) 430 mm x 250 mm x 20 mm (minimum) Preferably with a packing case With 2 tier dish drying rack with non-slip rubber footing Must be branded</p>				
38	PREPARATION TABLE WITH SINK	<p>Type: Preparation Table with sink & Sheelves Body Shape: Rectangular Material: Stainless steel, 1 mm thick (minimum) Dimensions: L-1200 mm x W - 700 mm x H - 850 mm (minimum) Stainless Steel table top and stainless steel under shelf fully welded construction Sink: Left Side Single bowl sink with drainer 4 inches & faucet provision Sink dimension (L x W x D) 400 mm x 500 mm x 25 mm (minimum) With Backsplash 100 mm (minimum) Measured 600 mm between table top to under shelf Welded Tubular Stainless Steel legs: Diameter 35 mm x 1mm thick (minimum) Preferably with a packing Case Comes with screw-type adjustable bullet feet Smooth surfaces and no sharp edges Warranty period of 1 year (parts and service) Must be branded.</p>	unit	20		
39	PRESSURE COOKER	<p>Type: Pressure Cooker Body Shape: Round Material: Polished aluminum Dimension: Diameter: 32 cm x Height: 25 cm (minimum) Capacity: 10 quarts (11.3 liters) Side handles for secure carrying Equipped with safety opening mechanism, spring safety valve, rubber seal ring Dishwasher safe Comes with an English manual that contain: Operation guide, safety guide, maintenance / troubleshooting procedure. With Service centers located in major cities in the Philippines. Warranty period of 1 year (parts and service) Must be branded.</p>	pc	42		

40	SCISSOR, KITCHEN	<p>Type: Kitchen Scissor Body Shape: Ergonomic Blade Material: Stainless Steel, 2 mm thick Handle Material heavy duty Acrylonitrile Butadiene Styrene (ABS) plastic Overall Length: 20 cm (minimum) Width: 7.5 cm (minimum) Blade size: Length- 9 cm x Width-1.5 cm (minimum) Preferably with a packing case The plastic material used must be non-toxic Must be branded.</p>	pc	71		
41	SCOOPER, ICE CREAM	<p>Type: Ice Cream Scooper Body Shape: Round Material: Stainless Steel Scoop: Diameter- 5 cm x Deep-2.5 cm (minimum) Handle length: 10 to 12 cm With trigger spring handle and scoop scraper mechanism Easy grip and durable Preferably with a packing case The materials used must be food grade and non-toxic. Dishwasher Safe and Rust Free Must be branded.</p>	pc	104		
42	SIEVER, SMALL	<p>Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded</p>	pc	54		
43	SKIMMER, FINE	<p>Type: Medium fine Mesh Skimmer Body Shape: Round Material: Stainless steel, polished Overall Length: 34 cm (minimum) Skimmer Head: Diameter -10 cm x Depth- 4 cm (minimum)</p>	pc	46		

		<p>Diameter of holes: 2 mm (approx.) Handle: Length- 12 cm x Diameter- 2 cm (minimum) Handle has hole for hanging Preferably with a packing case Dishwashing safe Must be branded.</p>				
44	SKIMMER, SPIDER	<p>Type: Skimmer, spider Body Shape: Round Material: Stainless steel, polished Overall Length: 35 cm (minimum) Skimmer Head Diameter: 15 cm x Depth 4 cm (minimum) Handle length: 12 cm x 2 cm diameter (minimum) Preferably with a packing case Dishwasher safe Heat resistant Handle, non-slip Handle has hole for hanging Must be branded</p>	pc	46		
45	SOUP CUP RACK	<p>Type: Soup Cup Rack Body Shape: Square Material: Polypropylene Plastic Dimension: Length: 50 cm x Width: 50 cm x Height: 10 cm (minimum) Compartment Length: 11 cm Compartment Width: 11 cm Compartment /Inside Height: 6.7 cm No. of Compartment: 16 Compartments Rounded handles on all four sides, 1.5 cm overlap and smooth sides Preferably with a packing case The material used must be non-toxic Must be branded</p>	pc	75		
46	SOUP LADLE, 3 OZ	<p>Type: Soup Ladle Body Shape: Round Material: Stainless steel Thickness: 1 mm thick (minimum) Handle Length: 28 cm (minimum) Capacity: 3 oz. (85 ml) Ladle type: Round bottom</p>	pc	54		

		<p>Hooked handle design allows it to easily sit on the edge of pots. Preferably with a packing case Dishwasher safe Must be branded</p>				
47	SOUP LADLE, 6 OZ	<p>Type: Soup Ladle Body Shape: Round Material: Stainless steel Thickness: 1 mm thick (minimum) Handle Length: 30 cm (minimum) Capacity: 6 oz. (170 ml) Ladle type: Round bottom Hooked handle design allows it to easily sit on the edge of pots. Preferably with a packing case Dishwasher safe Must be branded</p>	pc	53		
48	SOUP LADLE, 8 OZ	<p>Type: Soup Ladle Body Shape: Round Material: Stainless steel Thickness: 1 mm thick (minimum) Handle Length: 30 cm (minimum) Capacity: 8 oz. (236 ml) Ladle type: Round bottom Hooked handle design allows it to easily sit on the edge of pots. Preferably with a packing case Dishwasher safe Must be branded</p>	pc	53		
49	SOUP LADLE,12 OZ	<p>Type: Soup Ladle Body Shape: Round Material: Stainless steel Thickness: 1 mm thick (minimum) Handle Length: 34 cm (minimum) Capacity: 12 oz. (341 ml) Ladle type: Round bottom Hooked handle design allows it to easily sit on the edge of pots. Preferably with a packing case</p>	pc	53		

		Dishwasher safe Must be branded				
50	Spatula	type: Offset Spatula Body Shape: Flat Blade material: Stainless steel 316 Handle material: Hardwood (Smooth finish) with rivets Blade Dimension: Length= 7 .5 inches x Width-1.5 inches (minimum) Thickness of Blade: 1.7 mm thick (minimum) Total length = 12 to 14 inches Preferably with a packing case Dishwasher Safe Must be branded.	pc	68		
51	SPOON, KITCHEN	Type: Kitchen Spoon Body Shape: Oval Material: Stainless Steel, 1.5 mm thick Overall length: 30.5 cm x Width-7.5 cm (minimum) Spoon Head Dimension (L x W) 9 cm x 7.5 cm (minimum) Handle: ABS Plastic Spoon Head: Oval Type Preferably with a packing case Heat resistant up to 220 ° C Dishwasher safe Must be branded.	pc	80		
52	SPOON, KITCHEN (SLOTTED)	Type: Kitchen Spoon Slotted Body Shape: Oval with slot Material: Stainless Steel, 1.5 mm thick Overall length: 30.5 cm x Width-7.5 cm (minimum) Spoon Head Dimension (L x W) 9 cm x 7.5 cm (minimum) Handle: ABS Plastic Spoon Head: Oval Type with slot at least 6 rectangular slots Preferably with a packing case Heat resistant up to 220 ° C Dishwasher safe Must be branded.	pc	79		
53	SPOON, MEASURING	Type: Measuring Spoon Body Shape: Bowl in shape	set	78		

		<p>Material: Stainless Steel, 0.7 mm thick (minimum) The set consists of the following sizes: 1 pc - 1 tbsp. (15 ml) 1 pc - 1/2 tbsp. (7.5 ml) 1 pc - 1 tsp. (5 ml) 1 pc - 1/2 tsp. (2.5 ml) 1 pc - 1/4 tsp. (1.25 ml) Handle dimension: Length-12 cm x 1 cm (minimum) Measuring capacity engraved on the handle Strip Handles have provision for hanging Preferably with packing case Smooth surfaces and dishwasher safe Must be branded.</p>				
54	SPOON, PARISIENNE	<p>Type: Parisiennes Spoon Body Shape: Round Double headed Parisiennes scoop bar tool Material: Stainless steel, polished Overall length: 240 mm (minimum) Scoop Diameter: 30 mm and 24mm (minimum) With plastic handle (Polypropylene), Size: 130 mm x Width-20 mm (minimum) Draining small hole in the scoop Preferably with a packing case Food grade and dishwasher safe Must be branded.</p>	pc	83		
55	SPOON, SERVING	<p>Type: Serving Spoon Body Shape: Oval Materials: Stainless Steel Dimension: length: 23 cm x Width: 5 cm (minimum) Scoop dimension (L x W x D): 7 cm x 5 cm x 0.9 cm (minimum) Spoon thickness: 1.6 mm (minimum) Preferably with a packing case Dishwasher Safe Must be branded.</p>	pc	93		
56	SPOON, WOODEN	<p>Type: Wooden Spoon Body Shape: Oval Material: Hardwood</p>	pc	78		

		<p>Dimensions: Length- 10 inches x Width- 2 inches (minimum) Bowl dimension: Length -3 inches X Width 2 inches X Depth -1/2 inches (minimum) Total Length: 10 inches (minimum) Preferably with a packing case Smooth surface finished and no sharp edges Handle with provision for hanging storage purposes Must be branded</p>				
57	STOCK POT, LARGE	<p>Type: Stock Pot, large Body Shape: Round Material: Stainless Steel, 0.8 mm thick (minimum) Top Diameter: 30 cm (minimum) Height: 31 cm (minimum) Capacity: 20 quarts (22.7 liters) Oven safe to 350°F and Dishwasher safe. With aluminum disc layer in bottom for even heat (5 mm aluminum core) Comes with a cover and two reinforced stainless steel handle on both sides Preferably with a packing case Dishwasher safe Must be branded.</p>	pc	84		
58	STRAINER CHINOIS, MEDIUM	<p>Type: Strainer Chinois, medium Body Shape: Conical Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 21.5 cm (minimum) Handle length: 20 cm (minimum) With 2 mm. (approx.) fine mesh Handle has provision for hanging Preferably with a packing case Dishwasher Safe Must be branded</p>	pc	66		
59	STRAINER CHINOIS, SMALL	<p>Strainer Chinois, small Body Shape: Conical Material: Stainless steel Strainer diameter: 14 cm (minimum) Strainer depth: 13 cm (minimum) Handle length: 15 cm (minimum)</p>	pc	66		

		<p>With 1 mm (approx.) fine mesh Handle has provision for hanging Preferably with a packing case Dishwasher Safe Must be branded</p>				
60	STRAINER MEDIUM, FINE	<p>Type: Strainer, medium fine Body Shape: Round Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded.</p>	pc	69		
61	STRAINER SMALL, FINE	<p>Type: Strainer, small fine Body Shape: Round Material: Stainless steel Strainer diameter: 13 cm (minimum) Strainer depth: 5 cm (minimum) Handle length: 13 cm (minimum) With 1 mm. (approx.) fine mesh Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded.</p>	pc	69		
62	Table, Working	<p>Type: Working Table, stainless Steel Body Shape: Rectangular Material: 304 Stainless Steel, 1.29 mm thick (Gauge 16) minimum Length: 1220 mm (minimum) Width: 700 mm (minimum) Height: 850 mm (minimum) Tubular Stainless Steel legs, 38mm (minimum) with 4 adjustable bullet feet Fully welded construction</p>	unit	72		

		<p>Thickness:Gauge 16 (1.29 mm thick) minimum Stainless steel table top with stainless steel undershelf Distance between table top and undershelf is 650 mm (minimum) Preferably with a packing case or crate No sharp edges and rough surfaces Must be branded.</p>				
63	TENDERIZER, MEDIUM	<p>Type: Tenderizer Body Shape: Ergonomic Material: Cast aluminum Overall Length: 26 cm (minimum) Dual-sided hammer, square head: 6 cm x 6 cm (minimum) Ridged surface with rows of dull, pyramid-shaped spikes Weight: 250 grams to 500 grams Preferably with a packing case Dishwasher safe Must be branded</p>	pc	65		
64	THERMOMETER, POCKET /PIN	<p>Type: Pocket/Pen Thermometer Body Shape: Tubular Pen Style Digital thermometer Product size: 100 mm x 40 mm x 14 mm (minimum) Display size: 40 mm x 20 mm (minimum) Prove length: 200 mm (minimum) Measuring range: -50 °C to 300 °C (-58 °F to 372 °F) Resolution: 0.1 °C / 0.2 °F Accuracy: (+/-) 1°C With °C/°F selectable readout Auto power off Power Supply :1.5Volts, LR44 button battery (included) Comes with tubular plastic casing Preferably with cartoon packing Warranty period of 1 year (parts and service) Must be branded.</p>	pc	63		
65	TONG, 12 INCHES	<p>Type: Tong , 12 inches Body Shape: Standard Material: Stainless Steel Size: 12 inches</p>	pc	60		

		<p>Stainless-steel arms with soft, comfortable grips Nylon heads safe for nonstick cookware Heat-resistant up to 400 degrees Fahrenheit Tongs lock closed for storage Preferably with a packing case Food Grade and Dishwasher-safe Must be branded</p>				
66	TONG, 8 INCHES	<p>Type: Tong, 8 inches Body Shape: Standard Material: Stainless Steel Size: 8 inches Stainless-steel arms with soft, comfortable grips Nylon heads safe for nonstick cookware Heat-resistant up to 400 degrees Fahrenheit Tongs lock closed for storage Preferably with a packing case Food Grade and Dishwasher-safe Must be branded</p>		62		
67	TRAY, BAKING, SMALL	<p>Type: Baking Tray Body Shape: Rectangular Material: Stainless Steel Dimension: 20 cm x 30 cm x 3.7 cm (minimum) Body thickness: 0.7- 1.0 mm Preferably with packing case Dishwasher safe Must be branded.</p>	pc	76		
68	TRAY, UTILITY	<p>Type: Utility Tray Body Shape: Rectangular Material: Stainless Steel Dimension: Length- 48 cm x Width-32 cm x Height-2.5 cm (minimum) Reinforced edges Finish: Polished Preferably with a packing case Washable and oven safe Must be branded.</p>	pc	55		

69	TUBE, PASTRY	<p>Type: Pastry Tubes Body Shape: Tube in different shape of nozzles Material: Stainless Steel Set contain: 24 different shapes of nozzles (minimum) Tube Height: 3.5 cm to 5 cm Tube Diameter: 2 cm to 3.5 cm Thickness: 0.5 mm (minimum) Tube Tip: Assorted Designs (create swirls, rosettes, flowers, stars, leaves and other designs) Include storage box Food grade and non-toxic Must be branded</p>	pc	20		
70	TURNER 3" X 6"	<p>Type: Slotted Turner, 3" x 6" Body Shape: Straight Material: Stainless steel Blade Size (Lx W): 6 inches x 3 inches (minimum) Handle length: 5 inches (minimum) Overall length: 13 inches (minimum) Solid Turner with straight slotted blade Wooden Handle with triple rivets Preferably with a packing case Dishwasher safe Must be branded</p>	pc	45		
71	WEIGHING SCALE, 1 KG, DIGITAL	<p>Type: Digital weighing scale Body Shape: Rectangular Materials: Engineering Plastic and Stainless Steel weighing plate Capacity: 1 kg Accuracy: 1 gram Back light LCD display with 15 mm minimum high digits Weighing Units: gram, ounce, pound Size: (L x W x H mm) 163 mm x 245 mm x 79 mmm (minimum) Battery Operated, (batteries included) Auto power "OFF" after 3 minutes without a change of load Preferably with a packing case With Service centers located in major cities in the Philippines. Warranty period of 1 year (parts and service) Must be branded.</p>	unit	41		

72	WEIGHING SCALE, 5 Kilograms, Mechanical	Type: Mechanical Weighing Scale Body Type: Circular Bowl Material: Stainless Steel bowl and metal body (coated) Mechanism Type: Spring Lever Capacity: 5 kg /11 lb. Sensitivity/Graduated by 10 gm Measurement units: Gram/Kilogram Manual Setting on Zero, must be accurate and durable Calibrate the scale using the adjustment knob Preferably with a packing case Delivery must include instruction manual written in good English With Service centers located in the major cities in the Philippines Warranty period of 1 year (parts and service) Must be branded	unit	49		
73	WIRE SKIMMER, SMALL	Type: Skimmer, wire mesh Body Shape: Round Material: Stainless steel, polished Overall Length: 40 cm (minimum) Skimmer Head Diameter: 12 cm (minimum) Diameter of holes: 2 mm (approx.) Handle has hole for hanging Preferably with a packing case Dishwashing safe Must be branded.	pc	75		
74	WIRE WHISK, HEAVY DUTY	Type: Wire Whisk, heavy duty Body Shape: Ballon Material: Heavy Duty Stainless steel Dimensions (L x W): 31.8 cm x 7.6 cm (minimum) Handle length: 12 cm (minimum) with hanging loop No. of wires: 8 wires Wire Diameter: 2 mm (minimum) Preferably with a packing case Dishwasher safe Must be branded.	pc	47		
75	WIRE WHISK, MEDIUM	Type Wire Whisk, medium Body Shape: Ballon	pc	47		

		<p>Material: Stainless steel wire whisk medium Dimensions (L x W): 25.4 cm x 7 cm (minimum) Handle length: 10 cm (minimum) with hanging loop No. of wires: 6 wires Wire Diameter: 1.8 mm (minimum) Preferably with a packing case Dishwasher safe Must be branded.</p>				
76	WIRE WHISK, SMALL	<p>Type: Wire Whisk, small Body Shape: Baloon Material: Stainless steel wire whisk medium Dimensions (L x W): 20.3 cm x 6 cm (minimum) Handle length: 10 cm (minimum) with hanging loop No. of wires: 6 wires Wire Diameter: 1.8 mm (minimum) Preferably with a packing case Dishwasher safe Must be branded.</p>	pc	38		
77	WOK, MEDIUM	<p>Type: Wok, medium Body Shape: Round Material: Carbon steel Thickness: 1.8 mm thick (minimum) Dimensions (Dia. x H): 45 cm x 14 cm (minimum) Handle Material: Steel Riveted Convenient both side handle 10 cm (minimum) Preferably with a packing case Dishwashing safe Circular bottom Must be branded</p>	pc	31		
78	WOK, SMALL	<p>Type: Wok, small Body Shape: Round Material: Carbon steel Thickness: 1.5 mm thick (minimum) Dimensions (Dia. x H): 36 cm x 10 cm (minimum) Handle Material: Steel Riveted Convenient both side handle 8 cm (minimum)</p>	pc	21		

		Circular bottom Preferably with a packing Case Dishwashing safe Must be branded				
79	ZESTER	Type: Cheese Zester Body Shape: Standard Material: Stainless Steel Grating surface dimensions (L x W): 20.3 cm x 4 cm (minimum) Overall length: 32.5 cm (minimum) Handle material: plastic (Polypropylene) Ergonomic Handle Preferably with a packing case Dishwasher safe The plastic material used must be non-toxic Must be branded.	pc	63		

I hereby certify to comply with and deliver all the above requirements.

Name of Company/Bidder

Signature Over Printed Name of Representative

Date

Food And Beverage Services NC II

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Coffee Pot, 2 Pints	Type: Manual drip Body shape: Round Material : Stainless Steel with cover Capacity : 2 pints Outside Diameter : 90 -110 mm Over-all Height : 200 - 230 mm Thickness : 0.5 - 1 mm With handle and spout Packed in carton box The item must have good quality	box	46		
2	Container, Creamer	Design: Type: Porcelain with spout Body shape: Circular Material: Porcelain Diameter : 50 - 65 mm Height : 80 - 105 mm Color : White Appearance : Glossy White Packed in carton box The item must have good quality	box	29		
3	Cups and Saucers 5-6 oz.	<ol style="list-style-type: none"> 1. Material : Porcelain 2. Capacity : 5 oz./140 ml 3. Heatproof up to 300 deg. C 4. Color : White 5. The item must be of good quality 6. Packed in carton box 	pc	80		

4	Folder, Menu	Type: Leather Menu Folder Body shape: Rectangular Material: Leather With 2 Partitions and 6 Inserts Size: 31.5cm X 24.5cm Color: Brown/Black Applicable paper size: A4	pc	105		
5	Fork, Cocktail	1. Material/Appearance: Stainless Steel, Highly Polished, w/ plain Design 2. Type : Rounded Tip Handle 3. Over-all Length : 110 - 165 mm 4. Width : 20 - 30 mm (minimum) 5. Handle Thickness : 2 mm to 4 mm 6. Handle Length : 75 - 90 mm 7. Small, 8. Color : Silver 9. The item must be branded and have good quality. 10. Packed in plastic pouch	pc	116		
6	Fork, Dessert	Type : Dessert Fork Body shape: Fork shape, round tip Material/Appearance : Stainless Steel, highly Polished, with plain Design, Rounded tip Handle Length : 150 mm - 175 mm Width : 20 - 30 mm Handle Thickness : 1.5 mm - 3 mm Number of Tines : 4 Handle : 130 mm (minimum) Color : Silver Packed in plastic pouch The item must be of good quality	pc	121		
7	Fork, Dinner	Type: Dinner Fork Body shape: Fork shape Material / Appearance : Stainless Steel, highly Polished, with 4 tines Over - All Length : 120 - 175 mm Thickness of Handle : 2 - 3 mm Color : Silver Packed in plastic pouch The item must be of good quality	pc	120		
8	Fork, Fish	Type : Fish Fork Body shape: Fork shape with round tip	pc	115		

		<p>Material / Appearance : Stainless Steel, highly Polished, With plain Design Over-all Length : 180 - 215 mm Fork Width : 1.5 mm - 3 mm Fork Thickness : 1 mm - 2 mm Number of Tines : 4 Length Handle : 120 - 130 mm Thickness : 2 mm - 3 mm Color : Silver Packed in plastic pouch The item must be of good quality</p>				
9	Fork, Oyster	<p>Type: Oyster Fork Body shape: Fork shape Material: Stainless Steel, with high polish appearance, and with plain design Length: 90 - 120 mm Thickness: 1 mm - 3 mm Silver Color with three short wide curved tines Packed in plastic pouch The item must be of good quality</p>	pc	136		
10	Fork, Salad	<p>Type: Salad Fork Body shape: Fork shape Material/Appearance: Stainless Steel, highly polished, with 4 tines Length: 150 mm - 175 mm Thickness of Handle : 2 mm - 3 mm Color: Silver Packed in plastic pouch The item must be of good quality</p>	pc	140		
11	Glass, Champagne Flute	<p>Type : Flute Glass Body shape: Round Material: Clear Crystal Glass Dimension : Height: 20 -24 cm, Top diameter: 50 -70 mm, Bottom diameter: 60 - 80 mm Capacity: 250 mL. (minimum) Thickness: 1.5 - 3 mm Packed in carton box The item must have good quality</p>	pc	140		

12	Glass, Collins	Type: Tumbler Body shape: Round Material : Clear Glass Capacity : 10 oz to 14 oz Thickness : 1.5 -3 mm (minimum) Packed in carton box The item must have good quality	pc	126		
13	Glass, Juice / Hi-Ball	1. Material : Clear Glass 2. Type : Hi-ball 3. Height : 140 - 160 mm 4. Bottom Diameter : 50 -70 mm 5. Top Diameter : 50 - 70 mm 6. Thickness : 2 - 4 (minimum) 7. Capacity : 8 oz. To 10 oz. 8. Diswasher Safe 9. The item must be branded and good quality 10. Packed in carton box	pc	140		
14	Glass, Pilsner (Ice Tea Glass)	Type: Flaired Rim Body shape: Round slender Material: Clear Glass Capacity: 20 oz. to 23 oz. Over-all Length: 22 -25 cm Thickness of Glass : 1 -3 mm With flaired rim and slender shape Packed in carton box The item must have good quality	pc	140		
15	Glass, Red Wine	Type: Royalty Body shape: Balloon shaped bowl Material: Crystal Clear Glass Rim diameter : 55 - 60 mm Thickness : 1.5 mm - 3 mm Over - all Length : 200 -220 mm Capacity : 250 -300 ml Stem diameter : 6 - 8 mm Stem Length : 85 - 90 mm Base diameter : 75 - 85 mm	pc	85		

		<p>Base Thickness : 2 - 4 mm Packed in carton box The item must have good quality</p>				
16	Glass, White Wine	<p>Type: Royalty Body shape: Balloon shaped bowl Material: Crystal Clear Glass Rim diameter : 55 - 60 mm Thickness : 1.5 - 3 mm Over -all Length : 200 -220 mm Capacity : 270 - 300 ml Stem diameter : 6 - 8 mm Stem length : 75 - 85 mm Base diameter : 70 - 80 mm Base thickness : 2 - 5 mm Packed in carton box The item must have good quality</p>	pc	91		
17	Gravy Boats	<p>Type: Steel Type Body shape: Boat shape with handle Material: Stainless Steel Capacity : 5 oz. Appearance: Mirror Polish Finish Size :17cm x 7.3cm x 8.2 cm / 6.7 x 2.9 x 3.2 inches (minimum) The item must have good quality Packed in plastic pouch</p>	pc	93		
18	Ice Bucket ,2 liters with Tongs	<p>Type: Steel Type Body shape: Circular Set includes: A. Ice bucket Material : Stainless Steel Diameter : 140 - 180 mm Height : 140 - 170 mm Thickness of bucket : 0.7 - 2 mm Capacity : 2 liters (minimum) The item must have good quality B. Ice Tongs Material: Stainless Steel</p>	pc	99		

		Dimension: Over-All Length: 150 -170 mm Thickness : 0.5 mm – 0.7 mm The item must be of good quality Packed in carton box				
19	Knife, Butter	1. Material : Stainless Steel w/ highly Polished Appearance 2. Over-all Length : 140 mm - 150 mm 3. Handle Thickness : 3 mm - 5 mm 4. With Dull Edge and Rounded Tip 5. The item must have good quality. 6. Packed in carton box	pc	99		
20	Knife, Dinner	Type: Dinner Knife Body shape: Flat with round tip Material / Appearance : Stainless Steel Blade Highly Polished Handle Material : Stainless Steel Overall Length : 160 - 190 mm Blade Thickness : 2 - 4 mm Handle Thickness : 3 - 6 mm Serrated Blade with Rounded Tip Packed in carton box The item must have good quality	pc	89		
21	Knife, Fish	Type : Fish Knife Body shape: Flat with pointed tip Material / Appearance : Stainless Steel, highly Polished w/ plain design Overall Length : 200 - 220 mm Width Blade : 20 - 25 mm Thickness of Blade : 2 mm - 4 mm Thickness of Handle: 3 mm - 6 mm Wide blade, dull edge, tip made with a notched point Color : Silver Packed in carton box The item must have good quality	pc	93		
22	Knife, Salad	Type: Salad Knife Body shape: Semi rectangular blade with pointed tip Material/Appearance: Stainless Steel, highly polished, w/ plain design Overall Length: 145 -160 mm Blade Thickness: 2 mm to 4 mm	pc	85		

		<p>Handle Thickness: 4 mm to 6 mm Handle Material: Stainless Steel Rounded tip handle Packed in carton box The item must have good quality</p>				
23	Knife, Steak	<p>Type: Steak knife Body shape: Flat with serrated edge Material: Stainless Steel steel blade with wooden handle Length: 170 mm to 203 mm Handle wood Thickness: 10 - 14 mm With serrated blade Packed in carton box The item must have good quality</p>	pc	87		
24	Napkin Holder	<p>Type: Steel Type Body shape: Rectangular Material : Stainless Steel with Highly Polished Appearance Dimension : Width : 70 - 90 mm x Length : 150 - 170 mm , Thickness : 0.7 mm -2 mm Packed in plastic pouch The item must have good quality</p>	pc	83		
25	Order pads	<p>Type: Numbered pads Body shape: Rectangular Material : 80 gsm offset paper Each pad comes with a 100 sheets and corresponding copy page Each pad has sequentially numbered orders to make it easy to keep track With 100 sheets per pad and 10 pads included Can take 1000 orders before you run out Packed in a plastic pouch</p>		126		
26	PEPPER AND SALT MILL	<p>Type: Pepper & Salt Mill Body Shape: Round BODY Material: Wood SIZE: Diameter: 5 cm x Height: 20 cm (minimum) Carved of wood with stainless steel grinding mechanism Color: Natural Screw Cap at the top of the mill to adjust the thickness of peeper or spices Preferably with a packing case Food grade and nontoxic Must be branded</p>	pc	121		

27	Plate Covers	Type: Steel Type Body shape: Circular Material: Stainless Steel, mirror polished Diameter: 10 1/4 inches (minimum) Height: 2 7/8 inches (minimum) Thickness: 1/16 inch. (minimum) With handle Packed in plastic pouch The item must have good quality	pc	121		
28	Plate, Dessert, 7"to 8"	Type: Plain Type Body shape: Circular Material: Porcelain Supply must be a set, consisting of one (1) of each: 7 inches and 8 inches plates Color : White Inner Diameter: 145 to 165 mm Thickness : 3 to 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality	set	66		
29	Plate, Dinner, 10"	Type: Plain Type Body shape: Circular Material: Porcelain with no Design Color: White Inner Diameter : 200 mm - 215 mm Outer Diameter : 250 - 260 mm Thickness : 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality	pc	130		
30	Plate, Fish, 8" to 9"	Type: Plain Type Body shape: Circular Material : Porcelain with no Design Supply shall be a set consisting of: one (1) each 8 inches and one (1) each, 9 inches Color : White	set	134		

		<p>Inner Diameter : 165 mm - 190 mm (minimum) Thickness : 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality</p>				
31	Salad Plates 7" to 8"	<p>Type: Plain Type Body shape: Circular Material: Porcelain with no design Supply must be a set consisting of one (1) each: 7 inches and 8 inches plates Color: White Diameter (Inner): 150 mm - 165 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality</p>	set	138		
32	Salt and Pepper Shakers	<p>Type: Glass Type Body shape: Square Material: Glass and Aluminum Over-all Height: 75 -90 mm Length: 50 -60 mm Width: 50 -60 mm Aluminum cover Packed in carton box The item must have good quality</p>	pc	99		
33	Sauce Ladles	<p>Type: Spouted bowl Body shape: Circular with pouring spout Material: Stainless Steel, highly polished appearance Over-all Length: 220 -230 mm Ladle Bowl Length: 60 -65 mm long Ladle Bowl Diameter: 65 -70 mm Depth: 10 -15 mm Handle details: 150-155 mm long x 20 -30 mm wide x 2 - 4 mm thick Color: Silver With hang hole for hanging and easy access</p>	pc	91		

		Dishwasher safe Packed in plastic pouch The item must have good quality				
34	Server, Cake	1. Material : Stainless Steel Blade , Highly Polished Appearance 2. Over-all Length : 220 to 270 mm 3. Width : 60 - 80 mm 4. Thickness : 1.5 mm to 2 mm 5. Handle : 120 -140 mm long, non-toxic plastic 6. Shape : Shovel-shaped 7. Color : Silver 8. The item must have good quality 9. Packed in carton box	pc	90		
35	Service Forks	Type : Service Fork Body shape: Fork shape Material/Appearance: Stainless steel, highly polished, w/ plain design Over-all Length: 220 mm - 260 mm Width: 20 - 25 mm Handle Thickness: 1.5 mm - 4 mm Handle length - 165 mm - 185 mm 4 tines Color: Silver Packed in plastic pouch The item must have good quality.	pc	134		
36	Service Tray	Type: Plastic Body shape: Rectangular Material: Plastic (PP) Size : 14 inches x 18 inches X 1 inch (minimum) Color : Any Packed in plastic pouch The item must have good quality	pc	87		
37	Show/Service/ Base Plates 11" to 14"	Type: Plain Type Body shape: Round Material: Porcelain with no design Supply must be a set consisting (1) of each: - 11 inches, - 12 inches,	set	111		

		<p>- 13 inches, and - 14 inches plates Color: White Diameter, Inner : 225 mm - 250 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality</p>				
38	Side Plates or Bread Plates 6"	<p>Type: Plain Type Body shape: Round Material: Porcelain with no design Color: White Inner Diameter: 95 mm to 120 mm Outer Diameter: 145 mm to 170 mm Thickness : 3 mm - 6mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality</p>	pc	118		
39	Side Towels	<p>Type: Chef's towel Body shape: Rectangular Material: Oxford Polyester soft cloth Over-all Length : 640 - 680 mm Over-all Width : 420 -460 mm Color : Plain White Packed in plastic pouch The item must have good quality</p>	pc	120		
40	Silver Platter	<p>Type: Steel Type Body shape: Round Material: Stainless Steel Diameter: 300 -330 mm Thickness: 1 - 2 mm Packed in plastic pouch The item must have good quality</p>	pc	104		
41	Soup Bowl	<p>Type: Plain with two handles Body shape: Circular Material : Porcelain</p>	pc	103		

		Capacity : 24 oz. (minimum) Packed in carton box The item must have good quality Packed in a carton box				
42	Soup Ladle	Type: Steel Type Body shape: Circular Material: Stainless Steel, highly polished appearance Over-all Length : 220 -235 mm Ladle Bowl Details : 60 -65 mm long, 60 -75 mm diameter, 10 -15 mm deep Handle Details : 145 - 155 mm long x 12 - 25 mm wide x 1.5 -3 mm thick Color : Silver With hang hole for hanging and easy access Packed in plastic pouch The item must have good quality	pc	94		
43	Soup Tureen	Type: Steel Body shape: Round Material: Stainless Steel Capacity: 7 - 11 quart Size : 60 x 35 x 32 cm (minimum) Packed in plastic pouch The item must have good quality	pc	67		
44	Spoon, Dessert	Type : Dessert Spoon Body shape: Oval Material/Appearance: Stainless Steel, highly Polished with plain design Over-all Length : 175 to 190 mm Thickness : 2 mm - 3 mm Shorter handle : 120 -130 mm Color : Silver Packed in plastic pouch The item must have good quality	pc	125		
45	Spoons, Service	Type : Service Spoon Body shape: Oval Material: Stainless steel, highly polished, w/ plain design Over-all Length: 220 mm - 250 mm	pc	129		

		<p>Width: 30 - 38 mm Handle Thickness: 1.5 mm - 4 mm Handle length - 165 mm - 185 mm Color: Silver Packed in plastic pouch The item must have good quality</p>				
46	Spoons, Soup (Cream and Consume)	<p>Type: Soup Spoon Body shape: Round Material/Apearance : Stainless Steel, highly polished, w/ plain design, rounded tip handle Over-all Length : 165 mm - 200 mm Smaller oval shaped spoon bowl and tapers slightly to the tip Shorter handle : 110 mm - 170 mm Thickness : 1.5 mm - 3 mm Color : Silver Packed in plastic pouch The item must have good quality</p>	pc	121		
47	Sugar Container	<p>Type: Glass Type Body shape: Round Material: Glass with brass lid (or equivalent) Diameter: 70 -80 mm Height: 130 -140 mm Capacity: 12 oz. Packed in carton box The item must have good quality</p>	pc	121		
48	Table Cloth, 54 x 54 inches	<p>Type: Plain Cloth Body shape: Square Material: Oxford Polyester Cloth Color: Plain White Dimension: L 54 inches x W 54 inches (minimum) Packed in plastic pouch The item must have good quality</p>	pc	93		
49	Table cloth, Rectangular	<p>Type: Plain Cloth Body shape: Rectangle Material : Linen</p>	pc	93		

		<p>Size : 120cm x160cm (minimum) Color : Any Color but not black Feature: Washable Packed in a plastic pouch</p>				
50	Table Napkins, Cloth, 16" x 16"	<p>Type: Plain Cloth Body shape: Square Material: Oxford Polyester Cloth or its equivalent Size: L 16 inches x W 16 inches (minimum) Color: Plain White Packed in plastic pouch The item must have good quality</p>	pc	92		
51	Table Skirting Cloth 90"x90"	<p>Type: Plain Cloth Body shape: Square Material: American Cotton Twill Cloth Color: Any Color except black Dimension: 90 inches x 90 inches (minimum) Packed in plastic pouch The item must have good quality</p>	pack	132		
52	Table, Round (8's)	<p>Type: Foldable Body shape: Round Material: High density polyethylene table top Powder coated steel frame Size: 154cm x 74cm x4.5cm (minimum) Good for 8 to 10 seater capacity Tube Size : 28 mm diameter x 1 mm thikness Packed in a carton box The item must have good quality</p>	unit	88		
53	Table, Square/Rectangular (4's or 6's)	<p>Type: Foldble Plastic Body shape: Square/Rectangle Materia: High density polyethylene table top Powder coated steel frame Dimension: 37 - 39 x 37 - 39 inches Color: White Good for 4 persons Packed in carton box The item must have good quality</p>	unit	77		

54	Tea Pot, 2 Pints	Type: Porcelain Type Body shape: Round with handle and pouring spout Material : Porcelain Capacity : (2 pint) Color : White Packed in carton box The item must be of good quality	pc	75		
55	Teaspoon	Type : Tea Spoon Body shape: Oval tip Material/Appearance: Stainless Steel, highly polished, w/ plain design Over-all Length: 120 mm to 140 mm Handle Thickness: 2 mm to 4 mm Short handle Length - 100 mm (minimum) Color: Silver Packed in plastic pouch The item must have good quality	pc	116		
56	TONG, 8 INCHES	Type: Tong, 8 inches Body Shape: Standard Material: Stainless Steel Size: 8 inches Stainless-steel arms with soft, comfortable grips Nylon heads safe for nonstick cookware Heat-resistant up to 400 degrees Fahrenheit Tongs lock closed for storage Preferably with a packing case Food Grade and Dishwasher-safe Must be branded	pc	91		
57	Tooth Pick Holder	Type: Steel Type Body shape: Round Material: Stainless Steel, highly polished in appearance Diameter: 30 -35 mm diameter (minimum) Height: 65 -75 mm Capacity: 1.24 oz. (minimum) Packed in plastic pouch The item must have good quality	pc	88		

58	Tray Stand	Type: Foldable Body shape: Rectangular Material: Chrome Plated Metal folding tray stand Length: 470 -490 mm Width: 400 -440 mm Height: 770 -790 mm Packed in plastic pouch The item must have good quality	pc	68		
59	Tray, Bill Folders/ Change	1. Material : Heavy Duty Plastic (ABS) or its Equivalent 2. Height : 190 - 220 mm 3. Width : 120 -140 mm 4. Thickness : 2 mm to 3 mm (minimum) 5. Color : Black 6. With Check and pen holder 7. The item must have good quality 8. Packed in plastic pouch	pc	85		
60	Tray, Round (Bar)	Type: Plastic Body shape: Round Material: (PE/ABS) Plastic rubberized surface, non-slip/grip tight Over-all Diameter: 345 -360 mm (minimum) Thickness: 2 - 4 mm (minimum) Color: Black Packed in plastic pouch The item must have good quality	pc	80		
61	Water Goblet	Type: Water Goblet Body shape: Balloon-shaped bowl Material: Crystal Clear Glass Over-all Length: 200 -220 mm Capacity: 270 ml to 300 ml Rim diameter - 55 -65 mm Thickness: 1 mm to 3 mm Stem length : 75 -85 mm Stem diameter : 6 -8 mm Base thickness : 3 -4 mm Base diameter : 7 -80 mm	pc	129		

		Packed in carton box The item must have good quality				
62	Water Pitcher	Type: Steel Type Body shape: Circular Material: Stainless Steel, highly polished appearance Height: 170 mm to 220 mm Top Diameter: 110 -120 mm (approximate) Capacity: 1 - 1.5 liter With pour spout Dishwasher safe Packed in plastic pouch The item must have good quality	pc	85		

I hereby certify to comply with and deliver all the above requirements.

Name of Company/Bidder

Signature Over Printed Name of Representative

Date

**Technical Specifications of Learning Tools and Equipment for
Technical-Vocational-Livelihood (FY 2024 LTE-TVL)
LOT 2**

Computer System Servicing (NC II)

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1.	Allen Wrench	1. Material: chrome vanadium steel, HRc 38 to 60; 2. Set of 10 pieces: 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 5.5 mm, 6 mm, 8 mm, 10 mm; 3. With holder/ring to keep the set intact; 4. Label of sizes engraved in each Allen wrench; 5. Smooth surfaces and no sharp edges 6. Plastic pack by set	set	122		
2.	Anti-Static Device (Anti-static Wrist Strap)	Consists of: a) Adjustable and elastic wristband with integrated 1 Mega Ohm Resistor, b) banana plug with alligator clip for connecting to ground (or equivalent), c) at least 59" long coiled cord; d) non toxic material e) Carton box or plastic pouch packaging	pc	152		
3.	Combination Pliers, 8"	Type: Combination pliers; Body shape: Square nose Material: Chrome vanadium/forged steel Length: 9 inches (minimum) Insulation range: 1000 volts (etched on the handle) Design: Square nose with serrated jaw Comes with nickel plated finish, side cutter and insulated handle Must be branded (Brand must etched either in the head or on the handle)	pc	145		
4.	Crimping Tool (RJ 11/45)	1. Ratchet Crimp Tool 2. ALL-IN-ONE tool that can strip, cut, and crimp	pc	155		

		<ul style="list-style-type: none"> 3. lightweight steel frame 4. RJ-11/45 Compatible 5. Positions for 8P/8C, 6P/6C and 4C Connectors 6. Lightweight, compact, and durable 7. Smooth surface and no sharp edges except cutting edges 8. Carton box packaging 				
5.	Desoldering pump	<ul style="list-style-type: none"> 1. Material : Plastic or aluminum housing; 2. Replaceable heat-resistant plastic tip; 3. Length : Minimum of 6 inches; 4. Effective in removing solder; 5. Smooth surface and no sharp edges 6. Carton or plastic packaging 	pc	122		
6.	Electric Drill, Portable	<p>Type: Electric power Material: Hard plastic Rated voltage: 220 / 240 volts, AC 60 Hz Power in watts: 550 to 650 watts Speed: Variable speed Chuck capacity: 2 to 13 mm Power cord must have flat blade attachment plug (Type A plug) Comes with HSS Drill bits: 2mm 4pcs. 4 mm 4pcs. 6 mm 4pcs. 8 mm 4pcs. 10 mm 4pcs. 12 mm 4pcs. 12.5 mm 4pcs. Total- (28 pcs) Masonry drill bits; 4 mm 2pcs. 6 mm 2pcs. 8 mm 2pcs. 10 mm 2pcs. 12 mm 2pcs. Total- (10 pcs.) With hammer function for concrete drilling Comes with English user's manual that includes the following: a. a diagram of the parts with label; b. assembly instructions; c. operating procedures; d. safety precautions when using the equipment; e. basic troubleshooting and maintenance procedures. Warranty period of parts and service: 1 year</p>	unit	26		
7.	External optical drive	<ul style="list-style-type: none"> 1. Interface: USB 3.0 or better; 2. Compatibility: Windows 2000, XP, Vista, 7, 8, 10, Apple Mac, Linux or better; 3. Read Speed: at least 8x DVD, at least 24x CD; 4. Write Speed: at least 4x DVD, at least 16x CD; 5. Package includes: <ul style="list-style-type: none"> a) 1 x External optical drive, b) 1 x USB Power Cable, c) 1 x USB Data Cable, 6. Item size: 5.4"x 5.51"x0.63"(L x W x H) approximate 	package	59		

		<ul style="list-style-type: none"> 7. Metal or hard plastic casing 8. Smooth surface and no sharp edges 9. Carton box packaging 10. With User's Manual in English which includes: <ul style="list-style-type: none"> a. a diagram of the parts with their names, b. operating procedures 11. With Service centers located in major cities in the Philippines. 				
8.	Flash drive	<ul style="list-style-type: none"> 1. Capacity: 32 GB ; 2. Connectivity: USB 3.0, Backward-Compatible with USB 2.0, Plug and Play ; 3. Device/OS compatibility: Windows Vista, Windows 7, 8, 10, Mac OS 10.6+ or later versions; 4. Form: Swivel type or with cover; 5. Dimension: 0.40 x 0.80 x 2.31 in. (10.16 x 20.32 x 58.67 mm) approximate 6. Metal or hard plastic casing 7. Smooth surface and no sharp edges 8. Carton and/or plastic packaging 9. User's Guide on name of parts, connection guide, maintenance and safety precautions. 	pc	128		
9.	Flashlight, head-mounted	<ul style="list-style-type: none"> 1. Type: Rechargeable, Head mounted LED flashlight; 2. Minimum of 160 lumens; 3. Beam Distance: minimum of 150 meters; 4. Includes 220 V AC Charger/Power Adaptor (or equivalent); 5. Charging time: 3-6 hours; 6. Provides up to 30 hours (minimum) of constant light on a single full charge; 7. Approximate Size: 60X 30mm 8. Smooth surface and no sharp edges 9. Carton box or plastic pouch packaging. 10. With User's Manual in English which includes: <ul style="list-style-type: none"> a. a diagram of the parts with their names, b. operating procedures c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures. 	pc	120		
10.	Hub / Switch	<ul style="list-style-type: none"> 1. Standards and Protocols: IEEE 802.3, IEEE802.3u, IEEE802.3X CSMA/CD 2. Interface: 8 10/100Mbps Ports, Auto-Negotiation, Auto-MDI/MDIX 3. External Power Supply Adapter: 100-240VAC,50/60Hz 4. Fanless 5. Data Rates: 10/100Mbps at Half Duplex ; 20/200Mbps at Full Duplex 6.LED indicator: Power, 1, 2, 3, 4, 5, 6, 7, 8 	unit	102		

		<p>7. Dimensions: 5.3 x 3.1 x 0.9 in. (134.5 x 79 x 22.5mm) (Approx.)</p> <p>8. Transfer Method: Store and Forward</p> <p>9. Advance Functions: Green Technology, saving power up to 73%; 802.3X Flow Control, Back Pressure; Auto-Uplink Every Port</p> <p>10. Certification: FCC, CE, RohS</p> <p>11. Package Contents: 8-Port 10/100Mbps Desktop Switch, Power Adapter, User Guide</p> <p>12. System Requirements: Microsoft Windows 98SE, NT, 2000, XP, Vista or Windows 7, Windows 8, Mac OS, Netware, Unix or Linux.</p> <p>13. Operating Temperature: 0°C-40°C (32°F-104°F)</p> <p>14. Storage Temperature: -40°C-70°C (-40°F-158°F)</p> <p>15. Operating Humidity: 10%-90% non-condensing</p> <p>16. Storage Humidity: 5%-90% non-condensing</p> <p>17. Dimension: 141.5 x 78.5 x 23.8 mm (5.57 x 3.09 x 0.94 inches) approximate</p> <p>18. Metal or hard plastic casing</p> <p>19 Smooth surface and no sharp edges</p>				
11.	LAN Cable tester	<p>1 Cable Tester with LED indication for RJ12, RJ11, RJ45, Cat5e, Cat5, 10/100 Base-T;</p> <p>2 Main tester: 1-2-3-4-5-6-7-8-G;</p> <p>3 Remote tester: 1-4-3-2-5-6-7-8-G;</p> <p>4 Power supply: 9 V battery (included);</p> <p>5 Capable of testing crossover, straight-through, and rollover cables;</p> <p>6 Includes plastic case or pouch;</p> <p>7 With User's Manual in English which includes:</p> <p>a. a diagram of the parts with their names,</p> <p>b. operating procedures</p> <p>c. safety precautions when using the equipment,</p> <p>d. basic troubleshooting and maintenance procedures.</p> <p>8 With Service centers located in major cities in the Philippines.</p> <p>9. Material: ABS</p> <p>10. Size: 103×100×30mm/4.06×0.39×1.18in approximate</p> <p>11. Smooth surface and no sharp edges</p>	unit	92		
12.	Long Nose Pliers, 8"	<p>1 Material: chrome vanadium steel, HRC 38 to 60;</p> <p>2 Length: 7 inches (minimum);</p> <p>3 Handle type: curved handle with rubber cushion for easy grip;</p> <p>4 Jaws type: knurled and long tempered;</p> <p>5 Comes with hardened cutting edges and chrome-nickel finish.</p>	pc	143		

		6. Smooth surface and no sharp edges 7. Carton or plastic packaging				
13.	Multimeter, digital	Material: Plastic casing Main functions: AutoRange/Data hold/Back light/ LED lamp/Diode test/Triode test/Continuity/ Over load protection/Low Battery Indication/Auto Power Off/Short-circuit protection. Display: True RMS, 6000 counts, 3 5/6 digits Overload Display: Display OL DC Voltage:600mV/6V/60V/600V(0.5%+3), 1000V (0.5%+3) AC Voltage:600mV/6V/60V/600V/750V (0.8%+5) DC Current:600A/6000A/60mA/600mA/10A (1.2%+3) AC Current:600A/6000A/60mA/600mA/10A (1.5%+3) Resistance:600/6K/60K/600K/(1.0%+3) ,6M/60M (1.5%+3) Capacitance: 10nf/100nf/1000nf/10uf/100uf/1000uf (4.0%+5), 10MF/100MF(5.0%+5) Frequency/Duty:10Hz/100Hz/1000Hz/10kHz/ 100kHz/ 1000kHz (1.0%+3),10MHz/(3.0%+3) Package Content: (a.) 1 x Digital Multimeter, (b.) 1 x Test Leads, (c.) 2 x 1.5V (AA or AAA) Battery, (d.) 1 x User manual in english, operating procedures, safety precautions when using the equipment, basic troubleshooting and maintenance procedures, (e.) 1 x Temperature Probe (Thermocouple) With Safety Level/Certification: IEC, CE or equivalent With carton box	pc	100		
14.	Patch panel (48 ports)	1. Network Patch Panel 2. 48 port Patch Panel 3. CAT6 Cable 4. Material: ABS Plastic 5. Application: UTP(Unshielded) 6. Certification: RoHS, ISO, CE 7. RJ45 Connector : two rows (1-24 ports & 25-48 ports) 8. Transport package: 1PCS/Box 9. Smooth surface and no sharp edges	packag e	77		
15.	PC Video camera	1) 5.0 Mega Pixel Web Camera, USB-type; 2) With Microphone for Laptop and Desktop PC use; 3) Resolution: at least 640 x 480; 4) Support Windows XP/7/8/equivalent Mac OS or later versions; 5) With User's Manual in English which includes: a) a diagram of the parts with their names, b) operating procedures	unit	120		

		<ul style="list-style-type: none"> c) basic troubleshooting and maintenance procedures. 6) Hard plastic or metal casing 7) Smooth surface and no sharp edges 8) Carton or plastic packaging 				
16.	Phillip's screwdriver, 8" insulated	<ul style="list-style-type: none"> 1. Shank Material: chrome vanadium steel, HRc 38 to 60; 2. Handle Material: Molded Plastic 3. Overall length: 8 inches (minimum) 4. Insulation protection (including shank): 1000VAC/ 1500VDC, VDE Certified (or its equivalent) 5. Non slip handle design 6. Carton or plastic packaging 	pc	143		
17.	Precision Screwdriver Set	<ul style="list-style-type: none"> 1. Material: Hardened and tempered steel; 2. 1 set comes with the following: <ul style="list-style-type: none"> a) 3 x Phillips tip No. 00, 0, and 1 ; b) 6 x Standard tip No. 1, 1.2, 1.4, 1.8, 2.4, and 3.0; c) 1 x Awl; d) 1 x Magnet; e) plastic storage case; 3. Non slip design handle 	set	72		
18.	Soldering Iron, 60W	<ul style="list-style-type: none"> 1. Type: Iron rod 2. Voltage: 220/240VAC, 60Hz, Single phase; 3. Power: 60W (minimum); 4. Body Length: 8.3 inches (21 cm) approximate 5. Cord Length: 1.5 meters (minimum) 6. Handle: Plastic; (non slip handle) 7. With user's manual written in English that contains user's guide, operating procedure, parts with description, safety procedure, and maintenance; 8. Interchangeable copper tip; 9. Should have available spare parts nationwide for a minimum period of 5 years; 10. Carton and/or plastic packaging 	pc	100		
19.	Standard screwdriver (Flat), 8" insulated	<ul style="list-style-type: none"> 1. Shank Material: chrome vanadium steel, HRc 38 to 60; 2. Handle Material: Molded Plastic 3. Overall length: 8 inches (minimum) 4. Insulation protection (including shank): 1000v, VDE Certified (or its equivalent) 5. Non slip handle design 6. Carton or plastic packaging 	pc	143		

20.	Uninterruptible Power Supply (UPS)	<p>The item shall have the following specifications:</p> <ol style="list-style-type: none"> 1. Type: Battery (included): Lithium ion battery or Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof 2. Voltage: Nominal Input Voltage: 230V, 50/60 Hz 3. Output Power Capacity: 600VA (minimum) 4. Output Connections :2 Universal Receptacle (minimum) 5. Cord Length: 1 meter (minimum) 6. Maximum Input Current: 5A 7. Protection: Overload, Short Circuit, Over Discharge & Over Charge 8. Transfer Time: 10ms maximum 9. Size (Approx.): (H) 223mm x (W) 143mm x (D) 347mm 10. Metal and/or hard plastic casing 11. Smooth surface and no sharp edges 12. Carton box packaging 13. With User's Manual in English which includes: <ol style="list-style-type: none"> a. a diagram of the parts with their names, b. operating procedures / wire connections c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures. 	unit	130		
21.	USB External HD	<ol style="list-style-type: none"> 1) 1TB Portable/External Hard Drive 2) Application: Laptop / Desktop PC 3) Interface Type: SATAII 4) Installation: Mobile 5) Formatted Capacity: 1000GB(Windows Display about 298GB) 6) Size(mm): 14.29 x 80.01 x 17.60 (Approx.) 7) Metal Casing 8) Comes with USB 3.0 cable (18 inch minimum) 9) User's manual (English) on name of parts, user's guide, wiring connection, safety precautions and maintenance 10) Smooth surface and no sharp edges 11) Optinal Colors: Black 12) Carton box or plastic pouch packaging 	pc	64		
22.	Wire stripper	<p>Type: Spring-loaded self opening; Body shape: Long jaw with slot Blade material: Hardened alloy steel (sharp edges to strip and cut the wires) Wires to be stripped: 10 AWG to 24 AWG</p>	pc	115		

		Length: 7 inches (minimum) Comes with automatic self- adjusting spring, crimping slot, and hard plastic handle Must be branded				
23.	Wireless Access Point	Type: Wireless access point Dual band WiFi Band / DataTransfer Rate: 867 Mbps at 5 GHz and 300 Mbps at 2.4 GHz band Operating Modes: Access Point (AP), Bridge, Wireless Client, Repeater Interface: One 10/100M Ethernet Port(RJ45), Support Passive PoE Power On/Off Button and Reset Button Comes with External Power Supply: 5VDC-12VDC / 0.5A-1.0A Dimensions (L x W x D): (76-191 x47-125 x30-68mm) Comes with at least 2 Antenna (External detachable) Operating Temperature: 0°C~40°C Storage Temperature: -40°C~60°C Operating Humidity: 10%~90% non-condensing Storage Humidity: 10%~85% non-condensing System Requirements: Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 10, MAC OS, NetWare, UNIX or Linux. Wireless Security (any): 64/128/152-bit WEP / WPA / WPA2,WPA-PSK / WPA2-PSK Protocols: Supports IPv4 and/or IPv6 Plastic or metal casing The item must be branded. With User's Manual in English which includes: a. operating procedures, b. safety precautions when using the equipment, c. basic troubleshooting and maintenance procedures. Carton box packaging	unit	77		

I hereby certify to comply with and deliver all the above requirements.

Name of Company/Bidder Signature Over Printed Name of Representative Date

Hairdressing NC II

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Body Brush, Prosthetic	Material: Stiff nylon Bristle Size: at least 41.8 cm x 6.5 cm (over-all size) Brush height: 8mm(minimum) With wooden handle"	pc	10		
2	Bowl, Mixing, plastic	Material: Plastic Inner Diameter: 10.5 cm (minimum) Height: 6cm (minimum) Thickness is 2mm (minimum) Any Color Non toxic	pc	10		
3	Bowl, Shampoo	Bowl material:ABS plastic With Adjustable stand (Height: 39 inches to 54 inches) Minimum Bowl Dimensions: 19 inches(L) x 20 inches(W) x 10 inches(H); With Sealed foam rubber neck rest for shampoo bowls With Hose attachment of 7 ft. long(minimum) Stainless steel frame Portable type Packed with shipping carton box Branded	pc	10		
4	Box, Hairpin	Material:metal Size: at least 3.5 x 4.5 x 0.5 inches With ball tips	box	10		

		Packaging: 100 pcs per box Color: Black Non-corrosive				
5	Brush, Applicator	Material: Plastic Non toxic Size: Small=190mm length Medium=270mm Large=300mm Handle width:70mm (minimum) Width of tip: 80mm (minimum) With Hair Coloring Dyeing Board Packed with plastic pouch	pc	11		
6	Brush, Hair	Material: Plastic Bristle Paddle brush type Wooden handle Minimum width: 2 inches Non toxic Packed with protective carton box	pc	10		
7	Cap, Frosting, with hook	Cap material: Silicone Type:Reusable, perforated cap One size fits all or at least 31cm x 22cm With Pre-cut Tipping Guides With Bleed proof inner liner With a rounded metal hook to pull hair through the ready made perforations Packed with plastic pouch	pc	10		
8	Cap, Heating	Waterproof cloth material. Cordless type To fit an average size head (21-24 inches) Stretch up to 29 inches Unisex	pc	10		

		<p>Hair care treatment styling Reversible and reusable, Non toxic Includes with User's Guide in English that contains: a. Diagram of the parts with their names b. Operating procedure on how to use the equipment c. Safety precaution when using the equipment d. Basic troubleshooting and maintenance procedure Packed with protective carton box</p>				
9	Cape	<p>Polyester cloth Size: at least 125 cm x 140 cm Hairstyling type Non toxic Packed with plastic pouch</p>	pc	10		
10	Chair, High	<p>Bar stool material: metal,painted with anti rust Width of the chair :15 inches minimum Height :33 inches (minimum) Synthetic Leather seat material Barstool crown back type With rubber ring of barstool for anti skidding</p>	unit	10		
11	Chair, Hydraulic	<p>Material: Metal base Size: Length 59 cm, width 54 cm, height from 51-78cm Hydraulic pump can be up and down by pedaling Load capacity: 180kg Hydraulic styling chair type Heavy duty hydraulic pump for height adjustable and 360' rotation Hydraulic Pump Build in for Adjusting the Seating Height. With foot rest Lockable hydraulic pump for safety feature With User's Manual in English which includes:</p>	unit	12		

		a. parts manual with labels, b. assembly instructions, c. operating procedures, Packed with transport protective carton box				
12	Clamp	Material: Plastic Overall length: 9.5cm Thickness:10mm(minimum) Hairstyling clamp type	pc	10		
13	Clamp, Duck bill	Material: Metal Length: 11 cm (minimum) High elasticity stainless steel spring. Non slip handle Packed with plastic pouch Branded	pc	10		
14	Clipper, Hair	Body material:Hard Plastic Blade material: Carbon Steel Capacity:6 watts (minimum) Complete with blade guard and 4 comb attachments (#1, #2, #3, #4) Motor:Magnetic type, Corded,12V AC/DC adaptor Delivers 1,400 Strokes per Minute, With complete accessories including the cleaning brush With cord 2 meters length minimum With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Packed with protective carton box Branded	pc	10		
15	Comb, Afro	Material: Plastic Size: Over all length at least 7 inches	pc	10		

		Width: 3.25 inches(minimum) Number of teeth: 12 teeth (minimum); Teeth height: 2.5 inches long (minimum) Non toxic Packed with plastic pouch				
16	Comb, All Purpose	Material:Plastic Size#3 or at least 18 cm long (minimum) Has both fine and medium teeth position on one side only Height of the teeth: 2 cm (minimum) Non toxic Packed with plastic pouch	pc	10		
17	Comb, Haircutting	Material: Hard plastic Length including the handle:180mm (minimum) Width: 30mm (minimum) With detachable steel blades and blade holder With two sides for different cuts With extra blades Packed with protective carton box	pc	10		
18	Comb, Large Toothed	Material: Plastic Size: at least 15 cm Number of teeth: 10 teeth (minimum) Gap between Comb's teeth: 0.4 to 0.5 cm gap from one another Teeth size:at least 0.3 cm in width x 4cm in length Non toxic Packed with plastic pouch	pc	10		
19	Comb, Tail	Material:Plastic Size : 8 inches(L)minimum x 1 inches (W) minimum Tail length: 4 inches(minimum) Tooth length: 3/4 inch(minimum) Packed with plastic pouch	pc	11		

20	Comb, Teasing	Material:Plastic With 2 rows of teeth 1st row:Large teeth with at least 25 mm long 2nd row: Small Teeth with at least 19 mm long Over-all Comb Size: 20 cm (L) minimum x 3.8 cm (W) minimum Non toxic Packed with plastic pouch	pc	10		
21	Comb, Wide tooth	Material: Plastic Size: at least 15 cm Number of teeth: 10 teeth (minimum) Gap between Comb's teeth: 0.4 to 0.5 cm gap from one another Teeth size:at least 0.3 cm in width x 4cm in length	pc	10		
22	Crimpers	Power: 25 watts(minimum) Size: at least 38 cm x 15.5 cm x 9 cm Maximum temperature: 200 degrees Centigrade With variable heat setting. With On/off switch button Rated voltage: 110 -230Volts AC with power cord With plastic handle	pc	10		
23	Curling Iron	Ceramic Curling iron Capacity: 65watts Voltage: 210-240Volts AC with power cord Barrel size: 1 inch (minimum) Adjustable heat setting with maximum temperature of 200 degrees Centigrade Swivel cord up to 360 degree Cylindrical shape Plastic handle for safety purpose Packed with protective carton box Branded	pc	10		

24	Drip Pan	Material: Hard plastic Size: at least 17.5 x 25.8 x 1 inches Thickness: 1/8 inch (minimum) Shallow rectangular type Packed with carton box	pc	10		
25	Dryer, Hair	Power: 1000W Rated Voltage: 220VAC At least (L x W x H): 18.5cm x 16cm x 6.5cm With plastic handle design Packed with carton box with styrofoam holder With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Branded	pc	10		
26	Gloves, Disposable	Material: Plastic Size: at least 25cm x 23cm Packaging is 100 pcs per box	box	20		
27	Gloves, Rubber	Size: Medium Thickness: 4 mil Acid resistant Packed with plastic pouch in pairs.	pc	20		
28	Gown, Smock	Material: Polyester Sizes: 1 piece = Small size, at least (50 inches x 56 inches); 1 piece= Medium size, at least (52 inches x 58 inches); 1 piece= Large size, at least (54 inches x 60 inches); Packed with plastic pouch per size	set	10		
29	Hairclips	Material: metal Size: at least 67mm x 19mm	pc	10		

		Non corrosive Packed with plastic pouch				
30	Hairnet, Invisible	Material:Nylon Size: 55mm (minimum) Stretchable and unisex type Color: Black Non toxic Packed with plastic pouch	pc	10		
31	Headband	Size: 6 inches (minimum) Woven crochet tube top headband Very stretchy, Soft material, comfortable and breathable	pc	10		
32	Headband, Flannel	Flannel Cloth Size : at least 45 cm (Unstretched Circumference) Width: 8 cm (minimum)	pc	10		
33	Infrared Iron	Material: Ionic ceramic tourmaline-infused plates and ABS Plastic body Power: 70 watts (minimum) Power Rating: 220-240 Volts AC; Over-all Size: 24 cm long (minimum) Heating plate size up to 50 mm Heating time: within 30 seconds; Variable Heat settings: From 250 to 450 Degrees Fahrenheit With digital temperature control Safety Mode: Auto shut off after 60 minutes; With swivel cord Comes with storage pouch Branded	pc	10		
34	Mirror, Hand	Mirror size 15 cm diameter (minimum) Frame thickness including mirror glass: 6.5mm(minimum) Over-all length with the handle is 20 cm (minimum) Clear Mirror with no distortion	pc	18		

		Frame and handle are made of plastic Plane mirror type Packed with carton box with styrofoam protection				
35	Mirror, Modular	Mirror type: plain mirror Mirror Material: Glass Frame material: Aluminum (cut to fit) Dimensions (HxW): 75 cm x 65 cm (minimum) Mirror thickness: 6mm (minimum) Smooth surface, no sharp edges and cracks Packed with protective carton box	pc	10		
36	Prong Clip, double	Material: steel Nickel or chrome base plated Size: 45 mm minimum Hairstyling clip type Packed with plastic handle	pc	10		
37	Prong clip, Single	Material: steel, plated Size: 55 mm (minimum) Type: Single-prong Clip Packed with plastic pouch	pc	10		
38	Razor, straight	Blade material: High carbon steel Type: Foldable Straight Razor, replaceable blade; Dimensions (LxW): 14 cm x 2 cm (minimum) when folded; Compatible with double-edged razor blades; Package includes 10 pieces blade/box Non corrosive Branded	unit	10		
39	Roller pins	Material: Metal Size: 60mm long (minimum) Application: Hair roller pins Quantity by dozen(12 pieces)	dozen	10		

		Non corrosive Packed with plastic pouch				
40	Rollers,Jumbo	Material:Plastic approximately 44mm in Diameter x 64mm long	pc	10		
41	Rollers, Large Sized	Material: Plastic Size: at least 40mm Diameter x 60mm Long Hairstyling type Packed with plastic pouch	pc	10		
42	Rollers, Medium sized	Material: Plastic; Diameter: 38 mm(minimum) Length: 58mm (minimum) Hairstyling type Packed with plastic pouch	pc	10		
43	Scissor,Cutting	Material:Stainless steel Total Length: 17cm (minimum) Blade width at least 10 cm Non corrosive Packed with plastic pouch Branded	pc	10		
44	Scissor,Thinning	Blade material: High carbon steel Blade Length at least 6cm With straight blade type Style: Right handed scissor Total Length at least 17cm One side comb cutter Non corrosive Packed with plastic pouch Branded	pc	10		
45	Scoop	Material: Plastic Capacity:1/2 cup (minimum)	pc	10		

		Rounded edges with handle Thickness: 1.5 mm (minimum)				
46	Shower Cap	Material: Plastic Size: one size fits all or 30cm Reusable and Waterproof Packed with plastic pouch	pc	10		
47	Spatula	Material:Plastic Dimension: Over-all length of 7.5 cm long, x 1.5 cm wide (minimum) Application:Hair waxing removal Packed with plastic pouch		10		
48	Spray Bottle	Material: Transparent Plastic Capacity: 300ml (minimum) Trigger type Sprayer Dimension: at least Diameter of Bottom is 7 cm and the height is 17cm	pc	12		
49	Steamer, Hair	Power 450 watts (minimum) Rating is 220 Volts/50-60Hz Hood material: Polycarbonate Hood has at least 30 cm diameter opening x 25 cm deep Timer setting is up to 60 minutes With at least 32 ounce water reservoir Adjustable height from 100 to 150cm With at least 5 swivel caster With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Branded	pc	10		
50	Stool	Material: Metal, electroplated Load capacity: 150kg	pc	12		

		Design: Swivel stool with backrest With Hydraulic lift to adjust height freely. With Thick sponge cushion. With at least four caster wheels. With Thick sponge cushion. Swivel stool with backrest No sharp edges Branded				
--	--	--	--	--	--	--

I hereby certify to comply with and deliver all the above requirements.

Name of Company/Bidder

Signature Over Printed Name of Representative

Date

Housekeeping NC II

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Alarm Clock	Alarm clock, digital, Overall Dimensions: 13.5 x 8 x 4.5 cm (approx.) Material: Plastic (PE/ABS) Illuminated LCD Digital Display: Time (12/24), calendar (MM/DD), temperature, alarm status (ON/OFF), snooze Display Size: 10 x 5 cm (minimum), time can be read 30 ft day time. Runs on AAA battery which come together with the item Smooth surface, no sharp edges, Includes User's manual which contains operation procedure, name of parts, safety precautions, trouble shooting.	pc	10		
2	Baskets, Laundry	3 - bag Laundry Sorter, with wheels Bag: Polyester, Rectangular shape, detachable from frame with metal handle and hanging hook Bag Dimensions : Rectangular 22 x 15 x 8 inch (minimum) Frame Material : Corrosion resistant Steel, sturdy no wobble Frame Overall Dimensions : Rectangular, 31 x 30 x15 inch (minimum) With four casters, 2 inch diameter (minimum) Smooth surface, no sharp edges	pc	10		
3	Bed, Single	Bed, Single Size (W36 x L75 inch) rectangular 1) Frame: Knock-down type, all steel, powder coated including Head board, Bare weight: 13 kg (minimum) No wobble and noise 2) Comes with fabric covered foam 6 inches thick Foam Density: 29 -33	unit	10		

		kg/cu.m. 3) No sharp edges				
4	Board, Ironing	TYPE: FOLDABLE TYPE IRONING BOARD BODY SHAPE : STANDARD MATERIAL : 25 mm tubing approx., 0.8 mm thickness BOARD SIZE: 32 INCHES (minimum) BODY SIZE :120 cm x 30 cm x 5 cm COLOR : ANY COMES WITH BOX NO SHARP EDGES	pc	7		
5	Boots, Safety, Plastic	Upper material: Elastic PVC Sizes: 7 inches - 5pcs 8 inches - 5pcs 9 inches - 5pcs 10 inches -5pcs 11 inches - 5pcs Height: 13 to 14 inches Plain toe Type of boots: Unisex rain boots with rugged tractor lug outsole Packed with carton box per size	set	10		
6	Brush, for Housekeeping	Brush, floor scrubbing, angled long handle Bristle Material : Plastic, stiff Handle Material : metal tubular corrosion resistant, Overall Length : 120 cm. (minimum) Bristle Length : 5 cm (=/- 1cm) Scrubbing Surface : 25 x 6 cm (+/-1 cm) No sharp edges	pc	9		
7	Buckets, Water	Water bucket Bucket Material : Hard Plastic, round body	pc	10		

		Capacity : 10 to 12 Liters Handle Material : Steel Smooth and glossy surface, no sharp edges				
8	Cart, for Housekeeping NC II	Housekeeping Cart trolley Equipped with Three-shelves with steel/laminated panels single door, top layer with divider, bag holder, and 4 wheels Cart Frame: steel, powder coated Wheels: 2non-swivel 2 swivel, 6 inch diameter, non-markings Overall Dimensions : rectangular 90 x 48 x 1010 cm (minimum) Comes with accessory linen bag Smooth surface, No sharp edges	unit	2		
9	Coffee maker	Coffee Maker, electric Material: metal, plastic, glass Capacity: 6 cups (minimum) Detachable Tank, with Water Level Indicator Non-Stick Warming Plate : Removable and Washable Filter Non-Drip Valve : Lighted ON/OFF Switch Power Supply: 220 V -240 V AC 50/60 Hz , 500W minimum Comes with a heat resistant glass pitcher With a 1 meter (minimum) power cord, molded male plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option) Smooth surface, no sharp edges With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide. 1 year warranty parts and service With Service centers located in major cities in the Philippines.	pc	8		
10	Dust Pan	Dust Pan, upright standing Material: Plastic	pc	20		

		Overall Length: 65 cm (minimum) Pan: Round back, 24 x 26 x 9 cm (minimum) Smooth surface, no sharp edges				
11	Fan, Electric	Stand fan, electric Material: Metal, plastic Size/Diameter: 18 inches Power rating: 70 watts (minimum), 220 / 240 VAC, 50 / 60 Hz, Single Phase Rotation Angle: 90 degrees Base: Stable, 16 inches diameter (approx.) Removable metal guard on front and rear 3-speed settings Comes with 1.5 meters power cord and with molded male plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option) Smooth surface, no sharp edges Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item 1 year warranty parts and service	unit		8	
12	Fire Extinguisher (with contents)	1.For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate) 2.Portable type 3.Capacity : 5 - 6 kgs 4.Rechargeable Cylinder Metal 5.Working pressure of Cylinder : 400 psi 6.Brass Valve with Pressure Gage 7.With Rubberized Hose and Aluminum Nozzle Attached 8.With Squeeze lever to discharge and safety pin	pc		6	

		<p>10. Painted with Metal Primer and Red Enamel Paint</p> <p>11. Includes with User's Guide in English that contains:</p> <ol style="list-style-type: none"> Operating procedure on how to use the equipment Safety precaution when using the equipment <p>12. 1 year warranty parts and service</p> <p>13. The item must be branded and have good quality</p>				
13	Flat Iron	<p>Clothes Flat iron, electric</p> <p>Material : Metal /plastic body, Heat-Resistant Plastic Handle, Aluminum sole</p> <p>Overall Dimension : (L x W x H) 25 cm x 12 cm x 12 cm (minimum)</p> <p>Power rating : 220/240 VAC, 50/60 Hz; 1000 Watts (minimum)</p> <p>Equipped with Light Indicator, variable temperature control, Overheat Protection, Power Cord and plug to adapt Type A outlet (or providing 10A plug adapter is an option)</p> <p>Smooth surface, no sharp edges,</p> <p>Comes with English Manual that Contains : Users Guide, List of Parts, Maintenance Guide, Safety Guide.</p> <p>The item must be branded, with DTI-BPS certification</p> <p>1 year Warranty Parts and Service</p> <p>With Service Centers Located in major Cities in the Philippines.</p>	pc	8		
14	Garbage Receptacles	<ol style="list-style-type: none"> 1. Bucket / Tub Material : Hard Plastic, (PS) Polystyrene 2. Bucket / Tub Color : Any Color 3. Capacity (gallons) : 3 gal. (minimum) comes with a cover 4. The item must have good quality 	pc	11		
15	Gloves, rubber	<ol style="list-style-type: none"> 1. Heavy-duty Latex-free vinyl rubber gloves 2. Thickness : 4 mil 3. Color : Any Color 4. Size : Medium 5. Other features: Acid/solvent resistant. 6. The item must be of good quality 	pc	24		

16	Goggles, Safety	Safety goggles, Clear Polycarbonate - one piece lens with 180° panoramic view, non-fog Size/Dimension: L 17 - 18.5 cm x W 8 cm x D 5-7.5 cm High impact resistant, ANSI "Z87" compliant Firm and comfortable seal around forehead, cheeks, nose and temples protects against splash, chemicals, dust Adjustable head strap Shall bear mark Z87 embossed or engraved or etched on the item. Smooth surface, no sharp edges		10		
17	Mop	Mop, handle and mop head set, refillable head Handle: Aluminum or anti-rust coated steel, with hard/stiff plastic mop head holder, clip type with tightening knob Overall Handle Dimension: 130 x 19 cm (minimum) Mop head: Cotton thread/yarn, sewn tailband, L 34 x 16 x 4 cm (minimum), White Handle: Plated Steel Tube or Wood, Length : 40 (minimum), No sharp edges	pc	10		
18	Polisher, Floor, Electric, With Accessories	Electric floor polisher with accessories Material: Stainless steel, Aluminum Alloy Handle: Stainless tube, adjustable height 1 meter long (approximate), With Dual Switch Lever Size/Capacity :13 inch (minimum) diameter Power Supply: 220/240 VAC, 50/60 Hz. Power: 1/3 Hp (minimum) Rotation Speed : 160 rpm (minimum) Heavy duty (Royal) Power Cord Length : 12 meters (minimum) with Type A plug (or providing 10A plug adapter is an option) With pair of Rubber Wheels, Smooth surface, no sharp edges Comes with pad holder, 2 pcs - polishing brush and 3 pcs - floor polishing	unit	2		

		<p>pads</p> <p>Includes User's Manual in English which contains:</p> <ol style="list-style-type: none"> A Diagram of the Parts with their Names, Operating Procedures on how to use the Equipment, Safety Precautions when using the Equipment, Basic Troubleshooting and Maintenance Procedures <p>Branded, Brand name and electric rating permanently mark on the item, With 1 year Warranty Parts and Service</p> <p>The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.</p>				
19	Shelving	<p>Shelving, open, knockdown type, adjustable shelves</p> <p>Metal Powder Coated frame</p> <p>Number of Shelves : 5</p> <p>Overall Dimensions : 85 x 30 x 180 cm(minimum)</p> <p>Sturdy connection, No wobble</p> <p>Smooth surface, no sharp edges</p>	pc	4		
20	Spray Gun, Water	<p>Barber/Salon Spray Gun</p> <p>Material: HDPE Transparent Plastic</p> <p>Capacity: 300 ml.(minimum)</p> <p>Trigger type Sprayer</p> <p>Dimension: Diameter :7 cm. x Height: 16.3 cm (minimum)</p> <p>Rotating nozzle to adjust spray patterns</p> <p>Smooth surface, no sharp edges</p> <p>Must be branded</p>	pc	12		
21	Squeegee	<p>Squeegee, short handle</p> <p>Head/Blade Material: stainless, rubber</p> <p>Handle: plastic or stainless steel</p> <p>Blade Length: 25 - 30 cm</p>	pc	12		

		Overall length (handle and head) 20 - 32 cm No sharp edges				
22	Squeezer, Mop	Mop bucket with squeezer/wringer and wheels Hand lever to squeeze, made of metal, with hand grip Material : Hard Plastic, (PS) Polystyrene or its equivalent Capacity : 30 L (minimum) Overall Dimension (excluding handle: (L x W x H) 40 x 27 x 57 cm (minimum) Color : Yellow With 3 inches non-marking rubber casters "CAUTION" printed in black on both sides of the mop bucket Smooth surface, no sharp edges	pc		8	
23	Step Ladder	Material: aluminum U channel Capacity: 250 lbs (minimum) Type: Platform type Number of step: 6 (including top step) Reach height: 6 to 8 Feet(minimum) Width: 15 inches minimum Spread: 4 feet (minimum) Twin steps with gripped treads to prevent slipping Step braces on top and bottom step Heavy duty aluminum foot bracket with slip-resistant foot pad With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, Branded	pc		4	
24	White board	White board, floor standing, rolling Board: White Formica Laminated, plane will not deform. Board Size: Rectangular 1800mm W x 1000 to 1200mm H, Board Edges secured with Aluminum Clip Edging 17 mm (minimum) with plastic corner caps	pc		4	

		<p>Comes with Metal Tray for Marker and Eraser The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble With 4 lockable hard plastic caster wheels Overall Height from floor: 210 to 214cm Smooth surface, no sharp edges</p>				
--	--	--	--	--	--	--

I hereby certify to comply with and deliver all the above requirements.

Name of Company/Bidder Signature Over Printed Name of Representative Date

Front Office Services NC II

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Calculator	Type: Simple calculator, Non scientific Body material: Hard plastic Minimum Size: 110mm Width x 140mm Long LCD display: at least font size is 8mm x 5mm With Dual power; Solar cell and battery With at least 8 digits display Includes spare battery Packed with protective carton box User's Manual in English which includes: a. parts manual with labels, b. assembly instructions c. operating procedures on how to use the equipment, Branded	pc	60		
2	Cart, Bell Boy	Type:Hotel luggage trolley Capacity: at least 450 kilograms Minimum dimensions: Length - 1000mm x Width - 600mm x Height - 1700mm Frame material: Stainless Steel Tubing Stainless Tube Diameter: at least 35mm Black Powder Coated Steel Platform With carpeted surface and Rubber Bumper at the edge With 4 pieces x 200mm Diameter Black Pneumatic Swivel Wheels	unit	8		

		Packed with shipping carton box Branded				
3	Cash Register with Drawer	Printer: Width: 57mm (minimum) Speed: 2 lines/sec (minimum) LCD Display Size: 5cm Width x 10cm Long(minimum) With drawer at least 4 bills and 5 coins compartments With drawer dimension at least 410mm Width x 450mm Depth Input Method: Numeric 10-key Interface with at least 2 ports Power Source: 220-240Volts AC, 50/60Hz; With AC/DC Adapter Can be Operated with battery Programmable User's Manual in English which includes: a. parts manual with labels, b. assembly instructions c. operating procedures on how to use the equipment, Packed with carton box with styrofoam protection	unit	4		
4	Credit Card Imprinter	Height of the imprinter 2 1/2 inch (minimum) x Width 5 1/2 inch (minimum) x Length 11 inches (minimum) Carriage material: Steel Body:Plastic Color: Black 20 characters per line Card Mounting can accepts at least 0.030" thick size credit cards Plate can accommodate up to 5 lines, Manual type With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions,	unit	4		

		c. operating procedures				
5	Credit Card Voucher holder	Material: 3 mm thick clear, acrylic, Dimensions: Height: at least 255 mm, Width: at least 210 mm, Thickness: at least 70 mm	pc	4		
6	Detector, Fake Bills	LED Display; LED Display Size: at least 5 cm Width x 10 cm Long; Hard plastic casing; Ultraviolet (UV) and Magnetic (MG) sensors; Power Source: Built in Rechargeable Battery,12V output and AC 100-240V Adapter; With complete detection; Accessories includes: Tough Plastic Carrying Case, Power Cord, Cleaning Brush, and Power Charger; User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures on how to use the equipment	pc	12		
7	Guest folio rack	Material: Hard plastic; Accommodates at least 50 room divider indexes; With divider boards with metal tabs; A4 size divider; With metal sidings	pc	12		
8	Key rack	Rack material: wood Number of Racks: Can accommodate at least 40 Key Cards Minimum rack size: 70mm Width x 110mm Height Depth of the rack at least 50mm Any color paint	pc	8		

		Type:Wall mounted rack Pack with shipping carton box				
9	Safety deposit box/ drop vault	Material: Metal, powder coated, Solid steel door thickness: 4mm(minimum) Body thickness: 2mm(minimum) Minimum outer dimension: L: 30cm x H: 20cm x W: 20cm Electronic lock system Battery Operated Digital Panel: Requires 4 x 'AA' Batteries User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures on how to use the equipment, Branded	pc	4		
10	Speaker, Lapel	Frequency at least 500MHz With audio input connector With operation range at least 50meters Receiver/70mA Earphone output level: 32ohm, 65mW Operates with energizer battery With minimum powerconsumption of transmitter at least 3V/70mA Receiver: 3V/70mA	pc	120		

I hereby certify to comply with and deliver all the above requirements.

Name of Company/Bidder

Signature Over Printed Name of Representative

Date

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR**

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission **or** Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with the Technical Specifications **with an attachment of official brochure or unamended sales literature of the offered items**, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS) **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) **or A** committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (i) Original of duly signed and accomplished Financial Bid Form; **and**
- (j) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- (k) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

ANNEX A

DISTRIBUTION LIST
FY 2024 LIST OF ELIGIBLE LTE-TV, TO BE PROCURED

SPECIALIZATION: Bread and Pastry NC II

#	Item Name	Schools																										Total No. of Items	
		Marabou NHS	Northern Abra NHS	Pustal Vocational High School	MAYOR RICARDO DE SAN JOSE COMPREHENSIVE NATIONAL HIGH SCHOOL	Pines CNHS	GVNHS	Banaue NHS- Main	KIANGAN NHS	Tinoc NHS	Halaap NHS	Lagawe NHS	Natcaik NHS	Panopodopan IS	POTIA NHS	Namultitan SHS	Gohang NHS	ITVS	Mayoyao NHS	Magtoma-Pargol National High School	Macatay-Palao National High School	Eastern Kalinga NHS	Kalinga NHS	Naneng NHS	San Pablo IS	Benguet NHS	Mt. Data NHS		
1	Air Compressor with Airbrush Cake Decorating Set	2	2	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	32
2	BEATER	2	2	10	2	6	6	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	114	
3	BOARD, CHOPPING, 6 COLOR	0	0	0	0	11	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	81	
4	Boiler, Double	2	2	7	2	2	2	1	3	3	2	1	2	3	3	3	1	1	6	6	2	3	7	1	2	2	69		
5	BOWL, MIXING (6 PCS/SET)	5	5	6	5	12	12	1	1	1	1	1	1	1	1	1	2	2	10	10	12	3	15	1	12	12	132		
6	CAKE PANS, ROUND #4, #6, #8, #10, #12, #14, #16	5	5	6	5	6	6	1	1	1	1	1	1	1	1	1	1	1	3	3	6	2	10	1	6	6	81		
7	CAKE STAND, WITH TIER	5	5	6	5	2	2	2	2	2	2	2	2	2	2	2	2	2	10	10	6	2	10	2	2	2	93		
8	CAKE TURN TABLE	5	5	10	5	2	2												6	6	3		10	1	2	2	59		
9	COUPLER	5	5	10	5	2	2												10	10	12		13	2	2	2	80		
10	CUP, MEASURING (FOR SOLID)	5	5	6	5	10	10	4	4	4	3			5				4	4	10	10	12		15		10	10	141	
11	CUP, MEASURING, 250 ML FOR LIQUID	5	5	6	5	10	10	6	4	4	3			5	5	5	4	4	10	10	12		12	1	10	10	148		
12	CUP, MEASURING, 500ML FOR LIQUID	5	5	6	5	10	10												10	10	12		10	1	10	10	104		
13	CUTTER, DOUGH	5	5	10	5	10	10												6	6	1		10	1	10	10	89		
14	CUTTER, PIE	6	6	10	6	10	10												10	10	6		8	1	10	10	103		
15	FLOUR SIFTER, HAND CRANKED	6	6	10	6	10	10	4	4	4				4	4	5	4	4	5	5	6		10	1	10	10	130		
16	GRATER	6	6	10	6	2	2	6	5	4				4	5		4	4	4	5	5	4		10	1	2	2	102	
17	KNIFE, KITCHEN	5	5	10	5	10	10	6	5	4				4	5		4	4	4	5	5		10	1	10	10	127		
18	Knife, Pallet	5	5	10	5	10	10	6	5	5	2	2	2	2	5	2	5	5	5	5	5	3	10	1	10	10	140		
19	LADLE, 3 OZ	5	5	10	5	12	12												5	5	6		8		12	12	97		
20	LOAF PAN, BIG	5	5		5	6	6	0	5	5				5	3	10	5	5	5	5	4	3	10	1	6	6	110		
21	LOAF PAN, MEDIUM	5	5		5	6	6	4	5	7				5	3		5	5	5	5	5	6	3	10	1	6	6	108	
22	LOAF PAN, SMALL	5	5		5	6	6	8	5	7				5	3		5	5	5	5	5	6	3	10	1	6	6	113	
23	MUFFIN PAN, BIG	5	5		5	6	6	2	5	5				2	4	3	10	5	5	5	5	6	2	10	1	6	6	114	
24	MUFFIN PAN, MEDIUM	5	5		5	6	6	4	5	5	3			4	3	10	5	5	5	5	5	6	2	10		6	6	116	
25	MUFFIN PAN, SMALL	5	5		5	6	6	8	5	5				4	3	10	5	5	5	5	6	2	10		6	6	107		
26	PIE PAN, 10 INCHES DIAMETER	5	5	10	5	10	10	2	2	5				5	3		5		5	5	4	5	10	1	10	10	117		
27	PIE PAN, #6, #8, #10	5	5	10	5	10	10	4	2	5				5	3	5	5	5	5	5	6	5	10		10	10	137		
28	PILLARS, CAKE	5	5	6	5	10	10	8	8	8					3		5		5	5	6		6		10	10	115		
29	PIPING BAG	10	10	10	10	10	10												10	10			25		10	10	126		
30	RECTANGULAR PAN, 1 X 8	5	5	10	5	10	10												10	10	25	5	10	1	10	10	126		
31	ROLLING PINS	10	10	10	10	10	10												10	10	4	10	10	1	10	10	125		
32	RUBBER SCRAPER	10	10	10	10	5	5	8	5	10	10	5	5	4	5	10	3	4	5	10	10	6	10	1	5	5	181		
33	SAUCE PAN	10	10	6	10	10	10	4	4	4				4	4		4		10	10	6	5	10	1	10	10	142		
34	SHEET PAN	10	10	6	10	12	12	4	4	4				3	4		10	5	5	10	10	5	10	1	12	12	160		
35	SPOON, MEASURING	5	5	6	5	10	10	0	4	5	5				5	10	5	5	10	10	25		25		10	10	175		
36	SPOON, WOODEN	5	5	10	5	10	10												10	10	6		10		10	10	101		
37	STRAINER	5	5	10	5	10	10												10	10	6		10		10	10	101		
38	TIP, DECORATING	5	5	2	5	10	10												10	10	20		20		10	10	117		
39	WEIGHING SCALE, 10 KGS	5	5	2	5	10	10												1	1	1		8		10	10	68		
40	WEIGHING SCALE, 5 KGS, DIGITAL	5	5	6	5	10	10	0	0	1	1	1	1	1	1	1	3	2	2	1	1	1	1	6		10	10	84	
41	WIRE WHISK, MEDIUM	5	5	8	5	10	10	0	5	5				3	5	1	1	5	3	2	2		10	1	10	10	132		
	TOTAL																												

DISTRIBUTION LIST
 FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

ANNEX "A"

SPECIALIZATION: Computer System Servicing (NC II)

#	Item Name	Schools												Total No. of Items
		Marc Ysrael Bernos	Suyo NHS	FLORA NATIONAL HIGH SCHOOL	Santo Tomas NHS	Balbalan Agro-Industrial High School	Biga National High School	Camalog National High Pinucoc Annex	Macutay -Palao National High School	Magtoma-Pangol National High School	Calaccad NHS	Nambucayan NHS	Benguet NHS	
		1	2	3	4	5	6	7	8	9	10	11	12	
1	Allen Wrench	20	20	5	5	10	10	10	10	10	10	2	10	122
2	Anti-Static Device (Anti-static Wrist Strap)	20	20	10	10	10	10	10	10	10	10	22	10	152
3	Combination Pliers, 8"	20	20	5	5	10	10	10	10	10	10	25	10	145
4	Crimping Tool (RJ 11/45)	20	20	10	10	10	10	10	10	10	10	25	10	155
5	Desoldering pump	20	20	5	5	10	10	10	10	10	10	2	10	122
6	Electric Drill, Portable	5	5	1	1	1	1	1	1	1	2	2	5	26
7	External optical drive	7	7	4	6	4	4	4	4	4	4	4	7	59
8	Flash drive	20	20	5	5	11	11	11	11	11	10	3	10	128
9	Flashlight, head-mounted	20	20	5	5	5	5	5	5	5	10	25	10	120
10	Hub / Switch	10	10	5	5	10	10	10	10	10	10	2	10	102
11	LAN Cable tester	20	20	5	5	5	5	5	5	5	5	2	10	92
12	Long Nose Pliers, 8"	20	20	5	5	10	10	10	10	10	8	25	10	143
13	Multimeter, digital	10	10	5	5	10	10	10	10	10	8	2	10	100
14	Patch panel (48 ports)	10	10	10	10	3	3	3	3	3	10	2	10	77
15	PC Video camera	10	10	10	10	10	10	10	10	10	10	10	10	120
16	Phillip's screwdriver, 8" Insulated	20	20	5	5	10	10	10	10	10	8	25	10	143
17	Precision Screwdriver Set	10	10	5	5	5	5	5	5	5	5	2	10	72
18	Soldering Iron, 60W	10	10	5	5	10	10	10	10	10	8	2	10	100
19	Standard screwdriver (Flat), 8" Insulated	20	20	5	5	10	10	10	10	10	8	25	10	143
20	Uninterruptible Power Supply (UPS)	20	20	10	10	10	10	10	10	10	10	5	5	130
21	USB External HD	10	10	5	5	3	3	3	3	3	10	4	5	64
22	Wire stripper	20	20	5	5	5	5	5	5	5	5	25	10	115
23	Wireless Access Point	10	10	5	5	5	5	5	5	5	10	2	10	77
	Total													

DISTRIBUTION LIST
 FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

SPECIALIZATION: Food And Beverage Services NC II

#	Item Name	Schools																Total No. of Items
		Manabo NHS	BACSAY DAGUPAN HIGH SCHOOL	PUDTOL VOCATIONAL HIGH SCHOOL	Mayor Ricardo De San Jose Comprehensive National High School	Consuelo National High School	PCNHS	GVNHS	STNHS	Tinoc NHS	Haliap NHS	Namulditan SHS	POTIA NHS	ITVS	Kalinga NHS	San Pablo IS	Benguet NHS	
1	Coffee Pot, 2 Pints	2	2	4	4	5	6	7	8	9	10	11	12	13	14	15	16	46
2	Container, Creamer	2	2	4	2	2	1	1	1	2	2	2	2	2	2	1	1	29
3	Cups and Saucers 5-6 oz.	8	8	12	8	8	1	1	1	5	5	5	5	5	6	1	1	80
4	Fork, Cocktail	6	6	12	6	6	10	10	10	5	5	5	5	5	3	1	10	105
5	Fork, Dessert	6	6	12	6	6	12	12	12	5	5	5	5	5	6	1	12	116
6	Fork, Dinner	6	6	12	6	6	12	12	12	5	5	5	5	5	6	6	12	121
7	Fork, Fish	6	6	12	6	5	12	12	12	5	5	5	5	5	6	6	12	120
8	Fork, Oyster	6	6	12	6	5	12	12	12	5	5	5	5	5	6	1	12	115
9	Glass, Champagne Flute	4	4	8	4	4	12	12	12	10	10	10	12	10	6	6	12	136
10	Glass, Collins	6	6	12	6	6	10	10	10	10	10	10	12	10	6	6	10	140
11	Glass, Juice / Hi-Ball	6	6	12	6	6	10	10	10	10	10	10	12	10	6	6	10	140
12	Glass, Pilsner (Ice Tea Glass)	4	4	6	4	4	10	10	10	10	10	10	12	10	6	6	10	126
13	Glass, Red Wine	6	6	12	6	6	10	10	10	10	10	10	12	10	6	6	10	140
14	Glass, White Wine	6	6	12	6	6	10	10	10	10	10	10	12	10	6	6	10	140
15	Gravy Boats	2	2	6	2	2	10	10	10	5	5	5	5	5	3	3	10	85
16	Ice Bucket, 2 liters with Tongs	4	4	6	4	4	10	10	10	5	5	5	5	5	2	2	10	91
17	Knife, Butter	4	4	6	4	4	10	10	10	5	5	5	5	6	3	2	10	93
18	Knife, Dinner	4	4	12	4	4	10	10	10	5	5	5	5	5	3	3	10	99
19	Knife, Fish	4	4	12	4	4	10	10	10	5	5	5	5	5	3	3	10	99
20	Menu Folder	4	4	12	4	4	10	10	10	5	3	3	3	3	3	1	10	89
21	Napkin Holder	4	4	12	4	4	10	10	10	5	3	3	3	3	3	5	10	93
22	Order pads	4	4	6	4	4	10	10	10	3	3	3	3	3	3	5	10	85
23	PEPPER AND SALT MILL	4	4	6	4	4	10	10	10	3	3	3	3	3	5	5	10	87
24	Plate Covers	3	3	5	3	2	10	10	10	3	3	3	3	3	6	6	10	83
25	Plate, Dessert, 7" to 8"	4	4	8	4	4	10	10	10	10	10	10	10	10	6	6	10	126
26	Plate, Dinner, 10"	4	4	8	4	4	10	10	10	10	10	10	10	10	6	1	10	121
27	Plate, Fish, 8" to 9"	4	4	8	4	4	10	10	10	10	10	10	10	10	6	1	10	121
28	Round Table (8's)	1	1	1	1	1	10	10	10	3	3	3	3	3	3	3	10	66
29	Salad Forks	4	4	8	4	4	10	10	10	10	10	10	10	10	6	10	10	130
30	Salad Knife	4	4	8	4	4	10	10	10	10	10	10	10	10	10	10	10	134
31	Salad Plates 7" to 8"	5	5	8	5	5	10	10	10	10	10	10	10	10	10	10	10	138
32	Salt and Pepper Shakers	4	4	8	4	4	10	10	10	5	5	5	5	5	5	5	10	99
33	Sauce Ladles	3	3	5	3	2	10	10	10	5	5	5	5	5	5	5	10	91
34	Server, Cake	3	3	4	3	2	10	10	10	5	5	5	5	5	5	5	10	90
35	Service Forks	4	4	8	4	4	10	10	10	10	10	10	10	10	10	10	10	134
36	Service Tray	3	3	3	3	3	10	10	10	5	5	5	5	5	3	1	10	87
37	Show/Service/ Base Plates 11" to 14"	4	4	8	4	4	10	10	10	10	5	10	10	5	6	1	10	111
38	Side Plates or Bread Plates 6"	4	4	8	4	4	10	10	10	10	12	10	10	5	6	1	10	118
39	Side Towels	6	6	8	6	6	10	10	10	10	5	10	12	5	5	1	10	120
40	Silver Platter	2	2	4	2	2	10	10	10	10	5	10	12	5	5	5	10	104
41	Soup Bowl	4	4	6	4	4	10	10	10	6	6	6	6	6	6	5	10	103
42	Soup Ladle	4	4	6	4	4	10	10	10	5	5	5	5	5	6	1	10	94
43	Soup Tureen	2	2	2	2	2	10	10	10	2	2	2	2	2	2	5	10	67
44	Spoon, Dessert	4	4	8	4	4	10	10	10	10	10	10	10	10	6	5	10	125
45	Spoons, Service	6	6	8	6	6	10	10	10	10	10	10	10	10	6	1	10	129

SPECIALIZATION: Food And Beverage Services NC II

#	Item Name	Schools															Total No. of Items	
		Manabo NHS	BACSAY DAGUPAN HIGH SCHOOL	PUDTOL VOCATIONAL HIGH SCHOOL	Mayor Ricardo De San Jose Comprehensive National High School	Consuelo National High School	PCNHS	GVNHS	STNHS	Tinoc NHS	Haliap NHS	Namulditan SHS	POTIA NHS	ITVS	Kalinga NHS	San Pablo IS		Benguet NHS
46	Spoons, Soup (Cream and Consume)	4	4	8	4	4	10	10	10	10	10	10	10	10	6	1	10	121
47	Steak Knife	4	4	8	4	4	10	10	10	10	10	10	10	10	6	1	10	121
48	Sugar Container	4	4	8	4	4	10	10	10	5	5	5	5	5	3	1	10	93
49	Table Cloth, 54 x 54 inches	4	4	4	4	4	10	10	10	5	5	5	5	5	3	5	10	93
50	Table cloth, Rectangular	4	4	4	4	3	10	10	10	5	5	5	5	5	3	5	10	92
51	Table Napkins, Cloth, 16" x 16"	4	4	6	4	3	10	10	10	12	12	12	12	12	6	5	10	132
52	Table SkirtingCloth 90"x90"	4	4	4	4	3	10	10	10	5	5	5	5	5	3	1	10	88
53	Table, Square/Rectangular (4's or 6's)	1	1	2	1	1	10	10	10	5	5	5	5	5	5	1	10	77
54	Tea Pot, 2 Pints	2	2	4	2	2	10	10	10	3	3	3	3	3	3	5	10	75
55	Teaspoon	8	8	10	8	6	10	10	10	5	5	5	5	5	6	5	10	116
56	TONG, 8 INCHES	4	4	6	4	4	10	10	10	5	5	5	5	5	3	1	10	91
57	Tooth Pick Holder	3	3	4	3	2	10	10	10	5	5	5	5	5	3	5	10	88
58	Tray Stand	1	1	3	1	1	10	10	10	3	3	3	3	3	3	3	10	68
59	Tray, Bill Folders/ Change	2	2	4	2	2	10	10	10	5	5	5	5	5	3	5	10	85
60	Tray, Round (Bar)	2	2	2	2	2	10	10	10	5	5	5	5	5	3	2	10	80
61	Water Goblet	2	2	5	2	2	10	10	10	12	12	12	12	12	6	10	10	129
62	Water Pitcher	2	2	3	2	2	10	10	10	5	5	5	5	5	3	6	10	85

DISTRIBUTION LIST
 FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

SPECIALIZATION: Hairdressing NC II

#	Item Name	Schools		Total No. of Items
		Rizal National School of Arts and Trades	Benguet NHS	
		1	2	
1	Body Brush, Prosthetic	5	5	10
2	Bowl, Mixing, plastic	5	5	10
3	Bowl, Shampoo	5	5	10
4	Box, Hairpin	5	5	10
5	Brush, Applicator	5	6	11
6	Brush, Hair	5	5	10
7	Cap, Frosting, with hook	5	5	10
8	Cap, Heating	5	5	10
9	Cape	5	5	10
10	Chair, High	5	5	10
11	Chair, Hydraulic	6	6	12
12	Clamp	5	5	10
13	Clamp, Duck bill	5	5	10
14	Clipper, Hair	5	5	10
15	Comb, Afro	5	5	10
16	Comb, All Purpose	5	5	10
17	Comb, Haircutting	5	5	10
18	Comb, Large Toothed	5	5	10
19	Comb, Tail	5	6	11
20	Comb, Teasing	5	5	10
21	Comb, Wide tooth	5	5	10
22	Crimpers	5	5	10
23	Curling Iron	5	5	10
24	Drip Pan	5	5	10
25	Dryer, Hair	5	5	10
26	Gloves, Disposable	10	10	20
27	Gloves, Rubber	10	10	20
28	Gown, Smock	5	5	10
29	Hairclips	5	5	10

SPECIALIZATION: Hairdressing NC II

#	Item Name	Schools		Total No. of Items
		Rizal National School of Arts and Trades	Benguet NHS	
30	Hairnet, Invisible	5	5	10
31	Headband	5	5	10
32	Headband, Flannel	5	5	10
33	Infrared Iron	5	5	10
34	Mirror, Hand	9	9	18
35	Mirror, Modular	5	5	10
36	Prong Clip, double	5	5	10
37	Prong clip, Single	5	5	10
38	Razor, straight	5	5	10
39	Roller pins	5	5	10
40	Rollers, Jumbo	5	5	10
41	Rollers, Large Sized	5	5	10
42	Rollers, Medium sized	5	5	10
43	Scissor, Cutting	5	5	10
44	Scissor, Thinning	5	5	10
45	Scoop	5	5	10
46	Shower Cap	5	5	10
47	Spatula	5	5	10
48	Spray bottle	6	6	12
49	Steamer, Hair	5	5	10
50	Stool	6	6	12
	Total			

DISTRIBUTION LIST
 FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

SPECIALIZATION: Housekeeping NC II

#	Item Name	Schools		Total No. of Items
		Consuelo National High School	Bacsay Dagupan National High School	
		1	2	
1	Alarm Clock	5	5	10
2	Baskets, Laundry	5	5	10
3	Bed, Single	5	5	10
4	Board, Ironing	1	6	7
5	Boots, Safety, Plastic	5	5	10
6	Brushes, for Housekeeping	3	6	9
7	Buckets, Water	5	5	10
8	Cart, for Housekeeping NC II	1	1	2
9	Coffee maker	4	4	8
10	Dust Pan	10	10	20
11	Fan, Electric	4	4	8
12	Fire Extinguisher (with contents)	3	3	6
13	Flat Iron	4	4	8
14	Garbage Receptacles	5	6	11
15	Gloves, rubber	12	12	24
16	Goggles, Safety	5	5	10
17	Mop	5	5	10
18	Polisher, Floor, Electric, With Accessories	1	1	2
19	Shelving	2	2	4
20	Spray Gun, Water	6	6	12
21	Squeegee	6	6	12
22	Squeezer, Mop	4	4	8
23	Step ladder	2	2	4
24	White board	2	2	4
	Total			

DISTRIBUTION LIST
 FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

SPECIALIZATION: Front Office Services NC II

#	Item Name	Apayao		Benguet	Mt. Province	Total No. of Items
		Kabugao Agro-Ind'l. HS	Luna National High School	Tublay School of Home Industries	Ankileng National High School	
		1	2	3	4	
1	Calculator	15	15	15	15	60
2	Cart, Bell Boy	2	2	2	2	8
3	Cash Register with Drawer	1	1	1	1	4
4	Credit Card Imprinter	1	1	1	1	4
5	Credit Card Voucher holder	1	1	1	1	4
6	Detector, Fake Bills	3	3	3	3	12
7	Guest folio rack	3	3	3	3	12
8	Key rack	2	2	2	2	8
9	Safety deposit box/ drop vault	1	1	1	1	4
10	Speaker, Lapel	30	30	30	30	120
	Total					

List of all Ongoing Government & Private Contracts including contracts awarded but not yet started

Business Name : _____

Business Address : _____

Name of Contract	Date of Contract	a. Owner's Name b. Address c. Telephone Nos.	Contract Duration	Date of Delivery	Kinds of Goods	Amount of Contract	Value of Outstanding Contracts
GOVERNMENT							
PRIVATE							

Note:

State all ongoing contracts including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid. Statement must be supported by a copy of the following:

1. Notice of Award or Contract
2. Notice to Proceed issued by the owner (*in the absence of Notice to Proceed (NTP), execute an affidavit that the bidder asserted all efforts in requesting the NTP. Indicate the circumstances and state the reasons. Attach letter of request as supporting documents*).

Submitted by: _____
(Printed Name and Signature)

Designation : _____

Date : _____

NOTE: Use another sheet if necessary

Statement of Single Largest Completed Contract (SLCC) Similar to the Contract to be Bid

Business Name : _____

Business Address : _____

Name of Contract	Date of Contract	a. Owner's Name b. Address c. TelephoneNos.	Contract Duration	Date of Delivery	Kinds of Goods	Amount of Completed Contract

Note: This statement shall be supported with:

1. Certificate of End-users Acceptance or Official Receipt/s or Sales Invoice.

Submitted by : _____
(Printed Name and Signature)

Designation : _____

Date : _____

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Project Identification No. _____

Eligibility Form

CERTIFICATE OF NET FINANCIAL CONTRACTING CAPACITY

(Please show computation)

This is to certify that our Net Financial Contracting Capacity (NFCC) is Philippine Pesos _____ (P= _____) which is at least equal to the total ceiling price of the services we are bidding. The amount is computed as follows:

Particulars	Amount
Current Assets	
Less Current Liabilities	
Balance	
Multiplied by 15	15
Product	
Less on going (C)	
NFCC	

Where:

C = value of all outstanding or uncompleted portions of contracts/projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract to be bid.

This _____ day of _____, 20____.

(Company Authorized Representative)

NAME :
DESIGNATION

Bid Form for the Procurement of Goods
[shall be submitted with the Bid]

BID FORM

Date : _____
 Project Identification No. : _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Purpose of Commission or gratuity
---------------------------	--

(if none, state “None”)]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

BID SECURING DECLARATION **Project Identification No.: *[Insert number]***

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED
REPRESENTATIVE]*

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page ___ of ___

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project ID No. _____ Page ___ of ___

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

