PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Government of the Republic of the Philippines

SUPPLY AND DOOR-TO-DOOR DELIVERY
OF FY 2025 LEARNING TOOLS AND
EQUIPMENT FOR TECHNICALVOCATIONAL-LIVELIHOOD (LTE-TVL)
WITH 4 LOTS FOR DEPED-CAR

DEPED-CAR RO - CB 2025-05-007

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Sectio	n I. Invitation to Bid	7
Sectio	n II. Instructions to Bidders	11
1.	Scope of Bid	
2.	Funding Information	
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	13
5.	Eligible Bidders	13
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	15
13.	Bid and Payment Currencies	15
14.	Bid Security	16
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	17
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post-Qualification	17
21.	Signing of the Contract	17
Sectio	n III. Bid Data Sheet	18
Sectio	n IV. General Conditions of Contract	21
1.	Scope of Contract	22
2.	Advance Payment and Terms of Payment	22
3.	Performance Security	22
4.	Inspection and Tests	22
5.	Warranty	23
6.	Liability of the Supplier	23
Sectio	n V. Special Conditions of Contract	24
	n VI. Schedule of Requirements	
	n VII. Technical Specifications	
	n VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW - Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines

Department of Education

Cordillera administrative

INVITATION TO BID FOR SUPPLY AND DOOR-TO-DOOR DELIVERY OF FY 2025 LEARNING TOOLS AND EQUIPMENT FOR TECHNICALVOCATIONAL-LIVELIHOOD (LTE-TVL) WITH 4 LOTS FOR DEPED-CAR

1. The Department of Education-Cordillera Administrative Region Regional Office (DepEd - CAR RO), through the 2025 General Appropriations Act Fund intends to apply the sum of:

Lot No.	Approved Budget to the Contract (Php)	Identification No.			
1	4,962,491.63	DepEd-CAR RO CB 2025-04-005 – Lot 1			
2	4,040,821.69	DepEd-CAR RO CB 2025-04-005 – Lot 2			
3	2,246,028.53	DepEd-CAR RO CB 2025-04-005 – Lot 3			
4	1,451,203.65	DepEd-CAR RO CB 2025-04-005 – Lot 4			

being the ABC to payments under the contract for each lot. Bids received in excess of the ABC for each lot shall be automatically rejected at bid opening.

- 2. The *DepEd CAR RO* now invites bids for the above Procurement Project. *Delivery of the Goods is required by within ninety (90) calendar days upon receipt of Notice to Proceed.* Bidders should have completed, within *five (5) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *DepEd CAR RO* and inspect the Bidding Documents at the address given below during *8:00am to 5:00pm*.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *May* 9, 2025 from the *DepEd-CAR RO Procurement Unit (BAC Secretariat)* and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of:

Lot No.	Applicable fee for the Bidding Documents each lot (Php)		
1	5,100.00		
2	4,100.00		
3	2,300.00		
4	1,500.00		

The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.

[NOTE: For lot procurement, the maximum fee for the Bidding Documents for each lot shall be based on its ABC, in accordance with the Guidelines issued by the GPPB; provided that the total fees for the Bidding Documents of all lots shall not exceed the maximum fee prescribed in the Guidelines for the sum of the ABC of all lots.]

- 6. The *DepEd-CAR RO* will hold a *Pre-Bid Conference*¹ on *May 16, 2025* at *11:00 AM* at the *OARD*, *DepEd-CAR RO*, *Wangal*, *La Trinidad*, *Benguet*, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat at the Office of the Assistant Regional Director of the DepEd-CAR RO, address below, on or before 9:00 AM of June 4, 2025. Late bids shall not be accepted.

RONALD B. CASTILLO, CESO V

BAC Chairperson Procurement Unit Office (BAC Secretariat Office) DepED-CAR Regional Office Wangal, La Trinidad, Benguet

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- Bid opening shall be on June 4, 2025 at 9:01 AM at the OARD, DepEd-CAR, Wangal, La Trinidad, Benguet. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The DepEd-CAR RO reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

Atty. Edward C. Magalgalit, Jr./Randolph Flyn B. Daculog Chair, BAC Secretariat/Procurement Unit DepED-CAR Regional Office Wangal, La Trinidad, Benguet Email address: car.procurement@deped.gov.ph Tel. No. (074) 422-1318 Cp No. 09178218490/09207930509

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

Website: www.depedcar.ph

12. You may visit the following websites:

For downloading of Bidding Documents: depedcar.ph

May 8, 2025

RONALD B. CASTILLO, CESO V BAC Chairperson

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *DepEd-CAR RO* wishes to receive Bids for the *SUPPLY AND DOOR-TO-DOOR DELIVERY OF FY 2025 LEARNING TOOLS AND EQUIPMENT FOR TECHNICAL-VOCATIONAL-LIVELIHOOD (LTE-TVL) WITH 4 LOTS FOR DEPED-CAR* with identification numbers:

Lot No.	Identification Number
1	DepEd-CAR RO CB 2025-04-005 – Lot 1
2	DepEd-CAR RO CB 2025-04-005 – Lot 2
3	DepEd-CAR RO CB 2025-04-005 – Lot 3
4	DepEd-CAR RO CB 2025-04-005 – Lot 4

The Procurement Project (referred to herein as "Project") is composed of *four* (4) *lot*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *FY 2025 GAA* in the amount of:

Lot No.	Approved Budget to the Contract (Php)
1	4,962,491.63
2	4,040,821.69
3	2,246,028.53
4	1,451,203.65

2.2. The source of funding is:

a. NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - b. The bidder should have completed at least two (2) similar contracts and the aggregate contract amounts should be equivalent to at least the percentage of the ABC as required above; and the largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address *Office of the Assistant Regional Director, DepEd-CAR RO, Wangal, La Trinidad Benguet* as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within [state relevant period as provided in paragraph 2 of the **IB**] prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *Sixty (60) calendar days from the deadline of submission of bids*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit **one** (1) **copy** (labelled as original copy) of the first and second components of its Bid.

The Procuring Entity requests **two (2) additional hard copies (labelled as Copy 1 and Copy 2)** and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 2 – One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause						
5.3	For this purpose, contracts similar to the Project shall be:					
	a. Contracts related to: Lot 1: Supply and Delivery of Supplies/Materials/Tools/Equipment related to Dressmaking and Tailoring Lot 2: Supply and Delivery of Supplies/Materials/Tools/Equipment related to Electrical Installation and Maintenance Lot 3: Supply and Delivery of Supplies/Materials/Tools/Equipment related to Electronic Production and Assembly Lot 4: Supply and Delivery of Supplies/Materials/Tools/Equipment related to Shielded Metal Arc Welding					
7.1	Subconti	racting is not allowed.				
12	_	e of the Goods shall be quote le International Commercial T				
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: Lot No. Description/Specialization Amount Cash, Cashier's / Manager's Check, Bank Draft/ Guarantee/ Irrevocable Letter of Credit (2%) Supply and Delivery of Dressmaking NC II and Tailoring NC II Supply and Delivery of Electrical Installation and Maintenance NC II Supply and Delivery of Electronic Production and Assembly NC II 4 Supply and Delivery of Shielded Metal Arc Welding NC I and NC II 29,024.07 72,560.18 Amount Cash, Cashier's / Manager's Check, Bank Draft/ Great Company duly certified by the Insurance Company duly certified by the Insurance Commission (5%) No. 03-2012 Please see Section No. 03-2012 No.					
19.3	The Project will be awarded by lot/s. The NFCC computation, if applicable, must be sufficient for all the lot/s or contract/s to be awarded to the Bidder:					
	Lot No. Description/Specialization No. of School recipient ABC					

	Supply and Delivery of Dressmaking NC II	5	1062 101 62		
	Supply and Delivery of Tailoring NC II	5	4,962,491.63		
	2 Supply and Delivery of Electrical Installation and Maintenance NC II	. 5	4,040,821.69		
	3 Supply and Delivery of Electronic Production and Assembly NC II 4 Supply and Delivery of Shielded Metal Arc Welding NC II 6		2,246,028.53		
			1,451,203.65		
20.2	NOTE: For tools or equipment powered by electricity or fuel, the brand and model of the item/unit offered must be available in the local market. Original Equipment Manufacturer (OEM) or assembled items/units will not be accepted and will be grounds for disqualification. On the other hand, for tools and equipment NOT powered by electricity or fuel, Original Equipment Manufacturer (OEM) or assembled items/units are accepted. Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BAC that it submitted the LCB, the Bidder shall submit copies of the following requirements: 1. Latest income and business tax returns filed and paid through the BIR				
	2. During the Post Qualification (Site Insper following: a. All licenses, permits, and other docume registration, DTI business name registration financial statements. An actual sample of the items being of warehouse declared in their search comparison. Submit Project implementation timeline. NOTE: Failure to submit any of the post-qualifinding against the veracity thereof, shall a Provided in the event that a finding against the submitted is made, it shall cause the forfeiture with Section 69 of the IRR of RA 9184.	ments it submitted on, Mayor's perments, affered at their responding the bidding of the bidding of the bidding of the bidge veracity of any of the bidge of the b	d, such as SEC it, TIN, audited etc. ective office or ng proposal. eents on time, or der for award. f the documents		
21.2	.2 [List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]				
	No Further Instructions				

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.}

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project {[Include if Framework Agreement will be used:] or Framework Agreement] specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section VII (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC				
Clause				
1				
	Delivery and Documents –			
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:			
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered at the Recipient Schools (Please see annex A). In accordance with INCOTERMS."			
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered at the Recipient Schools (Please see annex A). Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."			
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).			
	For purposes of this Clause the Procuring Entity's Representative at the Project Site are Jonalyn C. Ambrona, Education Program Supervisor under CLMD and Vandolph B. Flora, Administrative Officer V under ASD-Asset Management Section.			
	Incidental Services –			
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:			
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;			
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;			
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;			
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and			

e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- 1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- 2. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights -

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

Regular and Recurring Services -

[In case of contracts for regular and recurring services, state:] "The contract for regular and recurring services shall be subject to a renewal whereby the performance evaluation of the service provider shall be conducted in accordance with Section VII. Technical specifications."

Liquidated Damages - Under Section 68 of the 2016 Revised IRR of RA 9184.

All contracts executed in accordance with the Act and this IRR shall contain a provision on liquidated damages which shall be payable by the contractor in case of breach thereof. For the procurement of Goods, Infrastructure Projects and Consulting Services, the amount of the liquidated damages shall be at least equal to one-tenth of one percent (0.001) of the cost of the unperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the Procuring Entity may rescind or terminate the contract, without prejudice to other courses of action and remedies available under the circumstances.

2.2 The terms of payment shall be as follows:

Full payment shall be effected upon 100% delivery and installation. Five percent (5%) retention money shall be deducted and will be released one (1) year after acceptance by the Procuring Entity of the delivered and installed equipment or submission of surety bond equivalent to the retention money.

4 **Delivery and Inspection:**

- a. The DepED-CAR RO shall conduct pre-delivery inspection of sample item offered before delivery.
- b. The supplier shall be responsible for the transport of the goods from the store to the recipient schools.
- c. All goods to be delivered to the recipient schools shall be free from defects, substandard material, imperfection and other analogous defects.
- d. Only goods with the best quality shall be acceptable to the Department.
- e. All goods found to be with defects, imperfections and poor quality shall be rejected by the Department at any stage of the contract implementation.
- f. Delivery shall be during office hours (8:00-5:00). The Supplier shall not deliver goods on a Saturday, Sunday or Holiday.
- g. Delivered goods at recipient schools shall be inspected by the Inspectorate Team and accepted by the School Property Custodian personnel.
- h. The Supplier shall be responsible in the completion of the Inspection and Acceptance Report (IAR)
- i. The Delivery Receipt (DR) shall be signed by the School Property Custodian personnel.

Warranty - Under Section 62.1 of the 2016 revised IRR of RA No. 9184.

For the procurement of Goods, in order to assure that manufacturing defects shall be corrected by the supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of Expendable Supplies, or a minimum period of one (1) year, in the case of Non-expendable Supplies, after acceptance by the Procuring Entity of the delivered supplies.

The obligation for the warranty shall be covered by either retention money in an amount equivalent to at least one percent (1%) but not to exceed five percent (5%) of every progress payment, or a special bank guarantee equivalent to at least one percent (1%) but not to exceed five percent (5%) of the total contract price. The said amounts shall only be released after the lapse of the warranty period or, in the case of Expendable Supplies, after consumption thereof: Provided, however, That the supplies delivered are free from patent and latent defects and all the conditions imposed under the contract have been fully met.

The Supplier shall supply and deliver only the best furniture for the learners and teachers

The Supplier warrants that any damage or defect in the goods delivered, the supplier shall automatically and immediately replace the same with no question

at no cost to the school, DepEd or Government within two weeks from the time of the defects become apparent and reported by the school or the Department

The supplier shall replace or immediately compensate the school for replacement of damaged goods, unassembled furniture, or any other defects attributable to the delivery and factory defect of the items delivered within two years from delivery, excepts for damages caused while being used by the learners in the school

Supplier must immediately replace defective furniture and deliver its replacement without any cost with one week from the reported presence of defects. Supplier cannot deny or refuse the immediate replacement of the reported patently defective goods delivered to the school reasoning the goods were accepted by the school who are not experts to determine the quality of the goods

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	Description/Specialization	No. of School Recipient	Unit	Quantity	Delivered, Weeks/Months		
1	Supply and Delivery of Dressmaking NC II	5	Please see Annex A				
	Supply and Delivery of Tailoring NC II	5			Within ninety (90) calendar days upon receipt of Notice to		
2	Supply and Delivery of Electrical Installation and Maintenance NC II	5					
3	Supply and Delivery of Electronic Production and Assembly NC II	6			Proceed		
4	Supply and Delivery of Shielded Metal Arc Welding NC I and NC II	6					

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

In case of Renewal of Regular and Recurring Services, the Procuring Entity must indicate here the technical requirements for the service provider, which must include the set criteria in the conduct of its performance evaluation.

Technical Specifications

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

Technical Specifications of Learning Tools and Equipment for Technical-Vocational-Livelihood (LTE-TVL) LOT 1

Dressmaking (NC II)

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1.	Board, Ironing	TYPE: foldable ironing Board; Frame Material: metal tubing; Board Size: 32 inches (minimum).	рс	25		
2.	BODY FORM / MODEL	STYLE: WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches.	рс	50		
3.	Calculator	Type: Simple calculator, Non scientific Material: Hard plastic Minimum Size: 110mm Width x 140mm Long LCD display: at least font size is 8mm x 5mm With Dual power; Solar cell and battery With at least 8 digits display Includes spare battery Packed with protective carton box With User's Manual in English which includes:	рс	125		

		a. parts manual with labels,b. assembly instructionsc. operating procedures on how to use the equipment,Item must be branded			
4.	FLAT IRON, HEAVY DUTY	Electric Flat Iron; Material: Metal /plasic body, Heat-Resistant Plastic Handle, Aluminum sole Overall Dimension: (L x W x H) 25 cm x 12 cm x 12 cm (minimum) Power rating: 220/240 VAC, 50/60 Hz; 1000 Watts (minimum) Equipped with Light Indicator, variable temperature control, Overheat Protection, Power Cord and plug to fit Type A outlet (or providing 10A plug adapter is an option) Comes with English Manual that Contains: Users Guide, List of Parts, Maintenance Guide, Safety Guide. The item must be branded, with DTI-BPS certification 1 year Warranty Parts and Service	рс	25	
5.	FRENCH CURVE	Type: French Curve Material: Plastic Size (minimum): 30 x 12.5 x .1 cm / 11.8 x 5 x .04 inches (L X W X T)	pc	125	
6.	HANGER	Material: Hard plastic Dimension: Length 320 mm x 140 mm Width x 7 mm Thickness (minimum).	рс	50	
7.	HANGER RACK	TYPE: ADJUSTABLE Material: STEEL, POLYPROPYLENE, AND NYLON WHEELS Length: 800 - 900 mm (minimum) Width: 400 mm - 500 mm (minimum) Height: 550 - 650 mm (minimum) Surface finish: Chrome Plated. COMES WITH CARTON BOX RUST FREE	рс	15	
8.	HIP CURVE	TYPE: METAL BODY SHAPE: SEMI CURVE Material: ALUMINUM LENGTH RANGE: 24 INCHES ONE SIDE MEASUREMENT IS EXPRESSED IN ENGLISH AND THE OTHER SIDE IS IN METRIC SMALLEST GRADUATION OF 1/16 inch. IN ENGLISH AND SMALLEST GRADUATION OF 1	рс	125	

			1		Т	Т
		mm IN METRIC				
		THICKNESS RANGE : 1/16 inch (minimum)				<u> </u>
9.	L-SQUARE	MATERIAL: ALUMINUM DIMENSION: LONGER ARM IS 24 inches SHORTER ARM IS 14 inches ONE SIDE IS GRADUATED IN INCHES AND THE OTHER SIDE IS GRADUATED IN cm or mm SMALLEST GRADUATION OF 1/16 inch. IN ENGLISH AND 1 mm in metric WITH ENGRAVED LINEAR MARKINGS Thickness: 2.0 mm (minimum).	pc	125		
10.	METER STICK	MATERIAL; WOOD PLAIN EDGE NO METAL GRADUATIONS SHALL BE ACCURATELY ENGRAVED AND PAINTED BLACK LENGTH: 100 cm THICKNESS RANGE: 3 mm to 6 mm NATURAL VARNISH FINISH AND PERMANENTLY ENGRAVED MARKINGS ONE SIDE IS GRADUATED IN INCHES (smallest: 1/8 inch) THE OTHER SIDE IS GRADUATED IN CENTIMETERS (smallest: 1 mm) COMES WITH PLASTIC POUCH	pc	50		
11.	PIN CUSHION	Type : Pin Cushion Material: 100% cotton Minimum Diameter x Height: 70 mm x 70 mm	рс	125		
12.	RULER PLASTIC WITH GRID 24 INCHES	TYPE: PLASTIC MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH	pc	125		
13.	Scissors	Type: Scissors Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric	рс	125		
14.	Screwdriver, flat, 4"	Type : Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum Shank Type: Round	рс	125		

		Slotted magnetic tip range: 4 mm to 6 mm			
		Nonslip rubberized handle			
		Type : Flat Screw Driver			
		Material: Chrome Vanadium			
15.	Screwdriver,	Total length: 6" minimum	nc	125	
15.	flat, 6"	Shank Type: Round	рс	125	
		Slotted magnetic tip range: 6 mm to 8 mm			
		Nonslip rubberized handle			
		Type : Seam Ripper			
16.	SEAM RIPPER	Material: Steel with plastic handle	рс	125	
		Total length: 100 mm (minimum)			
		Type: Sewing Box			
		Body Shape : Rectangular			
	SEWING BOX	Material: Durable transparent hard plastic			
17.		Dimension: Length: 10 to 14 inches, Width: 6 to 9 inches, Height: 6 to 8 inches	nc	125	
17.		(minimum)	рс	123	
		Can hold small items			
		Minimum of two layers			
		With plastic carrying handle and lock			
		Type: Cutting Shears for Cloth			
	SHEARS,	Material: Stainless Steel with soft grip handle			
18.	CUTTING	Length :10 inches (minimum)	рс	125	
	COTTING	Well polished and sharp for cutting paper and fabric			
		Comes with carton box			
		With removable and washable cover			
		With non-slip rubber feet			
	SLEEVE BOARD	Length: 20 to 24 inches (minimum)			
19.	/ HAM	Width: 4 to 6 inches (minimum)	рс	50	
	/ 11/AIVI	Thickness: 2 to 5 inches (minimum)			
		100% cotton cover			
		Powder coated metal stand			

20.	SPRAY, HAND	TRIGGER TYPE SPRAYER MATERIAL : TRANSPARENT PLASTIC CAPACITY : 500 mL (minimum)	рс	25	
21.	STOOL	Material: Foam and fabric cushion, with Powder Coated Metal frame; Height: 42 cm to 45 cm; With Non-slip rubber footings; Load Capacity: 50 kg to 150 kg.	рс	125	
22.	TAPE MEASURE	MATERIAL; FLEXIBLE VINYL TAPE; COLOR; WHITE WITH RED OR BLACK LINEAR MEASUREMENT MARKINGS WITH METAL STRIP ON BOTH ENDS; WIDTH; 12 mm minimum; ONE SIDE MEASUREMENT IS EXPRESSED IN ENGLISH AND THE OTHER SIDE IS IN METRIC; SMALLEST GRADUATION OF 1/16 inch IN ENGLISH AND SMALLEST GRADUATION of 1 mm in METRIC; LENGTH; 60 inches (150 cm.)	рс	125	
23.	TRACING WHEEL	Material: Plastic Handle; Length Range: 120 mm to 150 mm; With rotating sharp toothed metal wheel; Wheel Diameter: 18 to 22 mm.	рс	125	

I hereby certify to comply with	th and deliver all the above requirements.	
Name of Company/Bidder	Signature Over Printed Name of Representative	——————————————————————————————————————

Tailoring NC II

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Board, Ironing	TYPE: foldable ironing Board; Frame Material: metal tubing; Board Size: 32 inches (minimum).	рс	25		
2	Calculator	Type: Simple calculator, Non scientific Body material: Hard plastic Minimum Size: 110mm Width x 140mm Long LCD display: at least font size is 8mm x 5mm With Dual power; Solar cell and battery With at least 8 digits display Includes spare battery Packed with protective carton box With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions c. operating procedures on how to use the equipment, Item must be branded	рс	125		
3	FLAT IRON, HEAVY DUTY	Electric Flat Iron; Material: Metal /plasic body, Heat-Resistant Plastic Handle, Aluminum sole Overall Dimension: (L x W x H) 25 cm x 12 cm x 12 cm (minimum) Power rating: 220/240 VAC, 50/60 Hz; 1000 Watts (minimum) Equipped with Light Indicator, variable temperature control, Overheat Protection, Power Cord and plug to fit Type A outlet (or providing 10A plug adapter is an option) Comes with English Manual that Contains: Users Guide, List of Parts, Maintenance	рс	25		

		Guide, Safety Guide.			
		The item must be branded, with DTI-BPS certification			
		1 year Warranty Parts and Service			
	FRENCH CURVE	Type : French Curve			
4		Material: Plastic	рс	125	
		Size (minimum) : 30 x 12.5 x .1 cm / 11.8 x 5 x .04 inches (L X W X T)			
5	HANGER	Material : Hard plastic	рс	50	
3		Dimension: Length 320 mm x 140 mm Width x 7 mm Thickness (minimum).	рс	30	
	HANGER RACK	TYPE : ADJUSTABLE			
		Material: STEEL, POLYPROPYLENE, AND NYLON WHEELS			
		Length: 800 - 900 mm (minimum) Width: 400 mm - 500 mm (minimum) Height:			
6		550 - 650 mm (minimum)	рс	15	
		Surface finish : Chrome Plated.			
		COMES WITH CARTON BOX			
		RUST FREE			
	HIP CURVE	TYPE: METAL			
		BODY SHAPE : SEMI CURVE			
		Material : ALUMINUM			
		LENGTH RANGE : 24 INCHES			
7		ONE SIDE MEASUREMENT IS EXPRESSED IN ENGLISH AND THE OTHER SIDE IS IN	рс	125	
		METRIC			
		SMALLEST GRADUATION OF 1/16 inch. IN ENGLISH AND SMALLEST GRADUATION			
		OF 1 mm IN METRIC			
		THICKNESS RANGE: 1/16 inch (minimum)			
	L - SQUARE	MATERIAL : ALUMINUM			
		DIMENSION: LONGER ARM IS 24 inches SHORTER ARM IS 14 inches			
		ONE SIDE IS GRADUATED IN INCHES AND THE OTHER SIDE IS GRADUATED IN cm or			
8		mm	рс	pc 125	
		SMALLEST GRADUATION OF 1/16 inch. IN ENGLISH AND 1 mm in metric			
		WITH ENGRAVED LINEAR MARKINGS			
		Thickness: 2.0 mm (minimum).			
0	METER STICK	MATERIAL; WOOD	no	75	
9		PLAIN EDGE NO METAL	рс	75	

GRADUATIONS SHALL BE ACCURATELY ENGRAVED AND PAINTED BLACK LENGTH : 100 cm THICKNESS RANGE : 3 mm to 6 mm NATURAL VARNISH FINISH AND PERMANENTLY ENGRAVED MARKINGS ONE SIDE IS GRADUATED IN INCHES (smallest: 1/8 inch) THE OTHER SIDE IS GRADUATED IN INCHES (smallest: 1/8 inch) THE OTHER SIDE IS GRADUATED IN INCHES (smallest: 1/8 inch) THE OTHER SIDE IS GRADUATED IN INCHES (smallest: 1/8 inch) THE OTHER SIDE IS GRADUATED IN CENTIMETERS (smallest: 1 mm) COMES WITH PLASTIC POUCH MIRROR, LIFE SIZE STYLE : RECTANGULAR MIRROR WITH FRAME AND STAND MATERIAL : WOODEN FRAME AND STAND LENGTH : 148 - 152 cm (minimum). WIDTH : 32 - 36 cm (minimum) MIRROR THICKNESS : 4 - 6 mm (minimum) MIRROR THICKNESS : 4 - 6 mm (minimum) STYLE : WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL : MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT : 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH : 15 3/4 inches; CHEST BUST : 32 inches WIDTH : 15 3/4 inches; HIPS : 34 inches. 12 RULER, PLASTIC, CHEST BUST : 32 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH MATERIAL : PLASTIC LENGTH : 24 inches WIDTH : 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH Material : Stainless stell with soft grip handle Length : 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Nell-polished and sharp for cutting paper and fabric PC 125 126 127 128 129 129 129 129 120 120 121 120 121 121						
THICKNESS RANGE: 3 mm to 6 mm NATURAL VARNISH FINISH AND PERMANENTLY ENGRAVED MARKINGS ONE SIDE IS GRADUATED IN INCHES (smallest: 1/8 inch) THE OTHER SIDE IS GRADUATED IN INCHES (smallest: 1 mm) COMES WITH PLASTIC POUCH MIRROR, LIFE SIZE STYLE: RECTANGULAR SIZE STYLE: RECTANGULAR MIRROR WITH FRAME AND STAND MATERIAL: WOODEN FRAME AND STAND LENGTH: 148-152 cm (minimum). WIDTH: 32 - 36 cm (minimum) MIRROR THICKNESS: 4 - 6 mm (minimum). STYLE: WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH LENGTH: 24 inches Width: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum						
NATURAL VARNISH FINISH AND PERMANENTLY ENGRAVED MARKINGS ONE SIDE IS GRADUATED IN INCHES (smallest: 1/8 inch) THE OTHER SIDE IS GRADUATED IN CENTIMETERS (smallest: 1 mm) COMES WITH PLASTIC POUCH MIRROR, LIFE SIZE STYLE: RECTANGULAR MIRROR WITH FRAME AND STAND MATERIAL: WOODEN FRAME AND STAND LENGTH: 148-152 cm (minimum). WIDTH: 32 - 36 cm (minimum) MIRROR THICKNESS: 4 - 6 mm (minimum). MODEL FORM STYLE: WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC PUCH COMES WITH PLASTIC PUCH COMES WITH PLASTIC PUCH SCISSORS, 8 INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Total length: 4" minimum Naterial: Chrome Vanadium Total length: 4" minimum Total length: 4" minimum NETTIC PLASTIC PC 125						
ONE SIDE IS GRADUATED IN INCHES (smallest: 1/8 inch) THE OTHER SIDE IS GRADUATED IN CENTIMETERS (smallest: 1 mm) COMES WITH PLASTIC POUCH MIRROR, LIFE SIZE STYLE: RECTANGULAR SIZE STYLE: RECTANGULAR MIRROR WITH FRAME AND STAND MATERIAL: WOODEN FRAME AND STAND LENGTH: 148-152 cm (minimum). WIDTH: 32 - 36 cm (minimum) MIRROR THICKNESS: 4 - 6 mm (minimum). MODEL FORM STYLE: WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 Type: Scissors Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Material: Chrome Vanadium Total length: 4" minimum Total length: 4" minimum						
THE OTHER SIDE IS GRADUATED IN CENTIMETERS (smallest: 1 mm) COMES WITH PLASTIC POUCH MIRROR, LIFE SIZE SHAPE: RECTANGULAR STYLE: RECTANGULAR MIRROR WITH FRAME AND STAND MATERIAL: WOODEN FRAME AND STAND LENGTH: 148-152 cm (minimum). WIDTH: 32 - 36 cm (minimum) pc 10 LENGTH: 148-152 cm (minimum). MODEL FORM STYLE: WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC MATERIAL: PLASTIC COMES WITH PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, Type: Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum Screwdriver, Type: Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum						
MIRROR, LIFE STAPE: RECTANGULAR SIZE STYLE: RECTANGULAR MIRROR WITH FRAME AND STAND MATERIAL: WOODEN FRAME AND STAND LENGTH: 148-152 cm (minimum). WIDTH: 32 - 36 cm (minimum) MIRROR THICKNESS: 4 - 6 mm (minimum). MODEL FORM STYLE: WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC COMES WITH PLASTIC COMES WITH PLASTIC POUCH SCISSORS, 8 INCHES MATERIAL: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Material: 4" Material: Chrome Vanadium Total length: 4" minimum Material: 4" Material: Chrome Vanadium Total length: 4" minimum Material: 4" Material: Chrome Vanadium Total length: 4" minimum Material: 4" Material: Chrome Vanadium Total length: 4" minimum Material: 4" Material: Chrome Vanadium Total length: 4" minimum Material: 4" Material: Chrome Vanadium Total length: 4" minimum Material: 4" Material: Chrome Vanadium Total length: 4" minimum Material: 4" Material: Chrome Vanadium Total length: 4" minimum Material: 4" Material: Chrome Vanadium Total length: 4" minimum Material: Chrome Vanadium Total Reversal And Material: Chrome Vanadium T			· · · · · · · · · · · · · · · · · · ·			
MIRROR, LIFE SIZE STYLE: RECTANGULAR MIRROR WITH FRAME AND STAND MATERIAL: WOODEN FRAME AND STAND LENGTH: 148-152 cm (minimum). WIDTH: 32 - 36 cm (minimum) MIRROR THICKNESS: 4 - 6 mm (minimum). MODEL FORM STYLE: WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Type: Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum Material: Chrome Vanadium Material: Chrome Vanadium Material: Chrome Vanadium Material: Chrome Vanadium Material: Chro			,			
SIZE STYLE : RECTANGULAR MIRROR WITH FRAME AND STAND MATERIAL : WOODEN FRAME AND STAND LENGTH : 148 - 152 cm (minimum). WIDTH : 32 - 36 cm (minimum) MIRROR THICKNESS : 4 - 6 mm (minimum). MODEL FORM STYLE : WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL : MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT : 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH : 15 3/4 inches; CHEST BUST : 32 inches WAIST : 24 inches; HIPS : 34 inches. RULER, PLASTIC, TYPE : PLASTIC 24 INCHES MATERIAL : PLASTIC LENGTH : 24 inches WIDTH : 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS , 8 Type : Scissors INCHES Material : Stainless stell with soft grip handle Length : 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, Type : Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum Total length: 4" minimum						
FRAME AND STAND LENGTH: 148 - 152 cm (minimum). WIDTH: 32 - 36 cm (minimum) MIRROR THICKNESS: 4 - 6 mm (minimum). MODEL FORM MODEL FORM STYLE: WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Type: Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum Material: Chrome Vanadium Total length: 4" minimum Metrial inches (minimum) Metrial inches (minimum) Well-polished and Sharp for cutting paper and fabric pc 125		MIRROR, LIFE				
LENGTH: 148-152 cm (minimum). WIDTH: 32 - 36 cm (minimum) MIRROR THICKNESS: 4 - 6 mm (minimum). MODEL FORM STYLE: WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. TYPE: PLASTIC 24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Type: Flat Screw Driver Type: Flat Screw Driver Total length: 4" minimum Ppc 125		SIZE	STYLE: RECTANGULAR MIRROR WITH FRAME AND STAND MATERIAL: WOODEN			
MODEL FORM STYLE : WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT : 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH : 15 3/4 inches; CHEST BUST : 32 inches WAIST : 24 inches; HIPS : 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC LENGTH : 24 inches WIDTH : 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS , 8 INCHES Material: Stainless stell with soft grip handle Length : 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Type : Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum Total length: 4" minimum MEL SCREW THE : WHOLE BODY WITH HEAD, METAL STAND AND ADJUSTABLE ROD WITH STAND AND AND ADJUSTABLE ROD WITH SET STAND AND BASE PC 50 50 50 50 50 50 50 50 50 60 6	10			рс	10	
MODEL FORM STYLE: WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET SCREW; MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 Type: Scissors INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Total length: 4" minimum Total length: 4" minimum			LENGTH: 148-152 cm (minimum). WIDTH: 32 - 36 cm (minimum)			
SCREW; MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Total length: 4" minimum			MIRROR THICKNESS : 4 - 6 mm (minimum).			
MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE - METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 Type: Scissors INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Total length: 4" minimum		MODEL FORM	STYLE: WHOLE BODY WITH HEAD, METAL STAND, AND ADJUSTABLE ROD WITH SET			
-METAL; FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Material: 4" minimum Total length: 4" minimum Total length: 4" minimum MICHES Material: 4" minimum PC 125			SCREW;			
FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Total length: 4" minimum FEMALE HEIGHT: 5 ft. 9 inches; (minimum); SHOULDER TO SHOULDER WAIST: 24 inches; HIPS: 3/4 i			MATERIAL: MODEL FORM - FOAM (inner), LINEN FABRIC (outer), STAND AND BASE			
FEMALE HEIGHT: 5 ft. 9 inches (minimum); SHOULDER TO SHOULDER WIDTH: 15 3/4 inches; CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 Type: Scissors INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, Type: Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum	11		- METAL;	nc	50	
CHEST BUST: 32 inches WAIST: 24 inches; HIPS: 34 inches. RULER, PLASTIC, 24 INCHES RATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 INCHES Naterial: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Naterial: Chrome Vanadium Total length: 4" minimum Total length: 4" minimum RULER, PLASTIC TYPE:	11		FEMALE HEIGHT: 5 ft. 9 inches (minimum);	ρc	30	
HIPS : 34 inches. RULER, PLASTIC, 24 INCHES MATERIAL : PLASTIC LENGTH : 24 inches WIDTH : 2 inches (minimum) pc MALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS , 8 Type : Scissors INCHES Material : Stainless stell with soft grip handle Length : 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum HIPS : 34 inches. MATERIAL : PLASTIC POUCH pc 125 125 125 125 125 125 125 125			SHOULDER TO SHOULDER WIDTH: 15 3/4 inches;			
RULER, PLASTIC, 24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 Type: Scissors INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum RULER, PLASTIC, MATERIAL: PLASTIC pc 125 pc 125 125			CHEST BUST : 32 inches WAIST : 24 inches;			
24 INCHES MATERIAL: PLASTIC LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum MATERIAL: PLASTIC LENGTH: 24 inches (minimum) pc 125 pc 125 125 125			HIPS: 34 inches.			
12 LENGTH: 24 inches WIDTH: 2 inches (minimum) SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS, 8 INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Type: Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum pc 125 pc 125 125 125		RULER, PLASTIC,	TYPE: PLASTIC			
SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH SCISSORS , 8 Type : Scissors INCHES Material : Stainless stell with soft grip handle Length : 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Type : Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC COMES WITH PLASTIC POUCH pc 125		24 INCHES	MATERIAL : PLASTIC			
COMES WITH PLASTIC POUCH SCISSORS , 8 Type : Scissors INCHES Material : Stainless stell with soft grip handle Length : 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum COMES WITH PLASTIC POUCH pc 125	12		LENGTH: 24 inches WIDTH: 2 inches (minimum)	рс	125	
SCISSORS , 8 Type : Scissors			SMALLEST GRADUATION of 1/16 inch. IN ENGLISH AND 1 mm IN METRIC			
INCHES Material: Stainless stell with soft grip handle Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Type: Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum Pc 125 pc 125			COMES WITH PLASTIC POUCH			
Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Total length: 4" minimum Total specification of the properties of the pr		-	ļ ···			
Screwdriver, flat, 4" Material: Chrome Vanadium Total length: 4" minimum Length: 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Type : Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum pc 125	13	INCHES	· · · · · · · · · · · · · · · · · · ·	nc	125	
Screwdriver, flat, 4" Type : Flat Screw Driver Material: Chrome Vanadium Total length: 4" minimum pc 125	13		Length: 8 inches (minimum)	ρc	123	
14 flat, 4" Material: Chrome Vanadium pc 125			Well-polished and sharp for cutting paper and fabric			
Total length: 4" minimum		Screwdriver,	Type : Flat Screw Driver			
Total length: 4" minimum	1/1	flat, 4"		nc	125	
Shank Type: Round	14			ρι	123	
			Shank Type: Round			

		Slotted magnetic tip range: 4 mm to 6 mm			
		Nonslip rubberized handle			
	Screwdriver,	Type : Flat Screw Driver			
	flat, 6"	Material: Chrome Vanadium			
		Total length: 6" minimum			
15		Shank Type: Round	pc	125	
		Slotted magnetic tip range: 6 mm to 8 mm			
		Nonslip rubberized handle			
	SEAM RIPPER	Type : Seam Ripper			
16		Material: Steel with plastic handle	рс	125	
		Total length: 100 mm (minimum)			
	SEWING BOX	Type: Sewing Box			
		Body Shape : Rectangular			
		Material : Durable transparent hard plastic			
47		Dimension: Length: 10 to 14 inches, Width: 6 to 9 inches, Height: 6 to 8 inches		425	
17		(minimum)	рс	125	
		Can hold small items			
		Minimum of two layers			
		With plastic carrying handle and lock			
	SHEARS,	Type: Cutting Shears for Cloth			
	CUTTING	Material: Stainless Steel with soft grip handle			
18		Length :10 inches (minimum)	рс	125	
		Well polished and sharp for cutting paper and fabric			
		Comes with carton box			
	SHEARS,	Material: Stainless Steel blade and Hard Plastic Handle			
19	PINKING	Length: 8 inches (minimum)	рс	50	
		BLADE : CRISP CLEAR ZIG ZAG CUT			
	SLEEVE BOARD	With removable and washable cover			
	/ HAM	With non-slip rubber feet			
20		Length: 20 to 24 inches (minimum)	рс	25	
		Width: 4 to 6 inches (minimum)			
		Thickness: 2 to 5 inches (minimum)			

		100% cotton cover			
		Powder coated metal stand			
	SPRAY BOTTLE	TRIGGER TYPE SPRAYER			
21		MATERIAL : TRANSPARENT PLASTIC	рс	25	
		CAPACITY: 500 mL (minimum)			
	TAPE MEASURE	MATERIAL ; FLEXIBLE VINYL TAPE;			
		COLOR; WHITE WITH RED OR BLACK LINEAR MEASUREMENT MARKINGS WITH			
		METAL STRIP ON BOTH ENDS;			
		WIDTH ; 12 mm minimum;			
22		ONE SIDE MEASUREMENT IS EXPRESSED IN ENGLISH AND THE OTHER SIDE IS IN	рс	125	
		METRIC;			
		SMALLEST GRADUATION OF 1/16 inch IN ENGLISH AND SMALLEST GRADUATION of 1			
		mm in METRIC;			
		LENGTH ; 60 inches (150 cm.)			
	TRACING	Material: Plastic Handle;			
23	WHEEL	Length Range: 120 mm to 150 mm;	рс	125	
23		With rotating sharp toothed metal wheel;	рc	123	
		Wheel Diameter: 18 to 22 mm.			
	TRIANGLE 45 x	MATERIAL : TRANSPARENT PLASTIC			
	45 x 90 degrees	DIMENSION : BASE LENGTH (16 inches)			
	, 16 INCHES	ANGLE : 45 x 45 x 90 degrees			
24		DUAL GRADUATION ON TWO SIDES	рс	125	
		SCALE : ENGLISH (SMALLEST GRADUATION of 1/16. inch) AND METRIC (SMALLEST			
		GRADUATION OF 1mm)			
		COMES WITH PLASTIC POUCH			

I hereby certify to comply with	h and deliver all the above requirements.	
Name of Company/Bidder	Signature Over Printed Name of Representative	Date

Technical Specifications of Learning Tools and Equipment for Technical-Vocational-Livelihood (LTE-TVL) LOT 2

Electrical Installation and Maintenance NC II

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	CCTV SYSTEM	 Type: 8 channel CCTV System, plug and play with mobile viewing capability; Body Material: metal, plastic; Input voltage: 220/240 volts AC, 60 Hz; Operation voltage: 12 volts DC/24 volts AC; Set includes: a. 8 units infrared camera: at least 3MP, 1080p resolution (minimum), 100 ft. night vision, IP66 waterproof rating; b. 1 unit DVR: 8 channel with 2TB (minimum) HDD, Embedded Linux OS or equivalent; c. 1 unit 17" LED Monitor (1080p) with HDMI input; d. Accessories: 8 units (60 ft. minimum) BNC cables; 1 unit DVR power supply; 2 units camera power supply (for 8 cameras); 1 unit power supply for LED monitor; 1 unit HDMI cable; 1 unit Ethernet cable, 1 set camera mounting hardware; 1 USB mouse; With User's Manual in English which includes: a. a diagram of the parts with their names, b. assembly instructions, c. operating procedures on how to use the equipment, 	pc	5		

		d. safety precautions when using the equipment,			
		e. basic troubleshooting and maintenance procedures.			
	Cutter, Bolt, 24"	Type: Heavy duty;			
		Material: High carbon steel (jaw);			
2		Overall length: 24 inches (minimum);	рс	25	
		Handle material: Tubular steel with paint finish and rubber cushion for easy grip;			
		Comes with adjustable jaw			
3	Cutter, Pipe	Material: High shock-resistant tool steel	nc	25	
3		Cutting capacity: 1/8 to 2 inches pipe	рс	25	
	Disc Grinder,	Type: Angle grinder			
	Portable,	Material: Plastic body			
	Electric	Rated Input Power: 900W			
		Disc Diameter: 100mm, 100mm(4")			
		Rated Voltage: 220V-240V			
		No-Load Speed: 12000 RPM			
4		Package Includes:	nc	25	
4		(1) 4-1/2 In. Angle Grinder, (1) Grinding Wheel Guard, (1) Auxiliary Handle, (1)	рс	23	
		Inner (Clamping) Flange, (1) Outer (Round Nut) Flange, (1) Spanner Wrench, (1) 4			
		In. Abrasive Grinding Wheel			
		With Plastic Storage Box			
		With user's manual written in English that contains operating procedure, parts			
		with description, safety procedure, and maintenance;			
		Warranty period of 1 year;			
	Drill, Portable,	Rated voltage: 220 / 240 volts, AC 60 Hz			
	Electric	Power in watts: 550 to 650 watts			
		Speed: Variable speed			
		Chuck capacity: 2 to 13 mm			
5		Power cord must have flat blade attachment plug (Type A plug)	nc	25	
		Comes with HSS Drill bits: 2mm 4pcs. 4 mm 4pcs. 6 mm 4pcs. 8 mm 4pcs. 10 mm	рс	23	
		4pcs. 12 mm 4pcs. 12.5 mm 4pcs. Total- (28 pcs) Masonry drill bits; 4 mm 2pcs. 6			
		mm 2pcs. 8 mm 2pcs. 10 mm 2pcs. 12 mm 2pcs. Total- (10 pcs.)			
		With hammer function for concrete drilling			
		Comes with English user's manual includes of the following: a. a diagram of the			

6	Fire Alarm System	parts with label; b. assembly instructions; c. operating procedures; d. safety precautions when using the equipment; e. basic troubleshooting and maintenance procedures. Warranty period for parts and service: 1 year Type: Sensor Material: Combination of hard plastic and metal Input voltage: 220 / 240 volts AC, 60 hertz Length: 8 inches (minimum) Operation voltage: 24 volts DC Type: Conventional/ addressable fire alarm system with 4 zones Control panel display: 240 x 64 pixel graphic LCD Control panel specs: Number of zone - 4 zone; detector zone - 32; Number of alarm circuits - 2; Alarm circuit load - 400mA / circuit; main voltage - 240 volts; Set included: Smoke detector, sound alarm, flash alarm, relay system, heat detector, flame detector, cable and bell or buzzer; With English user's manual that contains: Installation/assembly guide with diagram, Operation guides, maintenance guide, troubleshooting guide, safety	set	5	
		1			
	Fire	1.For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate)			
	Extinguisher (with contents)	2.Portable type 3.Capacity: 5 - 6 kgs 4.Rechargeable Cylinder Metal			
		5.Working pressure of Cylinder : 400 psi			
7		6.Brass Valve with Pressure Gage	рс	5	
		7. With Rubberized Hose and Aluminum Nozzle Attached 8. With Squeeze lever to discharge and safety pin 10. Painted with Metal Primer and	, -		
		Red Enamel Paint 11.Includes with User's Guide in English that contains:			
		a. Operating procedure on how to use the equipment			
		b. Safety precaution when using the equipment			

		12.1 year warranty parts and service			
		13.The item must be branded and have good quality			
	First Aid Kit	Contents:			
		First Aid Quick Reference Guide, 1pc; Sterize Gauge Swab(4 x4 x12 ply) 100 pcs/pack, 1 pack;			
		Adhesive strips/Band -Aid, 50 pcs/pack, 2packs; Gloves, disposable, medium size 2			
		pairs;			
		Hypo Allergenic adhesive tape, 5cm x 5cm, 2 rolls;			
		Triangular bandage/arm sling, min 90cm x 90cmx 120cm, 2pcs; Safety pins, 1 1/4			
		inches (12 pcs), 1 3/4 inches (12 pcs);			
		Stainless steel bandage scissors, 2pcs;			
		Betadine, 60ml, 2 -3 years expiration, 2 bottles;			
0		Dust mask, 2pcs;	cot	5	
8		Hand towels or face towels, white color, 6 pcs;	set	3	
		Gauze bandage, minimum 5cm x 4cm, 2 rolls;			
		Antiseptic handwash/germicidal soap, 60 gms , 2pcs;			
		Torniquet, 2 pcs;			
		Spirit of ammonia, 30ml, 2-3 years expiration, 1 bottle;			
		Burn cream ointment, 20g to 30g, 2- 3years expiration, 1 tube; Medical tweezers			
		min. 8cm, plastic, 2pcs;			
		Plastic bags, resealable, 150mmx230mm (24 pieces);			
		Cotton balls , 50 balls in a sealed package, 2 packs; Hot and Cold pack, reuseable, 1 pack;			
		Water resistant and sturdy case with handle that can store all the items.			
	Gloves, Rubber	Type: Working Gloves			
	(insulating)	Material: Rubber (insulating)			
	(The following data must be met and permanently etched/engrave:			
		a. Protection insulation: ASTM D120 - Class 00 or its equivalent			
9		b. Proof Test: 2,500 V AC / 10,000 V DC	set	125	
		c. Max use Voltage: 500 V AC / 750 V DC			
		Sizes composed of ten (10) pairs with the following sizes:			
		Size 8: 3 pairs			
		Size 10: 4 pairs			

		Size 11: 3 pairs			
		Overall length: 12 to 14 inches			
		Must be branded			
	Goggles, Safety	Safety goggles;			
		Clear Polycarbonate - one piece lens with 180° panoramic view, non-fog;			
		Size/Dimension: L: 17 to 18.5 cm x W: 8 cm x D: 5 to 7.5 cm;			
10		High impact resistant, ANSI "Z87" compliant;		50	
10		Firm and comfortable seal around forehead, cheeks, nose and temples protects	рс	50	
		against splash, chemicals, dust;			
		Adjustable head strap;			
		Shall bear mark Z87 embossed or engraved or etched on the item.			
	Hacksaw, Hand	The item shall have the following specifications:			
11	(with 32 TPI	Material: Chromed Steel adjustable frame, Plastic handle;	nc	25	
11	Blade)	• Length: Adjustable to fit 10" to 12" blades;	рс	25	
		Includes 32 TPI hacksaw blade;			
	Hammer, Ball	Type: Ball face;			
	Peen, 16 oz.	Material: High Carbon Steel			
12		Handle material: Hard wood with natural color	nc	25	
12		Head weight: 16 oz. (etched/engraved on the head)	рс	23	
		Overall Length: 10 inches (minimum)			
		Fully polished head			
	Hammer, Claw,	Type: Double sided head;			
	16 oz.	Head Material: Carbon steel			
13		Head weight: 16 oz. (etched on the head)	рс	25	
		Handle Material: Hardwood with natural varnish color and smooth surface			
		Length of Handle: 12 to 13 inches			
	Hand File, flat	Type: Double cut			
	smooth, 8"	Material: High carbon steel			
14		Length: 8 inches (minimum)	рс	25	
- '		Thickness: 3/16 inches (minimum)	PC		
		Width: 3/4 inches (minimum)			
		Comes with hard plastic handle			

15	Hat, Hard, HDPE	Body shape: Full brim Electrical Insulation Rating: Class E Sizes composed of ten (10) pcs in the following: Small 54-55 cm: 3 pcs Medium 56-57 cm: 3 pcs Large 58-59 cm: 4 pcs	set	50	
		Comes with suspension straps and ratchet adjustment. ANSI Standard Type II and Class E must be permanently etched on the inside surface. Must be branded			
	Heat gun	Type: Electric			
		Material: Combination of Hard plastic and metal			
		Rated voltage: 220 / 240 volts AC, 60 hertz Power in watts: 1,200 watts (minimum)			
		Phase: Single			
		Variable temperature setting: 600 degrees centigrade max.			
		Comes with 1.5 meters power cord with molded male plug			
16		With User's Manual in English includes of the following:	рс	25	
		a. parts manual with labels			
		b. assembly instructions			
		c. operating procedures d. safety precautions e. basic troubleshooting and maintenance procedures.			
		Warranty period of parts and service: 1 year			
		With plastic carrying case			
		Brand name and electrical ratings permanently mark on the item.			
	Knife, Stripping,	Type: Utility / Electrician knife;			
	Electrical Cable	Blade material: Stainless steel;			
		Handle material: Hard plastic			
17		Overall length: 6 inches (minimum)	рс	25	
		Blade length: 2 inches (minimum)			
		Comes with holster/pouch			
		Must be branded			

18	Level, Spirit	Type: Spirit Level, bubble Material: Aluminum Length: 24 inches (minimum) Comes with three clear and accurate marking vials for 45 degrees, horizontal and vertical Must be branded	рс	25	
19	Motion sensors set	Type: Sensor Material: Combination of Hard plastic and metal Voltage rating: 230/240 volts Power consumption: 500 watts Detection range: 14 meters Time setting: 8s to 35 minutes Detection zone/angle: 140° Swivel to horizontal: 180° Tilting angle: 90° Light brightness: 2000 lx (2) Type of installation: Wall mounted (indoor or outdoor) Length of sensor: 95 to 100 mm Width of sensor: 85 to 95 mm Height of sensor: 75 to 80 mm Comes with alarm, twilight, control dial and complete wires for installation Comes with English user's Manual that includes the following: a. parts manual with labels b. assembly instructions c. operating procedures d. safety precautions e. basic troubleshooting and maintenance procedures. Warranty period of 1 year Must be branded	set	15	
20	Pipe Bender	Type: Hydraulic Material: Heavy gauge steel Sets compose of six (6) dies: 1/2, 3/4, 1, 1 1/4, 1 1/2, and 2 inches Bender capacity: 12 tons Handle length: 17 inches (minimum) Comes with user's manual written in English that contains: assembly guide, operating guide, parts with labels, safety, and maintenance guide	set	25	

		Warranty period of parts and service: 1 year			
		Must be branded			
	Pipe Reamer	Type: Rachet reamer, self feeding			
		Body shape: Straight flute;			
		Material: Hardened alloy steel;			
24		Reaming capacity: 1/8 to 2 inches pipe		25	
21		Number of flute: 5g taper	рс	25	
		Reamer handle length: 6 5/8 inches (minimum)			
		Flute length: 6 3/8 inches (minimum)			
		Must be branded			
	Pipe threader,	Type: Manual pipe threader, with standard die heads, pipe dies, and ratchet;			
	Manual	Material: Carbon steel			
		Die head sizes: 1/2 inch, 3/4 inch, 1 inch, 1 1/4 inches, 1 1/2 inches & 2 inches;			
		Overall Length: 23 7/8 inches (minimum)			
		Die Material: Hard alloy steel;			
22		With hard plastic carrying case	set	25	
		With User's Manual in English which includes: a. parts manual with labels, b.			
		assembly instructions, c. operating procedures, d. safety precautions when using			
		the equipment, e. basic troubleshooting and maintenance procedures.			
		Warranty period of parts and service: 1 year			
		Must be branded.			
	Pliers,	Type: Combination pliers;			
	Combination,	Material: Chrome vanadium/forged steel			
	8", Insulated	Length: 9 inches (minimum)			
23		Insulation range: 1000 volts (etched on the handle)	рс	125	
		Design: Square nose with serrated jaw			
		Comes with nickel plated finish, side cutter and insulated handle			
		Must be branded (Brand must etched either in the head or on the handle)			
	Plumb bob	Type: Plumb bob, w/ screw cap for cord /string			
		Material: Material: Rust resistant chrome plated steel bob, w/ screw cap for cord			
24		Weight: 12 oz. (minimum)	рс	25	
		Shape: Hexagonal body with conical tip			
		Body length: 4 inches (minimum)			

		With nylon string of 10 meters long and 1/32 inch diameter			
		Must be branded			
	Screwdriver set,	Type: Screwdrivers set, insulated			
	Standard,	Body shape: Round shank			
	insulated (19	Material: Chrome vanadium steel molybdenum			
	pieces/set)	Set composed of the following:			
	pieces/set/	Slotted screwdriver: 2.5, 3.0, 3.5, 4.0, 4.5, 5.5, 6.0, 6.5, 8.0, 10.0 mm.			
		Phillips: #0, 1, 2, 3.			
25		Square #1, 2.	set	125	
		Xeno Terminal #1, 2.			
		Single pole voltage			
		Insulation protection: 1,000 volts permanently printed in the handle			
		With hard plastic carrying casing with lock			
		Must be branded			
	SOLDERING	Material: Copper			
	IRON, 300	Rated voltage: 220/240 AC, 60 Hz, single phase			
	watts, HEAVY	Power in watts: 300 watts			
	DUTY	Handle material: Hardwood			
		Overall length: 12 inches (minimum)			
		Tip temperature range: 250 - 600°C			
26		Tip materials: Flat copper and chisel type, width: 3/4 inch (minimum)	рс	5	
		Comes with 1.2 meters (minimum) power cord with molded male plug	· ·		
		With English user's manual that contains: Operating guide, safety, parts with			
		labels, and maintenance guide			
		1 year Warranty period for parts and service			
		Must be branded (Brand name and electrical ratings permanently mark on the			
		item).			
	Steel Tape	Steel tape length: 5 meters			
	Measure, 5m	Dual graduations: Metric and Inches			
27		Comes with Self retracting steel tape, Magnetic hook, Lock and go function and	рс	25	
		with belt clip			
		Must be branded			

28	Stripper, Wire	Type: Spring-loaded self opening; Body shape: Long jaw with slot Blade material: Hardened alloy steel (sharp edges to strip and cut the wires) Wires to stripped: 10 AWG to 24 AWG Length: 7 inches (minimum) Comes with automatic self- adjusting spring, crimping slot, and hard plastic handle Must be branded	рс	25	
29	Tools Holster/Pouch, Electrician's	Type: Hips tool holster; Material: Polyster fabric Width of belt: 2 inches (minimum) Adjustable waist size: 20 to 46 inches with velcro strap Three (3) pocket details of the following: a. upper width: 8 5/8 inches (minimum); depth: 7 7/8 inches (minimum); bottom width: 10 5/8 inches (minimum) b. width: 5 7/8 inches (minimum); depth: 5 3/4 inches (minimum); c. width: 3 3/4 inches (minimum); depth: 5 inches (minimum) Comes with easy access three (3) sewn pockets close at bottom parts for placing screwdrivers, pliers, hammer, flashlight and bolts Belt waist length: 48 inches (minimum) Must be branded	рс	50	
30	Wire splicer	Type: Wire splicer Body shape: Slotted jaw with long handle; Blade material: Hardened alloy steel Splicing capacity: 8 AWG to 24 AWG Length: 11 inches (minimum) Comes with automatic self- adjusting spring, crimping slot, and hard plastic handle Must be branded	рс	25	
31	Wrench, Box	Type: Box end Wrench; Material: Chrome vanadium steel (etching on the body) Set contains (5 pc/set): 1 pc - 10 x 11 mm, 1 pc - 12 x 14 mm, 1 pc -13 x 15 mm, 1 pc -16 x 18 mm & 1 pc -17 x 19 mm Comes with 45 degree offset, smooth surfaces and edges Comes with plastic roll-up pouch Must be branded	set	25	

I hereby certify to comply with	h and deliver all the above requirements.	Date
N	Cianatana Ones Printe I Name of Pressentation	
Name of Company/Bidder	Signature Over Printed Name of Representative	Date

Technical Specifications of Learning Tools and Equipment for Technical-Vocational-Livelihood (LTE-TVL) LOT 3

Electronic Products Assembly and Servicing NC II

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
	Anti-Static	The item shall have the following specifications:				
	Device (Anti- static Wrist	 Effectively dissipates static electricity; Consists of: a) Adjustable and elastic wristband with integrated 1 MOhm 				
1	Strap)	Resistor,	рс	30		
	',	b) banana plug with alligator clip for connecting to ground (or equivalent),	'			
		c) at least 59" long coiled cord;				
		3) The item must be branded.				
	Breadboard	The item shall have the following specifications:				
		1) Type: Breadboard, at least 830 points;				
2		2) Material : Plastic;	рс	30		
		3) Suitable for AWG 20 to AWG 29 wire sizes; 4) Size: 6" L x 2" W (minimum);				
		5) The item must be branded.				
	Brush, Anti-	The item shall have the following specifications:				
	static	1) Type: Paint brush;				
3		2) Material: Nylon bristles, steel ferrule, wood handle;	рс	30		
		3) Size : 1" bristle width;				
		4) Overall length: 6" to 8".				

	Cutter,	The item shall have the following specifications:			
	Diagonal, 8",	1) Type: Diagonal cutting pliers;			
4	insulated	2) Material: Drop-forged steel with rubber insulated handle;	рс	30	
		3) Length: 8" (minimum)			
		4) The item must be branded.			
	Function	The item shall have the following specifications:			
	Generator	1) Type: DDS Dual channel Function Generator;			
		2) Frequency range: 0 to 20 MHz;			
		3) Power Source : 220 V AC, 50/60 Hz;			
		4) Can output sine/triangle/square/sawtooth/pulse wave/DC voltage waveform;			
		5) Other Accessories : Power cable, BNC cable, and USB cable;			
5		6) The item must be branded.	рс	30	
		7) Includes Software Disc and User's Manual in English which includes:			
		a. a diagram of the parts with their names,			
		b. operating procedures on how to use the equipment,			
		c. safety precautions when using the equipment,			
		d. basic troubleshooting and maintenance procedures.			
		8)) 1 year warranty (parts & service)			
	Hot air soldering	The item shall have the following specifications:			
	station	1) Type: Rework Station with Hot Air Gun, Soldering Iron, and stand;			
		2) With LED display for temperature;			
		3) Input Voltage: 220 V AC;			
		4) Power Rating: 700 W minimum;			
		5) With control knobs for temperature and air;			
6		6) Hot air temperature range : 100°C to 450°C;	рс	30	
		7) 3 pieces spare round nozzle tips (different sizes);	PC	30	
		8) The item must be branded.			
		9) With User's Manual in English which includes:			
		a. a diagram of the parts with their names,			
		b. operating procedures on how to use the equipment,			
		c. safety precautions when using the equipment,			
		d. basic troubleshooting and maintenance procedures.			

7	Knife, Utility	The item shall have the following specifications: 1) Material: 8-point steel blade, Rubber Grip Handle; 2) Removable blade snapper included; 3) With lock for blade; 4) Blade width: 3/4" minimum; 5) Length: 6 1/4" minimum; 6) With 2 pieces Spare blades; 7) The item must be branded.	рс	30	
8	Magnifying glass, High grade, with lamp	The item shall have the following specifications: 1) Type: Magnifying glass with lamp and desk-mounted adjustable arm; 2) Lens Material: a) Material: Glass; b) Diameter: at least 130 mm; c) Magnification: at least 5x; 3) Lamp: LED with 20 lumens minimum; 4) Power: 220 V AC; 5) The item must be branded.	рс	30	
9	Mat, Anti-static	Material: Anti-static rubber; Dimensions (minimum): Width :30 cm, Length 40 cm, Thickness 2 mm.	рс	30	
10	Oscilloscope, digital	The item shall have the following specifications: 1) Type: Digital Oscilloscope; 2) Display: at least 7" TFT LCD Color (WVGA or better); 4) Bandwidth: 100 Mhz; 5) Number of Channel: 2; 6) Sample Rate: 500 MS/s 1 GS/s or better; 7) Vertical Sensitivity: 2 mV/div to 10 V/div; 8) Time Base Range: 1 ns/div to 50 s/div; 9) Input Impedance Selection: 1 MΩ; 10) Interface: USB host/Device; 11) Power Source: 220 V AC; 12) Set includes: a)digital oscilloscope, b) 2 test probes (100 Mhz), c) USB cable, d) power cord, e) Software; 13) The item must be branded.	рс	30	

		14) With User's Manual in English which includes:			
		a. a diagram of the parts with their names,b. operating procedures on how to use the equipment,			
		c. safety precautions when using the equipment,			
		d. basic troubleshooting and maintenance procedures.			
		15) 1 year warranty parts and service.			
	Pliers, Long	The item shall have the following specifications:			
	Nose, 7"	1) Type: Long nosed pliers with side cutter;			
	14030, 7	2) Material: Chrome Vanadium Steel			
11		3) Length: 7" (minimum);	рс	30	
		4) Handle type: curved handle with PVC insulated handle;	PC		
		5) Jaws type: knurled and tempered;			
		6) The item must be branded			
	Pump,	The item shall have the following specifications:			
	Desoldering	1) Material : Plastic or aluminum housing;			
		2) Replaceable heat-resistant plastic tip;			
12		3) Length : Minimum of 6 inches;	рс	30	
		4) Effective in removing solder;			
		5) The item must be branded.			
	Screwdriver,	1. Shank Material: chrome vanadium steel;			
	Flat, 8"	2. Handle Material: Molded Plastic			
13	insulated	3. Overall length: 8 inches (minimum)	рс	30	
		4. With insulation protection (including shank);			
		5.Non slip handle design.			
	Screwdriver,	1. Shank Material: chrome vanadium steel;			
	Phillips, 8"	2. Handle Material: Molded Plastic			
14	insulated	3. Overall length: 8 inches (minimum)	рс	30	
		4. With insulation protection (including shank);			
		5.Non slip handle design.			
	Signal	The item shall have the following specifications:			
15	Generator	1) Type: Signal Generator;	set 20	30	
		2) Frequency range: 100 kHz to 150 MHz or better;	361	set 30	
		3) Power Source : 220 V AC, 50/60 Hz;			

		4) 6 bands or better; 5) Frequency accuracy on scale: ±5% or better; 6) With amplitude modulation; 7) Other Accessories: Power cords, test leads, BNC cable; 8) The item must be branded; 9) With User's Manual in English which includes: a. a diagram of the parts with their names, b. operating procedures on how to use the equipment, c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures. 10) 1 year warranty (parts & service).			
16	Stripper, Wire	Type: Spring-loaded and self opening; Blade material: Hardened alloy steel (sharp edges to strip and cut the wires); Wires to be stripped: 10 AWG to 24 AWG; Length: 7 inches (minimum); Comes with automatic self- adjusting spring, crimping slot, and hard plastic handle; Must be branded.	рс	30	
17	Variable power supply	The item shall have the following specifications: 1) Power Supply: DC regulated; 2) Input Voltage: 220 V AC, 50/60 Hz; 3) Output Voltage: 0 to 30 V DC variable; 4) Current Output: 0 to 5 A DC; 5) With voltage and current LED indicator display; 6) With connector cables; 7) The item must be branded; 8) With User's Manual in English which includes: a. a diagram of the parts with their names, b. operating procedures on how to use the equipment, c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures; 9) 1 year warranty (parts & service).	рс	30	

18	Wrench Set, Combination, English	The item shall have the following specifications: 1) Type: Combination wrench with ratcheting end; 2) Set includes: 10 SAE Sizes: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4"; c) Plastic storage case; 3) Material: Chrome Vanadium; 4) Label of sizes embossed in each wrench; 5) The item must be branded.	set	30	
19	Wrench Set, Combination, Metric	The item shall have the following specifications: 1) Type: Combination wrench with ratcheting end; 2) Set includes: 10 Metric Sizes: 6 mm, 8 mm, 10 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm; c) Plastic storage case; 3) Material: Chrome Vanadium; 4) Label of sizes embossed in each wrench; 5) The item must be branded.	set	30	
20	Wrench, Allen, 30 pcs/set	The item shall have the following specifications: 1) Material: Carbon Steel; 2) Set of 10 pieces: 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 5.5 mm, 6 mm, 8 mm, 10 mm; 3) With holder/ring to keep the set intact; 4) Label of sizes engraved in each allen wrench; 5) The item must be branded.	set	30	

I hereby certify to comply with	and deliver all the above requirements.	
Name of Company/Bidder	Signature Over Printed Name of Representative	Date

Technical Specifications of Learning Tools and Equipment for Technical-Vocational-Livelihood (LTE-TVL) LOT 4

Shielded Metal Arc Welding (NC I and NC II)

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Anvil	Type: Forging Type Body shape: Rectangular with horn Material: Cast Iron Anvil Face Dimension: 5-1/2" X 2" Horn Length: 3-1/2" Height: 4" Weight: 9 LBS	pc	12		
2	Apron, Leather	Type: Longer Bib Style with single pocket in front Material: Plain Leather Size: 400mm width x 1027mm length (approx.) Furnished with metal grommets and leather ties With steel-staple reinforcement at stress points	pc	72		
3	Brush, Steel	Material: Steel Wire Handle: Wood Brush Length: 5 inches Over-all Length: 10 inches Bristle length: 1 inch (minimum)	рс	72		

4	Disc Grinder, Portable, Electric	Type: Angle grinder Material: Plastic body Rated Input Power: 900W Disc Diameter: 100mm, 100mm(4") Rated Voltage: 220V-240V No-Load Speed: 12000 RPM Package Includes: (1) 4-1/2 In. Angle Grinder, (1) Grinding Wheel Guard, (1) Auxiliary Handle, (1) Inner (Clamping) Flange, (1) Outer (Round Nut) Flange, (1) Spanner Wrench, (1) 4 In. Abrasive Grinding Wheel With Plastic Storage Box With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance; Warranty period of 1 year;	рс	30	
5	Fan, Exhaust	Frame Material: Steel; Voltage: 220 V AC; Airflow: 45000 cubic meter/hour; With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance; Warranty period of 1 year;	рс	6	
6	Fan, Industrial	Type: 3 speed control Industrial high speed Pedestal Stand Fan Material: Metal Power Source: Electric Power (W): 100W Voltage (V): 220V Size: 20 x 26 x 30 Inch Air Volume: 7000~16200 m3/h Speed: 1350 RPM Motor Type: AC Copper motor Blade: 3 Alumimium Blades With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance; Warranty period of 1 year;	рс	6	

7	Gas Cutting Machine, Automatic	 Type: Automatic Cutting torch; Body shape: Rectangular; Material: Steel; Fuel: Gas Type Oxy-Acetylene; Diameter of Circular Cutting: 200mm (minimum); Linear Cutting length: 1.8 meters (minimum); Cutting thickness 3mm to 50 mm; Cutting speed 200 to 700 mm/min; Power supply 230 VAC / 12 VDC; Total length 500 mm; Includes oxygen and acetylene gas regulators, T-grade oxygen and acetylene hoses (20 to 25 feet); With flashback arrestor. Packaging: Carton Box; English user's manual that contains: Operation guide, maintenance / troubleshooting guide, safety guide and list of parts. 	рс	6	
8	Gauge, Fillet	Type: Fillet weld gauge Material: Stainless Steel blades, polished Fillet Weld Sizes: 1/8 inch through 1 inch Gauges has inch and metric readings Size: 4-1/2 inches x 2 inches Includes plastic carrying case	рс	12	
9	Gloves, Leather, Long	Type: Flexible leather welder's gloves Material: Soft, pliable leather With spark protector patch covering back, thumb patch, index finger patch, thumb strap and chrome-leather gauntlet cuff Over-all Length: 13 inches Sizes: XS=5.5"- 6.5" - 2 pairs, S= 6.6"- 7.5" - 2 pairs, M= 7.5"- 8.5" - 4 pairs, L= 8.5"- 9.5" - 2 pairs, XL=9.5"-10.5" - 2 pairs Comes with a vinyl storage pouch	set	72	

10	Goggles, Oxy- acetylene	Type: Flip-up Welders Glasses Lens: Shaded rating # 5 Clear lenses underneath plus integral top and opaque side shields Conforms to ANSI standard Z87.1 permanently marked on the lense or goggles Clear Lens Size: 52 mm (minimum) Shaded Lens: 50 mm (minimum) Packed in a plastic pouch	рс	12	
11	Goggles, Safety	Safety goggles; Clear Polycarbonate - one piece lens with 180° panoramic view, non-fog; Size/Dimension: L: 17 to 18.5 cm x W: 8 cm x D: 5 to 7.5 cm; High impact resistant, ANSI "Z87" compliant; Firm and comfortable seal around forehead, cheeks, nose and temples protects against splash, chemicals, dust; Adjustable head strap; Shall bear mark Z87 embossed or engraved or etched on the item.	рс	12	
12	Grinding Machine, Bench, Pedestal	Type: Bench type / Pedestal Material: Steel, rubber, and hard plastic Rated voltage: 220 / 240 volts, AC Power in watts: 550 watts (minimum) Frequency: 60 hertz Rated speed: 11,000 RPM (minimum) Grinding stone diameter: 6 inches with grinding wheel guard; Comes with 1.5 meters power cord with molded male plug; Comes with spanner wrench, chuck key, 360 degrees auxiliary handle, inner flange and lock nut; With English user's manual that contains: Operation guide, maintenance / troubleshooting guide, safety guide and list of parts; Warranty period for parts and service: 1 year.	рс	6	
13	Hacksaw, Power	1. Type: Horizontal; 2. Material: Cast steel; 3. Main Motor: 1hp, 220 Volts; 4. Single Phase;	рс	6	

		5. Blade Size: 350 mm x 32 mm x 1.6 mm; 6. Cutting Capacity Square H: 190 mm (minimum); 7. Cutting Capacity Square W: 200 mm (minimum); 8. Maximum Swivel Degree: 45/90 degrees; 9. Recirculating coolant control with coolant; 10. Fully adjustable material length stop;			
		 11. Material support stand; 12. Power saw blade ready for cutting; 13. Complete with a set of required tools and toolbox; 14. With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance; 			
14	Hammer, Ball Peen, 12 oz.	Type: Ball face; Material: High Carbon Steel Handle material: Hard wood with natural color Head weight: 12 oz. (etched/engraved on the head) Overall Length: 10 inches (minimum) Fully polished head	рс	48	
15	Hammer, Chipping	Head Type: Chisel and Cone Material: Forged Steel Head Handle: Hardwood Head Length: 7 3/4" 12 inches Overall Length Comes with a vinyl storage pouch	рс	72	
16	Hand File, Bastard Cut	 Material: High Carbon Steel Type: Bastard Cut, Double Cut on both sides and single cut on both edges Slightly tapered in width and thickness Length: 12 inches Size: 1 5/32 inch.W x 9/32 inch.T Furnished with plastic handle 	рс	60	
17	Hand File, half round	 Material: High Carbon Steel Type: Half Round File, Bastard Cut, Double cut on back Over-all Length: 12 inches 	рс	60	

		a Circ. 1 1/0 in shor W. v. 11/22 in shor T	1	1	
		• Size: 1-1/8 inches W x 11/32 inches T			
		• Furnished with plastic handle			
		Visor type: Auto Darkening, shading # 4			
		Color: Black			
		Adjustable ratcheted headband with quality foam head-strap			
		Battery type: Lithium (included)			
		Viewing Area: 3.7 x 1.73 inch (minimum) Light Shade: DIN4			
		Dark State: DIN9-13			
	Head Shield /	DIN4 and DIN 9-13 should be permanently marked on the welding mask or its			
18	Helmet	equivalent	рс	72	
		Delay Time Setting: (Slow/Fast): 0.2 s - 0.8s			
		UV Penetration: < 0.003 @ 313mm - 365 mm			
		IR Penetration: < 0.027 @ 780mm - 1300 mm/ < 0.085 @ 1300 mm - 2000 mm			
		Comes with a vinyl storage pouch			
		With user's manual written in English that contains operating procedure, parts			
		with description, safety procedure, and maintenance.			
		Warranty period of 1 year.			
		Material: Forged Steel with a black painted finished			
		Type: Single Pick up Tongs			
19	Plier/Tong	• Lip Size: 3/8 inch thick x 7/8 inch wide (minimum)	рс	72	
		Over-all Length: 16 inches (minimum)			
		Jaw Length: 3-3/4 inches (minimum)			
		Type: Metric			
		Body Shape: L-shape			
		Blade Material: Stainless steel			
		Blade Length: 300 mm Graduation: 1mm			
20	Steel square	Blade Width: 30 mm(minimum)	рс	72	
20	300mm.long	Blade Thickness: 1 mm(minimum)	PC	/ 2	
		Handle Length: 150 mm(minimum)			
		Graduation are marked permanently			
		Numbers and graduations are engraved and filled with black or red color			
		Packed in a plastic pouch			

21	Try Square, 300mm long	Blade Material: Aluminum, machined & parallel Blade Length: 300 mm Blade Width: 30 mm(minimum) Blade Thickness: 1 mm(minimum) Handle Length: 124 mm(minimum) Graduation are marked permanently in Metric and English scale Numbers and graduations are cut and filled with black or red color Packed in a plastic pouch	pc	72	
22	Welding Positioner	 Type: Rotary; Body shape: Rectangular with round chuck; Material: Steel Input voltage: 220V/ 50HZ; Load capacity 0°/90°: 30kg (Horizontal), 15kg (Vertical); Table diameter: 310mm (minimum); Worktable height: 380 to 50mm; Worktable speed: 1-15RPM; Table turning angle: 0-90°; Rotary motor: 80W; Central Hole Diameter: 25.4mm; Rotary Method: Manual Activation; 200 mm Diameter 3 jaw Welding Chuck; Must be stable; With Anti-slip foot switch; With Time Controller Box; Furnished with Welding torch bracket; With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance. 	pc	48	

I hereby certify to comply with and deliver all the above requirements.								
Name of Company/Bidder	Signature Over Printed Name of Representative	Date						

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Do	<u>ocuments</u>
(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages)
	in accordance with Section 8.5.2 of the IRR
<u>Technica</u>	<u>ul Documents</u>
(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission <u>or</u> Original copy of Notarized Bid Securing Declaration; and
(e)	Conformity with the Technical Specifications with an attachment of official brochure or unamended sales literature of the offered items, which may
	include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; <u>and</u>
(f)	Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Financia	l Documents
(g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) <u>or</u> A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
	Class "B" Documents
(h)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
FINANC	IAL COMPONENT ENVELOPE
	Original of duly signed and accomplished Financial Bid Form; and
(i)	Original of duly signed and accomplished Price Schedule(s).
()/	Original of duty signed and decomprished trice beneaute(s).
Other do	cumentary requirements under RA No. 9184 (as applicable)
(k)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in
	government procurement activities for the same item or product.
	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

LOT 1

Dressmaking NC II

Distribution List

Item No.	Item Name	Unit	Qty per Specialization	Recipient Schools					Total Qty.
				Pilar Rural HS	Pudtol Vocational HS	Alejo Pacalso MNHS	Ambangeg NHS	Ampusongan NHS	
				Abra	Apayao	Benguet	Benguet	Benguet	
1	Board, Ironing	рс	5	5	5	5	5	5	25
2	BODY FORM / MODEL	рс	10	10	10	10	10	10	50
3	Calculator	рс	25	25	25	25	25	25	125
4	FLAT IRON, HEAVY DUTY	рс	5	5	5	5	5	5	25
5	FRENCH CURVE	рс	25	25	25	25	25	25	125
6	HANGER	рс	10	10	10	10	10	10	50
7	HANGER RACK	рс	3	3	3	3	3	3	15
8	HIP CURVE	рс	25	25	25	25	25	25	125
9	L-SQUARE	рс	25	25	25	25	25	25	125
10	METER STICK	рс	10	10	10	10	10	10	50
11	PIN CUSHION	рс	25	25	25	25	25	25	125
12	RULER PLASTIC WITH GRID 24 INCHES	рс	25	25	25	25	25	25	125
13	Scissors	рс	25	25	25	25	25	25	125

14	Screwdriver, flat, 4"	рс	25	25	25	25	25	25	125
15	Screwdriver, flat, 6"	рс	25	25	25	25	25	25	125
16	SEAM RIPPER	рс	25	25	25	25	25	25	125
17	SEWING BOX	рс	25	25	25	25	25	25	125
18	SHEARS, CUTTING	рс	25	25	25	25	25	25	125
19	SLEEVE BOARD / HAM	рс	10	10	10	10	10	10	50
20	SPRAY, HAND	рс	5	5	5	5	5	5	25
21	STOOL	рс	25	25	25	25	25	25	125
22	TAPE MEASURE	рс	25	25	25	25	25	25	125
23	TRACING WHEEL	рс	25	25	25	25	25	25	125

LOT
Tailoring NC II
Distribution List

#	Item Name	Unit	Qty per Specialization	Recipient Schools					
				Pilar Rural HS	Pudtol Vocational HS	Ambangeg NHS	Daklan NHS	Kayapa NHS	-
				Abra	Apayao	Benguet	Benguet	Benguet	
1	Board, Ironing	рс	5	5	5	5	5	5	25
2	Calculator	рс	25	25	25	25	25	25	125
3	FLAT IRON, HEAVY DUTY	рс	5	5	5	5	5	5	25
4	FRENCH CURVE	рс	25	25	25	25	25	25	125
5	HANGER	рс	10	10	10	10	10	10	50
6	HANGER RACK	рс	3	3	3	3	3	3	15
7	HIP CURVE	рс	25	25	25	25	25	25	125
8	L - SQUARE	рс	25	25	25	25	25	25	125
9	METER STICK	рс	15	15	15	15	15	15	75
10	MIRROR, LIFE SIZE	рс	2	2	2	2	2	2	10
11	MODEL FORM	рс	10	10	10	10	10	10	50
12	RULER, PLASTIC, 24 INCHES	рс	25	25	25	25	25	25	125
13	SCISSORS , 8 INCHES	рс	25	25	25	25	25	25	125

14	Screwdriver, flat, 4"	рс	25	25	25	25	25	25	125
15	Screwdriver, flat, 6"	рс	25	25	25	25	25	25	125
16	SEAM RIPPER	рс	25	25	25	25	25	25	125
17	SEWING BOX	рс	25	25	25	25	25	25	125
18	SHEARS, CUTTING	рс	25	25	25	25	25	25	125
19	SHEARS, PINKING	рс	10	10	10	10	10	10	50
20	SLEEVE BOARD / HAM	рс	5	5	5	5	5	5	25
21	SPRAY BOTTLE	рс	5	5	5	5	5	5	25
22	TAPE MEASURE	рс	25	25	25	25	25	25	125
23	TRACING WHEEL	рс	25	25	25	25	25	25	125
24	TRIANGLE 45 x 45 x 90 degrees , 16 INCHES	рс	25	25	25	25	25	25	125

LOT 2
Electrical Installation and Maintenance NC II

Distribution List

#	Item Name	Unit	Qty per Specialization			Total Qty			
				Abra High School- Calot Ext	Gaddani NHS	Flora NHS	Pudtol Vocational HS	Mil-an NHS	
				Abra	Abra	Apayao	Apayao	Baguio	
1	CCTV SYSTEM	рс	1	1	1	1	1	1	5
2	Cutter, Bolt, 24"	рс	5	5	5	5	5	5	25
3	Cutter, Pipe	рс	5	5	5	5	5	5	25
4	Disc Grinder, Portable, Electric	рс	5	5	5	5	5	5	25
5	Drill, Portable, Electric	рс	5	5	5	5	5	5	25
6	Fire Alarm System	set	1	1	1	1	1	1	5
7	Fire Extinguisher (with contents)	рс	1	1	1	1	1	1	5
8	First Aid Kit	set	1	1	1	1	1	1	5
9	Gloves, Rubber (insulating)	set	25	25	25	25	25	25	125
10	Goggles, Safety	рс	10	10	10	10	10	10	50
11	Hacksaw, Hand (with 32 TPI Blade)	рс	5	5	5	5	5	5	25
12	Hammer, Ball Peen, 16 oz.	рс	5	5	5	5	5	5	25
13	Hammer, Claw, 16 oz.	рс	5	5	5	5	5	5	25
14	Hand File, flat smooth, 8"	рс	5	5	5	5	5	5	25

15	Hat, Hard, HDPE	set	10	10	10	10	10	10	50
16	Heat gun	рс	5	5	5	5	5	5	25
17	Knife, Stripping, Electrical Cable	рс	5	5	5	5	5	5	25
18	Level, Spirit	рс	5	5	5	5	5	5	25
19	Motion sensors set	set	3	3	3	3	3	3	15
20	Pipe Bender	set	5	5	5	5	5	5	25
21	Pipe Reamer	рс	5	5	5	5	5	5	25
22	Pipe threader, Manual	set	5	5	5	5	5	5	25
23	Pliers, Combination, 8", Insulated	рс	25	25	25	25	25	25	125
24	Plumb bob	рс	5	5	5	5	5	5	25
25	Screwdriver set, Standard, insulated (19 pieces/set)	set	25	25	25	25	25	25	125
26	SOLDERING IRON, 300 watts, HEAVY DUTY	рс	1	1	1	1	1	1	5
27	Steel Tape Measure, 5m	рс	5	5	5	5	5	5	25
28	Stripper, Wire	рс	5	5	5	5	5	5	25
29	Tools Holster/Pouch, Electrician's	рс	10	10	10	10	10	10	50
30	Wire splicer	рс	5	5	5	5	5	5	25
31	Wrench, Box	set	5	5	5	5	5	5	25

LOT 3
Electronic Products Assembly and Servicing NC II

Distribution List

#	Item Name	Unit	Qty per		Recipient Schools						
			Specialization	Allig NATHS	Ambangeg NHS	Tuba NHS	Tublay SHI	Rizal NSAT	Tabuk City NHS		
				Apayao	Benguet	Benguet	Benguet	Kalinga	Tabuk		
1	Anti-Static Device (Anti-static Wrist Strap)	рс	5	5	5	5	5	5	5	30	
2	Breadboard	рс	5	5	5	5	5	5	5	30	
3	Brush, Anti-static	рс	5	5	5	5	5	5	5	30	
4	Cutter, Diagonal, 8", insulated	рс	5	5	5	5	5	5	5	30	
5	Function Generator	рс	5	5	5	5	5	5	5	30	
6	Hot air soldering station	рс	5	5	5	5	5	5	5	30	
7	Knife, Utility	рс	5	5	5	5	5	5	5	30	
8	Magnifying glass, High grade, with lamp	рс	5	5	5	5	5	5	5	30	
9	Mat, Anti-static	рс	5	5	5	5	5	5	5	30	
10	Oscilloscope, digital	рс	5	5	5	5	5	5	5	30	
11	Pliers, Long Nose, 7"	рс	5	5	5	5	5	5	5	30	
12	Pump, Desoldering	рс	5	5	5	5	5	5	5	30	
13	Screwdriver, Flat, 8" insulated	рс	5	5	5	5	5	5	5	30	
14	Screwdriver, Phillips, 8" insulated	рс	5	5	5	5	5	5	5	30	
15	Signal Generator	set	5	5	5	5	5	5	5	30	

16	Stripper, Wire	рс	5	5	5	5	5	5	5	30
17	Variable power supply	рс	5	5	5	5	5	5	5	30
18	Wrench Set, Combination, English	set	5	5	5	5	5	5	5	30
19	Wrench Set, Combination, Metric	set	5	5	5	5	5	5	5	30
20	Wrench, Allen, 30 pcs/set	set	5	5	5	5	5	5	5	30

LOT 4
Shielded Metal Arc Welding (NC I and NC II)
Distribution List

#	Item Name	Unit	Qty per			Recipier	nt Schools			Total Qty
		Specializat		Suyo NHS	Pudtol Vocational HS	Benguet NHS	Daklan NHS	Tublay SHI	Dilag IS	
				Abra	Apayao	Benguet	Benguet	Benguet	Tabuk	
1	Anvil	рс	2	2	2	2	2	2	2	12
2	Apron, Leather	рс	12	12	12	12	12	12	12	72
3	Brush, Steel	рс	12	12	12	12	12	12	12	72
4	Disc Grinder, Portable, Electric	рс	5	5	5	5	5	5	5	30
5	Fan, Exhaust	рс	1	1	1	1	1	1	1	6
6	Fan, Industrial	рс	1	1	1	1	1	1	1	6
7	Gas Cutting Machine, Automatic	рс	1	1	1	1	1	1	1	6
8	Gauge, Fillet	рс	2	2	2	2	2	2	2	12
9	Gloves, Leather, Long	set	12	12	12	12	12	12	12	72
10	Goggles, Oxy-acetylene	рс	2	2	2	2	2	2	2	12
11	Goggles, Safety	рс	2	2	2	2	2	2	2	12
12	Grinding Machine, Bench, Pedestal	рс	1	1	1	1	1	1	1	6
13	Hacksaw, Power	рс	1	1	1	1	1	1	1	6
14	Hammer, Ball Peen, 12 oz.	рс	8	8	8	8	8	8	8	48

15	Hammer, Chipping	рс	12	12	12	12	12	12	12	72
16	Hand File, Bastard Cut	рс	10	10	10	10	10	10	10	60
17	Hand File, half round	рс	10	10	10	10	10	10	10	60
18	Head Shield / Helmet	рс	12	12	12	12	12	12	12	72
19	Plier/Tong	рс	12	12	12	12	12	12	12	72
20	Steel square 300mm.long	рс	12	12	12	12	12	12	12	72
21	Try Square, 300mm long	рс	12	12	12	12	12	12	12	72
22	Welding Positioner	рс	8	8	8	8	8	8	8	48

List of all Ongoing Government & Private Contracts including contracts awarded but not yet started

Business Name:							
Business Address	:						
Name of Contract	Date of Contract	a. Owner's Name b. Address c. Telephone Nos.	Contract Duration	Date of Delivery	Kinds of Goods	Amount of Contract	Value of Outstandin Contracts
GOVERNMEN	T	•			JI.	•	
PRIVATE				I.	ı	1	
in nature and com 1. Notice of Awa 2. Notice to Proc	uplexity to the description of t	by the owner (in the absection in requesting the NTP.	tement must	be supported to Proceed	d by a copy ! (NTP), exe	of the following	ng: vit that

(Printed Name and Signature)

NOTE: Use another sheet if necessary

Submitted by:

Designation:

Date

Statement of Single Largest Completed Contract (SLCC) Similar to the Contract to be Bid

Name of Contract	Date of Contract	a. Owner's Name b. Address c. TelephoneNos.	Contract Duration	Date of Delivery	Kinds of Goods	Amount of Completed Contract
Note: This state 1. Certificate of		supported with: ceptance and Sales Invoice	or Delivery Rec	eipt		
Submitted by Designation Date	: :	(Printed N	Name and Signate	ure)		

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting:
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract:
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	WITNESS	WHEREOF,	I have	hereunto	set	my	hand	this _	da	y of	: ,	20	at
	,	Philippines.											
				[Insert	NA!	ME (OF BI	DDER	ORI	TS A	AUTH	ORIZE	ED

[Insert signatory's legal capacity]
Affiant

REPRESENTATIVE]

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Project Identification No
Eligibility Form

CERTIFICATE OF NET FINANCIAL CONTRACTING CAPACITY

	(Please sho	w computation)					
This is	to certify that our Net Financi	al Contracting Capacity (NFCC) is I	Philippine				
) which is at least equal to the total					
price of the ser	rvices we are bidding. The am	ount is computed as follows:	8				
-							
	Particulars	Amount					
	Current Assets						
	Less Current Liabilities						
	Balance						
	Multiplied by 15	15					
	Product						
	Less on going (C)						
	NFCC						
	Where:						
on		npleted portions of contracts/projects arded contracts yet to be started coincided.					
This	day of	, 20					
		(Company Authorized Representative	ve)				
		NAME :					
		DESIGNATION					

Bid Form for the Procurement of Goods

[shall be submitted with the Bid]

	BID FORM
	Date :
	Project Identification No.:
To: [name a	nd address of Procuring Entity]
Supplemental acknowledge <i>Goods]</i> in configures or the and other bid part of this B [specify the acknowledge].	In graph and the Philippine Bidding Documents (PBDs) including the lor Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly did, we, the undersigned, offer to [supply/deliver/perform] [description of the onformity with the said PBDs for the sum of [total Bid amount in words and the total calculated bid price, as evaluated and corrected for computational errors modifications in accordance with the Price Schedules attached herewith and made id. The total bid price includes the cost of all taxes, such as, but not limited to applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes of fiscal levies and duties], which are itemized herein or in the Price Schedules,
If our	Bid is accepted, we undertake:
a.	to deliver the goods in accordance with the delivery schedule specified in the Schedule o Requirements of the Philippine Bidding Documents (PBDs);
b.	to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
c.	to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us a any time before the expiration of that period.
Comn	It this paragraph if Foreign-Assisted Project with the Development Partner: nissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid ct execution if we are awarded the contract, are listed below:
Name and ad	dress Amount and Purpose of
	encyCommission or gratuity

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

(if none, state "None")]

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)	
CITY OF) S.S.

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity] I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder				Projec	Pageof				
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
Legal	Capacity:								

Duly authorized to sign the Bid for and behalf of:

Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

ame	of Bidder				Project II	O No.	Page	of
					. J	· · ·		
1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Pric delivered DDP (col 4 x 8
ame:								
egal (Capacity: _							
gnati	ure:							

