

# **PHILIPPINE BIDDING DOCUMENTS**

(As Harmonized with Development Partners)

Government of the Republic of the  
Philippines

## **SUPPLY AND DOOR-TO-DOOR DELIVERY OF FY 2024 LEARNING TOOLS AND EQUIPMENT FOR TECHNICAL- VOCATIONAL-LIVELIHOOD (LTE-TVL) WITH 10 LOTS FOR DEPED-CAR**

**DEPED-CAR RO – CB 2024-07-013**

**Sixth Edition  
July 2020**

**Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>4</b>
<b>Section I. Invitation to Bid.....</b>	<b>7</b>
<b>Section II. Instructions to Bidders.....</b>	<b>11</b>
1. Scope of Bid .....	12
2. Funding Information.....	12
3. Bidding Requirements .....	12
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	13
5. Eligible Bidders.....	13
6. Origin of Goods .....	13
7. Subcontracts .....	13
8. Pre-Bid Conference .....	14
9. Clarification and Amendment of Bidding Documents .....	14
10. Documents comprising the Bid: Eligibility and Technical Components .....	14
11. Documents comprising the Bid: Financial Component .....	14
12. Bid Prices .....	15
13. Bid and Payment Currencies .....	15
14. Bid Security .....	16
15. Sealing and Marking of Bids .....	16
16. Deadline for Submission of Bids .....	16
17. Opening and Preliminary Examination of Bids .....	16
18. Domestic Preference .....	17
19. Detailed Evaluation and Comparison of Bids .....	17
20. Post-Qualification .....	17
21. Signing of the Contract .....	17
<b>Section III. Bid Data Sheet .....</b>	<b>18</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>22</b>
1. Scope of Contract .....	23
2. Advance Payment and Terms of Payment .....	23
3. Performance Security .....	23
4. Inspection and Tests .....	23
5. Warranty .....	24
6. Liability of the Supplier .....	24
<b>Section V. Special Conditions of Contract .....</b>	<b>25</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>32</b>
<b>Section VII. Technical Specifications .....</b>	<b>34</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>160</b>

# *Glossary of Acronyms, Terms, and Abbreviations*

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## ***Section I. Invitation to Bid***

### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.





Republic of the Philippines  
**Department of Education**  
Cordillera administrative

**INVITATION TO BID FOR  
SUPPLY AND DOOR-TO-DOOR DELIVERY OF FY 2024  
LEARNING TOOLS AND EQUIPMENT FOR TECHNICAL-  
VOCATIONAL-LIVELIHOOD (LTE-TVL) WITH 10 LOTS  
FOR DEPED-CAR**

1. The *Department of Education-Cordillera Administrative Region Regional Office (DepEd – CAR RO)*, through the *FY 2024 Government Appropriations Act (GAA) Fund* intends to apply the sum of:

Lot No.	Description/Specialization	ABC (Php)	Identification No.
1	Bread and Pastry NC II	7,789,727.90	DepEd-CAR RO CB 2024-07-013 – Lot 1
2	Caregiving NC II	399,753.20	DepEd-CAR RO CB 2024-07-013 – Lot 2
3	Computer System Servicing (NC II)	802,521.96	DepEd-CAR RO CB 2024-07-013 – Lot 3
4	Cookery NC II	20,398,154.90	DepEd-CAR RO CB 2024-07-013 – Lot 4
5	Food and Beverage Services NC II	19,420,293.91	DepEd-CAR RO CB 2024-07-013 – Lot 5
6	Front Office Services NC II	836,999.99	DepEd-CAR RO CB 2024-07-013 – Lot 6
7	Hairdressing NC II	968,917.50	DepEd-CAR RO CB 2024-07-013 – Lot 7
8	Housekeeping NC II	1,305,644.76	DepEd-CAR RO CB 2024-07-013 – Lot 8
9	Local Guiding Services NC II	138,239.22	DepEd-CAR RO CB 2024-07-013 – Lot 9
10	Wellness Massage NC II	991,087.05	DepEd-CAR RO CB 2024-07-013 – Lot 10

being the ABC to payments under the contract for each lot. Bids received in excess of the ABC for each lot shall be automatically rejected at bid opening.

2. The *DepEd – CAR RO* now invites bids for the above Procurement Project. ***Delivery of the Goods is required by within ninety (90) calendar days upon receipt of Notice to Proceed.*** Bidders should have completed, within ***five (5) years*** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

**Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.**

4. Prospective Bidders may obtain further information from *DepEd – CAR RO* and inspect the Bidding Documents at the address given below during **8:00am to 5:00pm**.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **July 19, 2024** from the **DepEd-CAR RO Procurement Unit (BAC Secretariat)** and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of:

<i>Lot No.</i>	<i>Applicable fee for the Bidding Documents each lot (Php)</i>
1	7,500.00
2	500.00
3	700.00
4	19,000.00
5	18,000.00
6	700.00
7	900.00
8	1,200.00
9	500.00
10	1,000.00
<b>TOTAL</b>	<b>50,000.00</b>

The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.

*[NOTE: For lot procurement, the maximum fee for the Bidding Documents for each lot shall be based on its ABC, in accordance with the Guidelines issued by the GPPB; provided that the total fees for the Bidding Documents of all lots shall not exceed the maximum fee prescribed in the Guidelines for the sum of the ABC of all lots.]*

6. The *DepEd-CAR RO* will hold a **Pre-Bid Conference**<sup>1</sup> on **July 26, 2024 at 9:00 AM** at the **OARD, DepEd-CAR RO, Wangal, La Trinidad, Benguet**, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat at the **Office of the Assistant Regional Director of the DepEd-CAR RO**, address below, **on or before 8:30 AM of August 7, 2024. Late bids shall not be accepted.**

<sup>1</sup> May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

**RONALD B. CASTILLO, CESO V**  
BAC Chairperson  
Procurement Unit Office (BAC Secretariat Office)  
DepED-CAR Regional Office  
Wangal, La Trinidad, Benguet

8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. **Bid opening shall be on August 7, 2024 at 8:31 AM at the OARD, DepEd- CAR, Wangal, La Trinidad, Benguet.** Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. The **DepEd-CAR RO** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

*Atty. Edward C. Magalgalit, Jr./Randolph Flyn B. Daculog*  
Chair, BAC Secretariat/Procurement Unit  
DepED-CAR Regional Office  
Wangal, La Trinidad, Benguet  
Email address: [car.procurement@deped.gov.ph](mailto:car.procurement@deped.gov.ph)  
Tel. No. (074) 422-1318 Cp No. 09178218490/09207930509  
Website: [www.depedcar.ph](http://www.depedcar.ph)

12. You may visit the following websites:

For downloading of Bidding Documents: [depedcar.ph](http://depedcar.ph)

**July 18, 2024**

  
**RONALD B. CASTILLO, CESO V**  
BAC Chairperson

## ***Section II. Instructions to Bidders***

### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

## 1. Scope of Bid

The Procuring Entity, **DepEd-CAR RO** wishes to receive Bids for the **SUPPLY AND DOOR-TO-DOOR DELIVERY OF FY 2024 LEARNING TOOLS AND EQUIPMENT FOR TECHNICAL-VOCATIONAL-LIVELIHOOD (LTE-TVL) WITH 10 LOTS FOR DEPED-CAR** with identification numbers:

Lot No.	Identification Number
1	DepEd-CAR RO CB 2024-07-013 – Lot 1
2	DepEd-CAR RO CB 2024-07-013 – Lot 2
3	DepEd-CAR RO CB 2024-07-013 – Lot 3
4	DepEd-CAR RO CB 2024-07-013 – Lot 4
5	DepEd-CAR RO CB 2024-07-013 – Lot 5
6	DepEd-CAR RO CB 2024-07-013 – Lot 6
7	DepEd-CAR RO CB 2024-07-013 – Lot 7
8	DepEd-CAR RO CB 2024-07-013 – Lot 8
9	DepEd-CAR RO CB 2024-07-013 – Lot 9
10	DepEd-CAR RO CB 2024-07-013 – Lot 10

The Procurement Project (referred to herein as “Project”) is composed of **ten (10) lots**, the details of which are described in Section VII (Technical Specifications).

## 2. Funding Information

2.1. The GOP through the source of funding as indicated below for **FY 2024 GAA** in the amount of:

Lot No.	Specialization	ABC (Php)
1	Bread and Pastry NC II	7,789,727.90
2	Caregiving NC II	399,753.20
3	Computer System Servicing (NC II)	802,521.96
4	Cookery NC II	20,398,154.90
5	Food And Beverage Services NC II	19,420,293.91
6	Front Office Services NC II	836,999.99
7	Hairdressing NC II	968,917.50
8	Housekeeping NC II	1,305,644.76
9	Local Guiding Services NC II	138,239.22
10	Wellness Massage NC II	991,087.05

2.2. The source of funding is:

a. **NGA, the General Appropriations Act or Special Appropriations.**

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### **4. Corrupt, Fraudulent, Collusive, and Coercive Practices**

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### **5. Eligible Bidders**

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA’s CPI, must be at least equivalent to:
  - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### **6. Origin of Goods**

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### **7. Subcontracts**

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. **Subcontracting is not allowed.**

## **8. Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address *Office of the Assistant Regional Director, DepEd-CAR RO, Wangal, La Trinidad Benguet* as indicated in paragraph 6 of the **IB**.

## **9. Clarification and Amendment of Bidding Documents**

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## **10. Documents comprising the Bid: Eligibility and Technical Components**

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *[state relevant period as provided in paragraph 2 of the **IB**]* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## **11. Documents comprising the Bid: Financial Component**

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.

- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in the **BDS**.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

## 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:



- a. **Philippine Pesos.**

## **14. Bid Security**

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>2</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *Sixty (60) calendar days from the deadline of submission of bids*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

## **15. Sealing and Marking of Bids**

Each Bidder shall submit **one (1) copy (labelled as original copy)** of the first and second components of its Bid.

The Procuring Entity requests **two (2) additional hard copies (labelled as Copy 1 and Copy 2)** and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## **16. Deadline for Submission of Bids**

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

## **17. Opening and Preliminary Examination of Bids**

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

---

<sup>2</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

## 18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case may be. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:  
  
**Option 2 – One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.**
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## 20. Post-Qualification

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## 21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## ***Section III. Bid Data Sheet***

### **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# Bid Data Sheet

<b>ITB Clause</b>					
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <p>a. Contracts related to:</p> <ol style="list-style-type: none"> <li>1. Lot 1: <i>Supply and Delivery of Supplies/Materials/Tools/Equipment related to Bread and Pastry</i></li> <li>2. Lot 2: <i>Supply and Delivery of Supplies/Materials/Tools/Equipment related to Caregiving</i></li> <li>3. Lot 3: <i>Supply and Delivery of Supplies/Materials/Tools/Equipment related to Computer System Servicing</i></li> <li>4. Lot 4: <i>Supply and Delivery of Supplies/Materials/Tools/Equipment related to Cookery</i></li> <li>5. Lot 5: <i>Supply and Delivery of Supplies/Materials/Tools/Equipment related to Food and Beverage Services</i></li> <li>6. Lot 6: <i>Supply and Delivery of Supplies/Materials/Tools/Equipment related to Front Office Services</i></li> <li>7. Lot 7: <i>Supply and Delivery of Supplies/Materials/Tools/Equipment related to Hairdressing</i></li> <li>8. Lot 8: <i>Supply and Delivery of Supplies/Materials/Tools/Equipment related to Housekeeping</i></li> <li>9. Lot 9: <i>Supply and Delivery of Supplies/Materials/Tools/Equipment related to Guiding Services</i></li> <li>10. Lot 10: <i>Supply and Delivery of Supplies/Materials/Tools/Equipment related to Wellness Massage</i></li> </ol>				
7.1	<b><i>Subcontracting is not allowed.</i></b>				
12	The price of the Goods shall be quoted DDP [ <i>state place of destination</i> ] or the applicable International Commercial Terms (INCOTERMS) for this Project.				
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:				
	Lot No.	Description/Specialization	Amount Cash, Cashier's / Manager's Check, Bank Draft/ Guarantee/ Irrevocable Letter of Credit (2%)	Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission (5%)	Bid Securing Declaration (Pursuant to GPPB Resolution No. 03-2012)
	1	Bread and Pastry NC II	1,557,945.58	3,894,863.95	Please see Section VIII
	2	Caregiving NC II	79,950.64	199,876.60	
	3	Computer System Servicing (NC II)	160,504.39	401,260.98	
	4	Cookery NC II	4,079,630.98	10,199,077.45	
	5	Food and Beverage Services NC II	3,884,058.78	9,710,146.96	

	6	Front Office Services NC II	167,400.00	418,500.00	
	7	Hairdressing NC II	193,783.50	484,458.75	
	8	Housekeeping NC II	261,128.95	652,822.38	
	9	Local Guiding Services NC II	27,647.84	69,119.61	
	10	Wellness Massage NC II	198,217.41	495,543.53	
	a. Note: The Bid Security in the form of Cashier's/manager's check shall be payable to <b>DepEd-CAR Regional Office – Cash Section</b>				
19.3	The Project will be awarded by lot/s. The NFCC computation, if applicable, must be sufficient for all the lot/s or contract/s to be awarded to the Bidder:				
	<i>No.</i>	<i>Description/Specialization</i>	<i>No. of School recipient</i>	<i>ABC</i>	
	1	Bread and Pastry NC II	30	7,789,727.90	
	2	Caregiving NC II	1	399,753.20	
	3	Computer System Servicing (NC II)	2	802,521.96	
	4	Cookery NC II	29	20,398,154.90	
	5	Food and Beverage Services NC II	34	19,420,293.91	
	6	Front Office Services NC II	4	836,999.99	
	7	Hairdressing NC II	3	968,917.50	
	8	Housekeeping NC II	4	1,305,644.76	
	9	Local Guiding Services NC II	6	138,239.22	
	10	Wellness Massage NC II	5	991,087.05	
	<b>NOTE:</b> For tools or equipment powered by electricity or fuel, the brand and model of the item/unit offered must be available in the local market. Original Equipment Manufacturer (OEM) or assembled items/units will not be accepted and will be grounds for disqualification. On the other hand, for tools and equipment NOT powered by electricity or fuel, Original Equipment Manufacturer (OEM) or assembled items/units are accepted.				
20.2	Within a non-extendible period of <b>five (5) calendar days</b> from receipt by the bidder of the notice from the BAC that it submitted the LCB, the Bidder shall submit copies of the following requirements:				
	<b>1. Latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS)</b>				
	<b>2. Sample of the Items being offered shall be available for inspection during the Post Qualification and its project implementation timeline</b>				
	<i>NOTE: Failure to submit any of the post-qualification requirements on time, or finding against the veracity thereof, shall disqualify the bidder for award. Provided in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the bid security in accordance with Section 69 of the IRR of RA 9184.</i>				

21.2	<p><i>[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]</i></p> <p><i>No Further Instructions</i></p>
------	--

## ***Section IV. General Conditions of Contract***

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

## 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## 2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.}

## 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project *{[Include if Framework Agreement will be used:] or Framework Agreement}* specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.



All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## **5. Warranty**

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## ***Section V. Special Conditions of Contract***

### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

## Special Conditions of Contract

GCC Clause	
1	<p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered at the <b>Recipient Schools (Please see annex A)</b>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered at the <b>Recipient Schools (Please see annex A)</b>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site are <b><i>Jonalyn C. Ambrona, Education Program Supervisor under CLMD and Vandolph B. Flora, Administrative Officer V under ASD-Asset Management Section.</i></b></p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ol>

- e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

**Spare Parts –**

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
2. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

	<p><b>Packaging –</b></p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity  Name of the Supplier  Contract Description  Final Destination  Gross weight  Any special lifting instructions  Any special handling instructions  Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>

	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
	<p><b>Regular and Recurring Services –</b></p> <p><i>[In case of contracts for regular and recurring services, state:]</i> “The contract for regular and recurring services shall be subject to a renewal whereby the performance evaluation of the service provider shall be conducted in accordance with Section VII. Technical specifications.”</p>
	<p><b>Liquidated Damages -</b> Under Section 68 of the 2016 Revised IRR of RA 9184.</p> <p>All contracts executed in accordance with the Act and this IRR shall contain a provision on liquidated damages which shall be payable by the contractor in case of breach thereof. For the procurement of Goods, Infrastructure Projects and Consulting Services, the amount of the liquidated damages shall be at least equal to one-tenth of one percent (0.001) of the cost of the unperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the Procuring Entity may rescind or terminate the contract, without prejudice to other courses of action and remedies available under the circumstances.</p>
2.2	<p><b>The terms of payment shall be as follows:</b></p> <p>Full payment shall be effected upon 100% delivery and installation. Five percent (5%) retention money shall be deducted and will be released one (1) year after acceptance by the Procuring Entity of the delivered and installed equipment or submission of surety bond equivalent to the retention money.</p>
4	<p><b>Delivery and Inspection:</b></p>

	<ul style="list-style-type: none"> <li>a. The DepED-CAR RO shall conduct pre-delivery inspection of sample item offered before delivery.</li> <li>b. The supplier shall be responsible for the transport of the goods from the store to the recipient schools.</li> <li>c. All goods to be delivered to the recipient schools shall be free from defects, substandard material, imperfection and other analogous defects.</li> <li>d. Only goods with the best quality shall be acceptable to the Department.</li> <li>e. All goods found to be with defects, imperfections and poor quality shall be rejected by the Department at any stage of the contract implementation.</li> <li>f. Delivery shall be during office hours (8:00-5:00). The Supplier shall not deliver goods on a Saturday, Sunday or Holiday.</li> <li>g. Delivered goods at recipient schools shall be inspected by the Inspectorate Team and accepted by the School Property Custodian.</li> <li>h. The Supplier shall be responsible in the preparation and completion of the Inspection and Acceptance Report (IAR)</li> <li>i. The Delivery Receipt (DR) shall be signed by the School Property Custodian.</li> </ul>
5	<p><b>Warranty</b> - Under Section 62.1 of the 2016 revised IRR of RA No. 9184.</p> <p>For the procurement of Goods, in order to assure that manufacturing defects shall be corrected by the supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of Expendable Supplies, or a minimum period of one (1) year, in the case of Non-expendable Supplies, after acceptance by the Procuring Entity of the delivered supplies.</p> <p>The obligation for the warranty shall be covered by either retention money in an amount equivalent to at least one percent (1%) but not to exceed five percent (5%) of every progress payment, or a special bank guarantee equivalent to at least one percent (1%) but not to exceed five percent (5%) of the total contract price. The said amounts shall only be released after the lapse of the warranty period or, in the case of Expendable Supplies, after consumption thereof: Provided, however, That the supplies delivered are free from patent and latent defects and all the conditions imposed under the contract have been fully met.</p> <p>The Supplier shall supply and deliver only the best furniture for the learners and teachers</p> <p>The Supplier warrants that any damage or defect in the goods delivered, the supplier shall automatically and immediately replace the same with no question</p>

	<p>at no cost to the school, DepEd or Government within two weeks from the time of the defects become apparent and reported by the school or the Department</p> <p>The supplier shall replace or immediately compensate the school for replacement of damaged goods, unassembled furniture, or any other defects attributable to the delivery and factory defect of the items delivered within two years from delivery, excepts for damages caused while being used by the learners in the school</p> <p>Supplier must immediately replace defective furniture and deliver its replacement without any cost with one week from the reported presence of defects. Supplier cannot deny or refuse the immediate replacement of the reported patently defective goods delivered to the school reasoning the goods were accepted by the school who are not experts to determine the quality of the goods</p>
--	--



## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

<b>Lot No.</b>	<b>Description/Specialization</b>	<b>No. of School Recipient</b>	<b>Unit</b>	<b>Quantity</b>	<b>Delivered, Weeks/Months</b>
1	Supply and Door-to-Door Delivery of Tools and Equipment for Bread and Pastry NC II	30	Please see Annex A		Within ninety (90) calendar days upon receipt of Notice to Proceed
2	Supply and Door-to-Door Delivery of Tools and Equipment for Caregiving NC II	1			
3	Supply and Door-to-Door Delivery of Tools and Equipment for Computer System Servicing NC II	2			
4	Supply and Door-to-Door Delivery of Tools and Equipment for Cookery NC II	29			
5	Supply and Door-to-Door Delivery of Tools and Equipment for Food and Beverage Services NC II	34			
6	Supply and Door-to-Door Delivery of Tools and Equipment for Front Office Services NC II	4			
7	Supply and Door-to-Door Delivery of Tools and Equipment for Hairdressing NC II	3			
8	Supply and Door-to-Door Delivery of Tools and Equipment for Housekeeping NC II	4			
9	Supply and Door-to-Door Delivery of Tools and Equipment for Local Guiding Services NC II	6			

10	Supply and Door-to-Door Delivery of Tools and Equipment for Wellness Massage NC II	5		
----	---	---	--	--

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

## ***Section VII. Technical Specifications***

### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### **Sample Clause: Equivalency of Standards and Codes**

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent.*" References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

In case of Renewal of Regular and Recurring Services, the Procuring Entity must indicate here the technical requirements for the service provider, which must include the set criteria in the conduct of its performance evaluation.

# Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>

**Technical Specifications of Learning Tools and Equipment for  
Technical-Vocational-Livelihood (FY 2024 LTE-TVL)**

**Lot 1: Bread and Pastry Production NC II**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Air Compressor with Airbrush Cake Decorating Set	<p>Type: Single Cylinder Piston Compressor;            Body Shape : Cylindrical in shape;            Material: Copper, Aluminum;            Dimension: (L X W X H) 24 cm X 13 cm X 17 cm (minimum);            Power Source: 220 Volts AC, 60 Hz with power cord 1.5 meters long minimum with attachment standard male plug type A or provide an adapter plug;            Power Rating : 1/6 Hp motor;            Capacity: Air pressure adjustment range 0 to 57 Psi;            Automatic On/Off Shutoff;            Compressor must have oil filter, water trap filter, pressure regulator with gauge, and with mounted airbrush holder and with built in cooling fans;            Airbrush Specifications:            a) airbrush material: Stainless steel body;            b) Needle Dia.: 0.3 mm.            c) Cup capacity: 2 cc;            d) Airbrush with a 1/3 oz. gravity fluid cup;            e) Nozzle that allow to spray from hairline up to 1 1/2 inches wide;            f) Operating Pressure: 15-57 Psi.            g) rubber hose length: 2 meter (minimum)</p>	unit	59		

		h.) Air flow: 20 liters/min. Package contents: 1 pc Air compressor, 1 set Air brush kit with case, 5 ft-Rubber/Vinyl Hose, 5 pcs Cleaning Brushes in different width, tools and User's Manual that contains Operation guide, maintenance/ troubleshooting procedure and list of parts.				
2	BEATER	Type: Manual Hand Beater Body Shape: Circular Handheld mixer Materials: Stainless Steel with plastic grip Dimension: L-28 cm x Width-7 cm (minimum) Twin beater designed for mixing Preferably with packing case Dishwasher safe	pc	199		
3	BOARD, CHOPPING, 6 COLOR	Type: Food Grade; Body Shape: Rectangular; Material: Plastic (Polypropylene), food grade; Board Size: Length: 38 cm (minimum); Width: 30 cm (minimum); Thickness: 1.27 cm (minimum); Color-coded for use with different types of food, Blue, Red, Yellow, Green, Brown and White; Preferably packed in set; No sharp edges; With hole for storage purposes.	pc	219		
4	Boiler, Double	Material: Stainless steel; Thickness: 1/16 inch (1.5 mm) (minimum); Lid material: Glass; Riveted handle on both side; Diameter: 9 1/2 inches (minimum); Total Height: 9.4 inches (minimum); Inset Bottom Diameter: 9 inches (minimum);	pc	160		

		Inset Top Diameter: 9 inches (minimum); Capacity: 2 liters (minimum); Must be a set which includes one (1) saucepan, one (1) boiler, and one (1) lid; With Stainless steel handle; With smooth surfaces (no sharp edges);				
5	BOWL, MIXING (6 PCS/SET)	Type: Mixing Bowl Set; Body Shape: Round; Material: Stainless Steel, 0.8 mm - 1.0 mm thick; Each set must consist of the following capacities: 1 pc - 0.70 liter 1 pc - 1.5 liters 1 pc - 3 liters 1pc - 4 liters 1pc - 5 liters 1pc - 8 liters Light weight and easy to use, flat base, curved lip Preferably with packing case Dishwasher Safe	pc	380		
6	CAKE PANS, ROUND #6, #8, #10, #12, #14, #16	Type: Round Pan Body Shape: Round Material: Anodized Aluminum Thickness: 1.29 mm thick (minimum) Depth: 2 inches (50.8 mm) (minimum) Set must each contain the following diameter: 1 pc - 6 inches (152.4 mm) diameter (minimum) 1 pc - 8 inches (203.2 mm) diameter (minimum) 1 pc - 10 inches (254 mm) diameter (minimum) 1 pc - 12 inches (304.8 mm) diameter (minimum) 1 pc - 14 inches (355.6 mm) diameter (minimum) 1 pc - 16 inches (406.4 mm) diameter (minimum)	pc	180		



		<p>Preferably packed (6 pcs per set)  With rolled edge;  With smooth surface and no sharp edges</p>				
7	CAKE STAND, WITH TIER	<p>Type: Cake Stand with Tier, food grade  Body shape: Circular with 3 tier  Material: Hard Plastic, Polypropylene, 4 mm thick  The tier consists of the following sizes:  Tier 1: 18 cm diameter (minimum)  Tier 2: 25 cm diameter (minimum)  Tier 3 : 30 cm diameter (minimum)  Column diameter: 20 to 30 mm (solid)  Distance between tiers: 15 cm  Over-all Length: 30 cm (minimum)  Assembled column is used for maximum strength and stability of the stand  Must be Packed in set  Smooth and no sharp edges</p>	pc	172		
8	CAKE TURN TABLE	<p>Type: Turn table  Body Shape : Circular  Material: Cast Aluminum Plate and Cast Iron Base  Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum)  Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum)  Total height: 10 cm to 15 cm  Turntable with ball bearing to turn easier  Preferably packed in any kind of packaging  Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise</p>	pc	120		
9	COUPLER	<p>Type: Food Grade  Body Shape: Tubular  Material: Hard plastic, Polypropylene, any bright color  Height: 3cm (minimum)</p>	pc	423		

		<p>Top Diameter: 1.27 cm (minimum)  Bottom Diameter: 2.54 cm (minimum)  Preferably with storage case  The materials used must be non-toxic and dishwasher safe</p>				
10	CUP, MEASURING (FOR SOLID)	<p>Type: Measuring Cup Set  Body Shape: Round  Material: Stainless steel, 0.7 mm thick (minimum)  Each set contains the following:  1 pc - 1 cup (237 mL)  1 pc - 1/2 cup (118 mL)  1 pc - 1/3 cup (79 mL)  1 pc - 1/4 cup (59 mL)  Handle dimension: Length-12 cm x Width-1 cm (minimum)  Measuring capacity engraved on the handle  Strip Handles have provision for hanging  Preferably with packing case  Smooth and no sharp edges  Dishwasher safe</p>	set	354		
11	CUP, MEASURING, 250 ML FOR LIQUID	<p>Type: Clear Glass Cup  Body Shape: Round  Material: Clear, non-porous tempered glass  Capacity: 250 ml (with 10 ml or 50 ml increments)  With permanent graduation markings  Specified metric and English system of measurement  With handle &amp; spout for easy pouring  Preferably with packing case  Food grade and safe use for microwave, freezer and dishwasher</p>	pc	354		
12	CUP, MEASURING,	<p>Type: Clear Glass Cup  Body Shape: Round  Material: Clear, non-porous tempered glass</p>	pc	358		

	500ML FOR LIQUID	Capacity: 500 ml (with 10 ml or 50 ml increments) With permanent graduation markings Specified metric and English system of measurement With handle & spout for easy pouring Preferably with packing case Food grade and safe use for microwave, freeze and dishwasher				
13	CUTTER, DOUGH	Type: Scraper Body Shape: Straight Blade Material: Stainless Steel straight blade with stainless steel handle Blade dimension: Length : 15 cm x Width: 11 cm x Thickness: 1.2 mm(minimum) Handle Dimension: Length: 15 cm x diameter: 3 cm (minimum) Preferably with packing case Food grade and dishwasher safe Design allows item to be hung for storage	pc	210		
14	CUTTER, PIE	Type: Pie Cutter Wheel knife Body Shape: Round wheel roller Material: Stainless Steel Overall Length: 19.5 cm (minimum) Wheel Diameter: 6.5 cm (minimum) With hanging hook at the tip of the handle for hanging storage Preferably with packing case Comes with finger protection Dishwasher safe	pc	211		
15	FLOUR SIFTER, HAND CRANKED	Type: Hand Cranked Body Shape: Round Shape Material: Stainless steel Dimension: Diameter: 133.3 mm ( minimum) x Height: 165 mm (minimum) Thickness: 0.79 mm (minimum) (body) and constructed with stainless steel wire mesh # 30 bottom Volume markings should be seen inside and outside of the sifter	pc	194		

		Capacity: 5 cups (1.18 liter) Spring action squeeze handle stainless steel Preferably with a packing case Dishwasher safe				
16	GRATER	Type: Four sided Box Grater Body Shape: Box in shape Material: Stainless steel blade and Plastic (Polypropylene handle) Grater Dimensions: Height- 25 cm x Width-13 cm x Depth-10 cm (minimum) Side 1: Large-hole shredder with 6 mm hole Side 2: Slicer Side 3: Small-hole shredder with 3 mm hole Side 4: Grater with strips about 1.27 cm to 2.54 cm length Preferably with packing case Food grade & dishwashing safe	pc	180		
17	KNIFE, KITCHEN	Type: Cook's knife or kitchen knife Body Shape: Flat and Straight Edge Material: Stainless steel blade Handle material: Hard Plastic (Polypropylene) with rivets Overall Length: 33 cm (minimum) Blade Length: 20 cm x Width: 3.2 cm (minimum) Handle Length: 12 cm (minimum) Thickness of Blade: 3 mm (minimum) Pointed Tip and slight curve Preferably with packing case Dishwasher safe Must be branded.	pc	180		
18	Knife, Pallet	Type: Pallet knife Body Shape: Offset Blade Blade material: Stainless steel Handle material: Hardwood (Smooth finish) with rivets	pc	180		

		<p>Overall length: 30.5 cm - 35.6 cm  Blade Dimension: Length- 17 cm x Width-3.8 cm (minimum)  Thickness of Blade: 1.7 mm thick (minimum)  Preferably with packing case  Dishwasher safe  Must be branded.</p>				
19	LADLE, 3 OZ	<p>Type: Soup ladle  Body Shape: bowl shape  Material: Stainless steel  Overall Length: 12 inches (minimum)  Bowl Depth: 1.5 inches  Bowl Diameter: 3.5 inches (minimum)  Capacity: 3 oz. (85 ml) minimum  Handle with provision for hanging  Preferably with packing case  Food grade and dishwasher safe  Must be branded</p>	pc	180		
20	LOAF PAN BIG	<p>Type: Loaf pan  Body Shape: Rectangular  Material: Anodized Aluminum  Thickness: 1.5 mm - 2 mm  Length: 25.4 cm (minimum)  Width: 12.7 cm (minimum)  Depth: 7.62 cm (minimum)  Preferably with packing case  Extended sides for an easy grip  With smooth surfaces and no sharp edges  Food grade and oven safe  Must be branded.</p>	pc	180		

21	LOAF PAN, MEDIUM	<p>Type: Loaf pan  Body Shape: Rectangular  Material: Anodized Aluminum  Thickness: 1.5 mm - 2 mm  Length: 22.86 cm (minimum)  Width: 11.43 cm (minimum)  Depth: 6.9 cm (minimum)  Preferably with packing case  Extended sides for an easy grip  With smooth surfaces and no sharp edges  Food grade and oven safe  Must be branded.</p>	pc	180		
22	LOAF PAN, SMALL	<p>Type: Loaf pan  Body Shape: Rectangular  Material: Anodized Aluminum  Thickness: 1.5 mm - 2 mm  Length: 17.78 cm (minimum)  Width: 7.62 cm (minimum)  Depth: 5.48 cm (minimum)  Preferably with packing case  Extended sides for an easy grip  With smooth surfaces and no sharp edges  Food grade and oven safe  Must be branded.</p>	pc	180		
23	MUFFIN PAN, BIG	<p>Type: Muffin pan  Body Shape: Rectangular  Material: Anodized Aluminum  Thickness: 1.5 mm (minimum)  Dimension: Length-36.6 cm x Width-22.9 cm x Height-7.6 cm (minimum)  Cup Size: Height- 8.2 cm x Diameter 8.9 cm (minimum)</p>	pc	180		

		<p>Number of cups in a tray: 6 cups          Preferably with packing case          With extended sides for an easy grip          With smooth surfaces and no sharp edges          Food grade and oven safe          Must be branded.</p>				
24	MUFFIN PAN, MEDIUM	<p>Type: Muffin pan          Body Shape: Rectangular          Material: Anodized Aluminum          Thickness: 1.5 mm (minimum)          Dimension: Length-40 cm x Width-27.9 cm x Height-2.8 cm (minimum)          Cup Size: Height-5.2 cm x Diameter 6.9 cm (minimum)          Number of cups in a tray: 12 cups          Preferably with packing case          With extended sides for an easy grip          With smooth surfaces and no sharp edges          Food grade and oven safe          Must be branded.</p>	pc	180		
25	MUFFIN PAN, SMALL	<p>Type: Muffin pan          Body Shape: Rectangular          Material: Anodized Aluminum          Thickness: 1.5 mm (minimum)          Dimension: Length 40.6 cm x Width-25.4 cm x Height 2.8 cm (minimum)          Cup Size: Height-2.5 cm x Diameter 3.8 cm (minimum)          Number of cups in a tray: 24 cups          Preferably with packing case          With extended sides for an easy grip          With smooth surfaces and no sharp edges</p>	pc	180		

26	PIE PAN , 10 INCHES DIAMETER	<p>Type: Pie Pan  Body Shape: Round  Material: Aluminum, 0.81 mm thick (minimum)  Diameter -10 inches (254 mm) minimum  Depth: 1.25 inches (31.75 mm) minimum  Coated with non-stick coating materials  Preferably with packing case  Oven safe to 500°F / 260°C  Food Grade  With extended sides for an easy grip  With smooth surfaces and no sharp edges  Must be branded.</p>	pc	180		
27	PIE PAN, # 6, #8, #10	<p>Type Pie Pan  Body Shape: Round  Material: Aluminum, 0.81 mm thick (minimum)  1) # 10 diameter: 10 inches (254 mm) minimum  2) # 8 diameter: 8 inches(203 mm) minimum)  3) #6 dianeter: 6 inches (152 mm) minimum  Depth: 1.5 inches (38.1 mm) minimum  Oven safe to 500°F / 260°C  Coated with non-stick coating materials  Preferably with packing case  Food Grade  With extended sides for an easy grip  With smooth surfaces and no sharp edges  Must be branded.</p>	set	180		
28	PILLARS, CAKE	<p>Type: Cake Pillars, food grade  Body Shape: Tubular  Material: Crystal clear fiber plastic  Tube diameter: 2.5 cm (minimum)</p>	pc	180		



		<p>Base and Top diameter: 3.5 cm (minimum)  Height: 13 cm (minimum)  Packed in Four (4)pcs per set  The materials used must be non-toxic.  Must be branded</p>				
29	PIPING BAG	<p>Type: Piping Bag  Body Shape: Triangular  Material: Transparent Disposable Plastic for dispensing ingredients to pastries  Length: 9 inches minimum  Width: 3 inches (minimum)  Volume: 500 ml (approximate)  Preferably with packing case  Food grade  Must be branded.</p>	pc	745		
30	RECTANGULAR PAN, 1 X 8	<p>Type: Rectangular Pan  Material: Anodized Aluminum  Thickness: 1.63 mm thick, minimum  Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum)  Oven safe to 500°F / 260°C  Preferably with packing case  Food grade and dishwasher safe  Must be branded.</p>	pc	120		
31	ROLLING PINS	<p>Type: Rolling Pins  Body Shape: Tubular in shape  Material: Hardwood (Solid Wood in natural color)  Roller Dimensions: 2.5 inches diameter x 9.5 inches length (minimum)  Handle dimension: 1 inch diameter x 4 inches length (minimum)  Overall length: 17.5 inches (minimum)  With rust proof nylon bearings for smooth rolling action  Preferably with packing case</p>	pc	180		

		Smooth surface finish with no sharp edges Materials used must be food grade Must be branded				
32	RUBBER SCRAPER	Type: Rubber scraper Body Shape: Flat Material: Silicone blade (head) & Plastic Handle (Polypropylene) Head length: 11.5 cm (minimum) Head width: 7.0 cm (minimum) Handle length: 24 cm to 30 cm Preferably with packing case Safe working temperature: -40°F to 446°F The materials used must be non-toxic Must be branded	pc	180		
33	SAUCE PAN	Type: Sauce Pan Body Shape: Round in shape Material: Stainless Steel with aluminum core Dimension: Diameter- 16 cm x Height-8 cm (minimum) Thickness: 1.8 mm thick (minimum) Riveted Stainless steel Handle Length: 15 cm (minimum) Capacity: 1 quart (minimum) Preferably with packing case With stainless steel cover, Safe for use with stove, oven, broiler and dishwasher The materials used must be non-toxic Must be branded	pc	180		
34	SHEET PAN	Type: Sheet Pan Body Type: Rectangular Material: Aluminum Thickness: 0.91 mm Thick (minimum)	pc	180		

		<p>Dimension: Length-22 inches x Width-16 inches x Height-1 inch (minimum)          Preferably with packing case          Smooth finish surfaces without sharp edges          Corrosion resistant          Superior heat conduction          Oven safe to 500°F / 260°C (maximum)          Food grade          Must be branded.</p>				
35	SPOON, MEASURING	<p>Type: Measuring Spoon          Body Shape: Bowl in shape          Material: Stainless Steel, 0.7 mm thick (minimum)          The set consists of the following sizes:          1 pc - 1 tbsp. (15 ml)          1 pc - 1/2 tbsp. (7.5 ml)          1 pc - 1 tsp. (5 ml)          1 pc - 1/2 tsp. (2.5 ml)          1 pc - 1/4 tsp. (1.25 ml)          Handle dimension: Length-12 cm x 1 cm (minimum)          Measuring capacity engraved on the handle          Strip Handles have provision for hanging          Preferably with packing case          Smooth finish surfaces without sharp edges          Dishwasher safe          Must be branded.</p>	set	750		
36	SPOON, WOODEN	<p>Type: Wooden Spoon          Body Shape: Oval          Material: Hardwood          Dimensions: Length- 10 inches x Width- 2 inches (minimum)          Bowl dimension: Length -3 inches X Width 2 inches X Depth -3/4 inches (minimum)</p>	pc	180		

		<p>Total Length: 10 inches (minimum)          Preferably with a packing case          Smooth surface finish and no sharp edges          Handle with provision for hanging storage purposes          Must be branded</p>				
37	STRAINER	<p>Type: Basket          Body Shape: Round          Material: Stainless steel frame &amp; stainless steel wire mesh          Strainer diameter: 8 inches (minimum)          Thickness of frame: 1.59 mm thick (minimum)          Durable tough Wooden Handle with stainless steel rod rim          Basket material: stainless steel wire mesh, very fine mesh          Half-rounded mesh          Preferably with packing case          Smooth surfaces and no sharp edges          The materials used must be non-toxic          Must be branded.</p>	pc	180		
38	TIP, DECORATING	<p>Type: Tube Tips          Body Shape: Nozzles with different shape          Material: Stainless Steel          Tube Height: 3.5 cm to 5 cm          Tube Diameter: 2 cm to 3.5 cm          Thickness: 0.5 mm (minimum)          Tube Tip: Assorted Designs (create swirls, rosettes, flowers, roping, stars, leaves and other designs)          Comes with 24 different shapes of nozzles packed in plastic storage box          Smooth and deformities free          Must be branded</p>	pack	600		
39	WEIGHING SCALE, 10 KGS	<p>Type: Top loading Dial Weighing Scale          Body Shape: Flat Pan</p>	unit	180		

		<p>Material: Aluminum pan and metal body (enamel painted)  Dimension: (L X W X H) 26 cm x 21 cm x 26 cm (minimum)  Platform L-22 cm x W-22 cm (minimum)  Capacity: 10 kg / 22 lb.  Sensitivity/Graduated by 10 grams  Measurement units: Gram/Kilogram  Manual Setting on Zero, must be accurate and durable  Mechanism type: Spring Lever  Preferably with packing case  No sharp edges and rough surfaces  Comes with English User's manual that contains Operation guide, maintenance and troubleshooting procedure  Must be branded</p>				
40	WEIGHING SCALE,5 KGS, DIGITAL	<p>Type: Digital Weighing Scale  Material: Hard Plastic body, Stainless Steel Weighing Pan  Overall Dimension: (L x W x H) 24 cm x 16 cm x 7 cm (minimum)  Stainless Steel Weighing Pan size: (L x W) 13 cm x 13 cm (minimum)  Power Source: Battery Operated (Batteries are included) or Optional with AC/DC Adaptor  Power Rating: 3 Volts DC - 9 Volts DC (Battery)  Capacity: 2 kg -5 kg  Weighs in 0.1 (1/10th) grams increments  LCD display: 16 mm height with backlights  Preferably with packing case  Safety Features: Auto Power off function and Tare features  Accessories: Weighing pan and batteries  Comes with English User's manual that contains: Operation guide, maintenance and troubleshooting procedure  Must be branded.</p>	unit	180		

41	WIRE WHISK, MEDIUM	Type Wire Whisk, medium Material: Stainless steel wire Dimensions (L x W): 25.4 cm x 7 cm (minimum) Handle length: 10 cm (minimum) with hanging loop No. of wires: 6 wires Wire Diameter: 1.8 mm (minimum) Preferably with a packing case Dishwasher safe Must be branded.	pc	180		
----	-----------------------	--	----	-----	--	--

NOTE: For the technical specifications of each item in the tools and equipment for the various specializations and distribution list, which can be downloaded in Excel and Word format from this link: <https://tinyurl.com/TVL-Tools-2024-Docs>

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**Lot 2: Caregiving NC II**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1.	Airpot	1.Type: Water Heater 2.Outer Material: Hard Plastic, (PP) Polypropylene, Heat Resistant 3.Cavity Material: Stainless Steel 4.Capacity: 2.5 liters 5.Voltage : 220/240 volts AC 50/60 Hz. 6. Power in watts: 500 to 800 watts 7.Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide 8. The item must be branded and good quality.	unit	4		
2.	Apron	1.Type: Bib Apron 2.Material : Polyester - Cotton Fabric 3.Length : 20 to 24 inches (minimum) 4. Width 2 to 3 bottom pockets; 5. Color: Any 6.The item must be of good quality	pc	4		
3.	Baby bath tub	1.Material: Hard / Sturdy Plastic, (PP) Polypropylene 2.Color : Any 3.Dimension : (L x W x H) 670 to 700 mm x 400 to 420 mm x 160 to 190mm (minimum) 4. Thickness: 3 mm to 6 mm (minimum) 5.The item must be of good quality	pc	12		

4.	Baby blanket	<p>1.Type: Blanket  2.Material: 100% Cotton  3.Color: White  4.Dimension : ( L x W ) 38 to 42 inches x 28 to 32 inches (minimum)  5.Washable  6.The item must be of good quality.</p>	pc	5		
5.	Basin (small)	<p>1.Material : Hard Plastic, (PP) Polypropylene  2.Color : Any  3.Dimension : 280 - 320 mm diameter x 80 - 120 mm high (minimum)  4.Wall Thickness : 2 mm to 4 mm (minimum)  5. The item must be of good quality.</p>	pc	5		
6.	Bath Towel/ Towellete	<p>1.Type: Bath  Towel  2.Material: 100% cotton  3.Color: White  4.Dimension : ( L x W ) 120 - 125 cm x 60 - 65 cm (minimum)  5.Washable  6.The item must be of good quality</p>	pc	5		
7.	Bedpan	<p>1.Material : Hard Plastic, (PS) Polystyrene  2.Color : Any Color  3.Dimension : ( L x W x H ) 22 - 26 cm x 27 - 32 cm x 7 - 12 cm (minimum)  approximate  4.Capacity : 1 liter (minimum)  5.Thickness : 2 to 5 mm  6.Saddle-shaped and lightweight  7. The item must be of good quality</p>	pc	5		
8.	Blanket	<p>1.Type: Blanket  2.Material:  Cotton  3.Color : White</p>	pc	5		



		3.Dimension : ( L x W ) 80 - 90 inches x 54 - 64 inches approximate 4.Washable 5. The item must be of good quality				
9.	Bottle Sterilizer, electric	1.Type: Electric Steam Sterilizer 2.Material: Hard Plastic ( P E ) Polyethylene or its equivalent 3.Color: Any Color 4.Capacity: 6 bottles (minimum) 5.Sterilizes bottle and accessories by steam 6.with Automatic Power Shut-off function 7.Dimensions: 8.Power Supply: 220 V-240V AC, 50/60 Hz. 9.The item must be of good quality	unit	5		
10.	Bread toaster	1.Type: Electric Bread Toaster 2.Dimensions (W x D x H): 25 -30 cm x 15 -20 cm x 18 -22 cm (minimum) approximate 3.Capacity: 2 slices 4.Power Supply: 220V-240V AC, 50/60 Hz. 5. 400 to 600 W (minimum) 6.The item must be of good quality.	unit	5		
11.	Burping cloth	1.Type: Burping Cloth 2.Material: 100% cotton 3.Color: Any Color 4.Dimension: Length : 17 - 19 cm Width : 14 -16 cm (minimum) 5.Washable 6. The item must be of good quality.	pc	5		
12.	Cane	1.Type: Adjustable offset walking cane 2.Material : Aluminum 3.Tip Size : 18	pc	5		

		<p>4.Height Adjustment: 31 inches to 39 inches (with 1 inch. increment)</p> <p>5.Weight Capacity: 200 - 250 lbs. (minimum)</p> <p>6.With rubber handle; with push-button height adjustment</p> <p>7.The item must be of good quality</p>				
13.	Carpet 4 ft. x 8 ft.	<p>1.Material: Polyester</p> <p>2.Color: Any Patterned Color</p> <p>3.Dimension: 48 inches x 96 inches (minimum)</p> <p>4.The item must be of good quality.</p>	pc	5		
14.	China ware	<p>1.Material: Porcelain</p> <p>2.fit to be used in ovens and microwaves</p> <p>3.Specific Dimensions: Dinner plate diameter: 10 inches (minimum)</p> <p>4.Salad plate diameter: 7 inches (minimum)</p> <p>5.Bowl diameter: 5 inches (minimum)</p> <p>6. Mug: 12 oz. (minimum)</p> <p>7. The item must be of good quality</p> <p>8. Set includes: 1 piece Dinner plate, 1 piece Salad plate, 1 piece bowl, 1 piece mug</p>	set	5		
15.	Clothes brush	<p>1.Type: Rectangular clothes brush</p> <p>2.Handle Material: Wood</p> <p>3.Bristle Material: Plastic Bristle</p> <p>4.Color: Any Color</p> <p>5.Overall Dimension : ( L x W x H ) 140 -160 mm x 45 -60 mm x 20 -30 mm (minimum)</p> <p>6.The item must be of good quality.</p>	pc	5		
16.	Clothes hamper	<p>1.Type: Square Hamper</p> <p>2.Material: Polyester</p> <p>3.Color: Any Color</p> <p>4.Dimension : ( L x W x H cm) 32 to 34 cm x 36 to 38 cm x 56 to 58 cm (minimum)</p> <p>5.The item must be of good quality</p>	pc	5		

17.	Clothes rack	<p>1.Type: Single-Pole Clothes Rack</p> <p>2.Material: Stainless Steel</p> <p>3.Dimension : ( L x W x H) 30 to 32 inches x 14 to 18 inches x 62 to 64 inches (minimum)</p> <p>4.Comes with 4 caster wheels.</p> <p>5.The item must be of good quality</p>	unit	5		
18.	Comforter	<p>1.Type: Comforter</p> <p>2.Material: Polyester</p> <p>3.Color: Any Color</p> <p>4.Dimension : ( L x W ) 84 to 88 inches x 62 to 65 inches (minimum)</p> <p>5.Thickness : 20 -30 mm ( minimum )</p> <p>6.Washable</p> <p>7. The item must be of good quality</p>	pc	5		
19.	Commode	<p>1.Type: Foldable Commode</p> <p>2.Durable Plastic Snap - on seat and lid without pushing buttons</p> <p>3.Blue powder -coated steel -welded construction</p> <p>4.Plastic arms for added comfort</p> <p>5.Comes complete with 12 qt. commode bucket with carry handle, cover and splash shield.</p> <p>6.Specifications: Width 18 inches between arms / 22.5 inches Outside approximate</p> <p>7.Seat Dimensions : W 32 -36 cm x D 35 -40 cm , Height 38 -54 cm approximate</p> <p>8. Weight 13 lbs. , Weight Limit 350 lbs.</p> <p>9.The item must be branded and have good quality</p>	pc	5		
20.	Cooking utensils	<p>1.Material : Stainless Steel</p> <p>2.The set is comprised of ff;;1 pc. - 16 x 9.5 cm sauce pan with glass lid (minimum)</p>	set	5		

		<p>3.1 pc. - 16 x 9.5 cm casserole with one glass lid, (minimum)</p> <p>4.1 pc. - 18 x 10.5 cm casserole with glass lid, (minimum)</p> <p>5.1 pc. - 20 x 11.5 cm casserole with glass lid, (minimum)</p> <p>6.The item must be of good quality.</p>				
21.	Crutches (adjustable)	<p>1.Type: Adjustable Crutches</p> <p>2.Set includes: 3 pcs./set</p> <p>3.Material: Aluminum Powder-Coated</p> <p>4.Color : Any Color</p> <p>5.Weight Capacity : 300 lbs. (minimum)</p> <p>6.Dimensions: Youth Size</p> <p>7.User Heights: 4 ft.6 inches to 5 ft. 2 inches</p> <p>8.Underarm Height: 37 inches to 46 inches</p> <p>9.Adult size: User Heights: 5 ft. 2 inches to 5 ft.10 inches</p> <p>10.Underarm Heights : 45 inches to 53 inches</p> <p>11.Tall Adult Size : User Heights : 5 ft. 10 inches</p> <p>12.Underarm Height : 53 inches to 61 inches</p> <p>13.The item must be of good quality</p>	set	5		
22.	Cutlery	<p>1.Material: Stainless Steel</p> <p>2. 20 pieces set for 4</p> <p>3. 4 dinner knives</p> <p>4. 4 dinner forks</p> <p>5. 4 dinner spoons</p> <p>6. 4 salad forks</p> <p>7. 4 tea spoons</p> <p>8.The item must be of good quality.</p>	set	5		
23.	Cutting Board, plastic	<p>1.Material: Polyethylene plastic</p> <p>2.Color: Any Color</p> <p>3.Dimension : (L x W x H) 240 - 260 mm x 140 - 160 mm x 10 - 15 mm (minimum)</p> <p>4.Reversible Cutting Surface</p> <p>5. The item must be of good quality</p>	pc	5		

24.	Digital Thermometer	<p>1.Case Material: Hard plastic ( P E ) Polyethylene</p> <p>2.Color : Any Color</p> <p>3.Range: 32 C - 42.9 C (90.0F-109.9F)</p> <p>4.Accuracy: ± 0.1C 35.5C-42.0C (± 0.2 F 95.9F-107.6F)</p> <p>5.Battery Operated</p> <p>6.Memory: Last measuring reading</p> <p>7.Alarm: Approx. 10 seconds sound signal when peak temperature reached.</p> <p>8.The item must be of good quality.</p>	pc	10		
25.	Dressing trolley	<p>Material: Shelves: Powder-coated steel sheet</p> <p>2. Dimensions : ( W x D x H) 48 - 50 cm x 48 - 50 cm x 83 - 85 cm (minimum)</p> <p>3. Number of Shelves: 2</p> <p>4. With four revolving castors, two Lockable</p> <p>5. The item must be of good quality</p>	unit	10		
26.	Electric knife	<p>1.Type: Electric Knife</p> <p>2.Material: Stainless Steel and Hard Plastic ,(PE) Polyethylene</p> <p>3. Power Supply : 220/240 volts, AC 50/60 Hz.</p> <p>4.Dimensions: 4.25 X 2.75 X 11.88 inches (minimum)</p> <p>5. Comes with touch button control, safety lock and English user's manual.</p> <p>6.Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide</p> <p>7.The item must be branded and good quality.</p>	unit	10		
27.	Face Towel/ Towellete	<p>1.Type: Face Towel</p> <p>2.Material: 100% Cotton</p> <p>3.Color: White</p> <p>4.Dimension : ( L x W ) 28 -32 cm x 28 -32 cm (minimum)</p> <p>5.Washable</p> <p>6.The item must be of good quality</p>	pc	5		

28.	Feeding Bottle brush (cleaning feeding bottles)	1.Bristle Material: Nylon 2.Color: Any Color 3.Handle Material: Hard Plastic, (PS) Polystyrene 4.Total Length: 280 -320 mm (minimum) 5.Fit with the standard feeding bottle for the baby 6.Comes with nipple brush 7.Washable. 8. The item must be of good quality	pc	5		
29.	Feeding Utensils (Child)	1.Material: hard plastic , (PS) Polystyrene 2.Sets Includes: 6 pcs./set 3. 1 pc. Knife 4.1 pc. - plate 5.1 pc. - bowl 6.1 pc. - cup 7.1 pc. - fork 8.1 pc. - spoon 9.Color : Any 10.The item must be of good quality.	set	5		
30.	First Aid Kit	Type: Emergency case; Contents: First Aid Quick Reference Guide, 1pc; Sterize Gauge Swab(4 x4 x12 ply) 100 pcs/pack, 1 pack; Adhesive strips/Band -Aid, 50 pcs/pack, 2 packs; Gloves, disposable, medium size, 2 pairs; Hypo Allergenic adhesive tape, 5cm x 5cm, 2 rolls; Triangular bandage/arm sling, min 90cm x 90cmx 120cm, 2pcs; Safety pins, 1 1/4 inches, (12 pcs), 1 3/4 inches (12 pcs); Stainless steel bandage scissors, 2pcs; Betadine, 60ml, 2 -3 years expiration, 2 bottles; Dust mask, 2pcs;	packa ge	5		

		<p>Hand towels or face towels, white color, 6 pcs;  Gauze bandage, minimum 5cm x 4cm, 2 rolls;  Antiseptic handwash/germicidal soap, 60 gms , 2pcs;  Torniquet, 2 pcs;  Spirit of ammonia, 30ml, 2-3 years expiration, 1 bottle;  Burn cream ointment, 20g to 30g, 2- 3years expiration, 1 tube;  Medical tweezers min. 8cm, plastic, 2pcs;  Plastic bags, resealable, minimum of 24pcs, 100mm x 180mm, 24pcs, 150mm x 230mm  Cotton balls , 50 balls in a sealed package, 2 packs  Hot and Cold pack, reuseable, 1 pack  Water resistant and sturdy case w/ handle that can accommodate all the listed items.</p>				
31.	Flat sheet	<p>1.Type: Bed Sheet  2.Material: 100% Cotton  3.Color: White  4.Dimension: Width - 137 -145 cm Length - 180 -200 cm (minimum)  5.Washable  6. The item must be of good quality.</p>	pc	5		
32.	Garbage Bin	<p>Type: Swivel Lid Garbage Bin  Body Shape: Round  Material: Hard Plastic, Polypropylene  Dimension: Diameter-26 cm x Height-47 cm (minimum)  Capacity: 4 gallons (minimum)  Removable dome shape Lid with spring return swivel  Preferably with a packing case  Color: Any color  Smooth and no rough surfaces</p>	pc	5		
33.	Gloves, Rubber (15 mils)	<p>Medium size(# 8)  Super Nitrile, flocklined interior (acid/solvent resistant)</p>	pc	5		

		Individually packed For hand protection				
34.	Gloves, Surgical (disposable)	1.Material: Latex 2.Color: White 3.Thickness: .09 mm (minimum) 4.Disposable and Sterile 5.The item must be of good quality	pc	5		
35.	Gown (hospital)	1.Type: Unisex Hospital Gown 2.Material: Polyester-Cotton 3.Color: Any Color 4.Size: One size fits all 5.Comes with overlap back closure 6.The item must be of good quality.	pc	5		
36.	Grooming kit (hairbrush comb, nail cutter, nail brush)	1.Set includes: 6 pcs./set (minimum) 2.Materials: stainless steel and hard plastic 3.2 nail clippers / trimmers of different sizes 4. 1 multipurpose scissors 5. 1 ear pick 6. 1 tweezer 7. 1 comb 8.The item must be of good quality	set	5		
37.	Hand towel	1.Type: Hand Towel 2.Material: 100% Cotton 3.Color: Any color 4.Dimension : (L x W ) 65 - 75 cm x 32 - 42 cm (minimum) 5.Washable. 6.The item must be of good quality.	pc	5		



38.	High chair/ booster seat/ portable seat	<p>1.Material: Foldable powder coated steel frame or its equivalent</p> <p>2.Phone type: Corded</p> <p>3.Polyester Harness, seat/back cushion</p> <p>4.Overall Dimensions (L x W x H): 65 - 75 cm x 50 - 60 cm x 90 - 102 cm (minimum)</p> <p>5.Capacity: 40 lbs. (minimum)</p> <p>6.With 3-position seat recline</p> <p>7.The item must be of good quality</p>	unit	5		
39.	Hot water bag	<p>1.Material: Rubber or its equivalent</p> <p>2.Color: Any Color</p> <p>3.Overall Dimension: (LxW) 200 - 300 mm x 150 - 200 mm (minimum)</p> <p>4.Leak-Proof and Washable.</p> <p>5.The item must be of good quality.</p>	pc	12		
40.	Kettle	<p>1.Material: Heat-resistant hard plastic</p> <p>2.Capacity: 1 -1.5 liters (minimum)</p> <p>3.Height: 25 -35 cm (minimum) approx.</p> <p>4.Voltage: 220/240 volts, AC 50/60 Hz.</p> <p>5.Power in watts: 1000 to 1500 watts</p> <p>6.Comes with automatic shut-off feature and permanent water level indicator.</p> <p>7.Pitcher-type with pouring.</p> <p>9.Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide</p> <p>8.The item must be branded and good quality</p>	pc	10		
41.	Measuring Cups, 1/4, 1/3, 1/2, 1 cup set	<p>1.Material: Stainless Steel</p> <p>2.Set includes: 4 pcs./set;</p> <p>3. 1 pc. - 1/4 cup (60 ml)</p> <p>4.1 pc. - 1/3 cup (80 ml)</p> <p>5. 1 pc. - 1/2 cup (125 ml)</p> <p>6. 1 pc. - 1 cup (250ml)</p>	set	5		

		7.Thickness: .5 mm to 1 mm (minimum) 8.The item must be of good quality.				
42.	Medical Tray	1.Type: Tray 2.Material: Stainless Steel 3.Dimension : ( L x W x D ) 300 - 350 mm x 200 - 250 mm x 12 - 19 mm. (minimum) 4.Thickness: .7 to 1 mm (minimum) 5.The item must be of good quality.	pc	5		
43.	Mixing Bowl, stainless steel, 6-piece set	1.Material: Stainless Steel 2.Quantity of set: 6 pcs./set 3.Dimension : 3/4 qt., 1.5 qt., 3 qt., 4 qt., 5 qt., 8 qt. 4.The item must be of good quality.	set	5		
44.	Pail, plastic 10 liters	1) Material: Polyethylene Plastic 2) Dimension: 25 -30 cm diameter x 23 -27 cm depth (minimum) 3) Color: Any color 4) Chromed finished handle 5) Capacity: 10 liters (minimum) 6) Material must be non-toxic 7) The item must be of good quality	pc	10		
45.	Pans	1.Type: FryingPan 2.Material: Stainless Steel 3.Handle: With hard plastic heat insulation 4.Tempered glass lid with steam hole 5.Size : 23 -26 cm with lid 6. The item must have good quality	pc	5		
46.	Peeler	1) Type: Peeler 2) Blade Material: Stainless steel 3) Handle Material: Stainless steel 4) Overall dimensions: 18 x 8 cm (minimum) 5) The item must be branded	pc	5		

47.	Pick up forcep	<p>1.Type: Curved forceps</p> <p>2.Material: Stainless steel</p> <p>3.Overall length: 100 -130 mm (minimum)</p> <p>4.Comes with self-locking</p> <p>5.The item must be of good quality.</p>	pc	5		
48.	Pillow	<p>1.Material: Cotton</p> <p>2.Color: Any Color</p> <p>3.Dimensions : ( L x W ) 50 -56 cm x 75 -80 cm (minimum)</p> <p>4.with 4 inches hems; washable</p> <p>5.The item must be of good quality</p>	pc	5		
49.	Pillow case	<p>1.Material: Cotton</p> <p>2.Color: Any Color</p> <p>3.Dimensions : ( L x W ) 50 -56 cm x 75 -80 cm (minimum)</p> <p>4.with 4 inches hems</p> <p>5. Washable</p> <p>6.The item must be of good quality</p>	pc	5		
50.	Portable mixer	<p>1.Type: Portable Mixer</p> <p>2.Material : Stainless Steel ,Clear Acrylic</p> <p>3.Capacity : 16 -18 oz. (minimum)</p> <p>4.Size : 170 - 220 mm x 75 - 100 mm</p> <p>5.Requires 2 AAA batteries</p> <p>6.Power in watts: 250 to 300 watts</p> <p>7.The item must be of good quality.</p>	unit	10		
51.	Potato masher	<p>1.Type: Potato Masher</p> <p>2.Material : Stainless Steel and Hard Plastic</p> <p>3.Mesh head diameter: 70 - 90 mm (minimum)</p>	pc	10		

		<p>4.Overall length : 250 -270 mm (minimum)  5.Handle length : 120 -140 mm (minimum)  6.Washable  7.The item must be of good quality</p>				
52.	Pots	<p>1.Type: Cooking pot  2.Material: Stainless Steel  3.Set includes: 4 pcs./set  4. 1 x Pot with lid  5. 1 x Pan with lid  6.1 x Strainer  7.1 x Egg steamer  8.Size : ( L x W x H ) 40 to 42 cm x 12 to 14 cm x 26 to 28 cm  9.The item must have good quality</p>	pc	10		
53.	Skillet	<p>1.The item shall have the following specifications. Material including handle:  Cast iron  2. Color: Any Color  3.Dimension (Dia. x Depth): 250 -320 mm x 50 - 70 mm (minimum)  4.Handle casted with the body and having plastic or rubber heat insulator  5.Body Thickness: 1.5 -3 mm (minimum)  6. Washable  7. The item must be branded and have good quality.</p>	pc	2		
54.	Sphygmomanometer	<p>1.Type:  Aneroid  2.Material : Nylon cuff and inflation bag, Die -cast zinc manometer  3..Package Included : 1 x Aneroid sphygmomanometer ,  4.Size : ( L x W x H cm ) = 18 to 20 cm x 11 to 13 cm x 11 to 13 cm  5.Nylon zippered carrying case  6.Capacity: 0 to 300 mm Hg  7.The item must have good quality</p>	pc	5		

55.	Stethoscope	<p>1.Type: Dual Head Stethoscope  2.Material: Stainless Steel chestpiece and eartubes  3.Reinforced PVC tubing  4.Soft PVC eartips  5.Color: Any Color  6.Bell diameter: 18-25 mm approx.  7.Diaphragm diameter: 25-50 mm approx.  8.Overall Length: 66-75 cm (minimum)  9.The item must be of good quality</p>	pc	5		
56.	Urinal	<p>1.Type: Unisex portable urinal  2.Material: Hard Plastic, (PP) Polypropylene  3.Color: Any Color  4.Total Capacity: 28 oz. minimum  5.Dimension : ( L x W x H ) 270 to 290 mm x 145 to 160 mm x 70 to 80 mm (minimum)  6. Thickness : 1 mm to 3 mm (minimum)  7. The item must be of good quality.</p>	pc	5		
57.	Vacuum cleaner – Heavy Duty	<p>1.Material:Plastic ( PP) Polypropylene or its equivalent  2. COLOR: Any Color  3.Suction power: 18 to 22 kpa (minimum)  4.Tank Capacity: 24 Liters (minimum)  5.Vacuum Hose Length: 6 to 8 ft. (minimum )  6.Power Supply: 220 V - 240 V AC, 50/60 Hz.  7.With accesories: Extension Wand, Utility Nozzle, Standard Paper Filter  8.Comes with english manual that contains: users guide, list of parts, maintenance guide, safety guide  9.The item must be branded and good quality</p>	unit	5		
58.	Wheel chair	<p>1.Type: Foldable Wheel Chair  2.Overall Dimensions : (L x W x H) 40 - 44 inches x 26 - 30 inches x 34 - 38 inches</p>	unit	5		

		(minimum) 3.Folded Dimensions : (L x W x H) 40 to 44 inches x 10 to 14 inches x 34 to 38 inches (minimum) 4.Capacity: 350 lbs. (minimum) 5.With padded arm rests; with Push-To-Lock Wheel Brakes 6.The item must be of good quality.				
--	--	--	--	--	--	--

NOTE: For the technical specifications of each item in the tools and equipment for the various specializations and distribution list, which can be downloaded in Excel and Word format from this link: <https://tinyurl.com/TVL-Tools-2024-Docs>

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**Lot 3: Computer System Servicing (NC II)**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Allen Wrench	1. Material: chrome vanadium steel, HRc 38 to 60; 2. Set of 10 pieces: 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 5.5 mm, 6 mm, 8 mm, 10 mm; 3. With holder/ring to keep the set intact; 4. Label of sizes engraved in each Allen wrench; 5. Smooth surfaces and no sharp edges 6. Plastic pack by set	set	30		
2	Anti-Static Device (Anti-static Wrist Strap)	Consists of: a) Adjustable and elastic wristband with integrated 1 Mega Ohm Resistor, b) banana plug with alligator clip for connecting to ground (or equivalent), c) at least 59" long coiled cord; d) non toxic material e) Carton box or plastic pouch packaging	pc	30		
3	Combination Pliers, 8"	Type: Combination pliers; Body shape: Square nose Material: Chrome vanadium/forged steel Length: 9 inches (minimum) Insulation range: 1000 volts (etched on the handle) Design: Square nose with serrated jaw Comes with nickel plated finish, side cutter and insulated handle Must be branded (Brand must etched either in the head or on the handle)	pc	40		

4	Crimping Tool (RJ 11/45)	<ol style="list-style-type: none"> <li>1. Ratchet Crimp Tool</li> <li>2. ALL-IN-ONE tool that can strip, cut, and crimp</li> <li>3. lightweight steel frame</li> <li>4. RJ-11/45 Compatible</li> <li>5. Positions for 8P/8C, 6P/6C and 4C Connectors</li> <li>6. Lightweight, compact, and durable</li> <li>7. Smooth surface and no sharp edges except cutting edges</li> <li>8. Carton box packaging</li> </ol>	pc	40		
5	Desoldering pump	<ol style="list-style-type: none"> <li>1. Material : Plastic or aluminum housing;</li> <li>2. Replaceable heat-resistant plastic tip;</li> <li>3. Length : Minimum of 6 inches;</li> <li>4. Effective in removing solder;</li> <li>5. Smooth surface and no sharp edges</li> <li>6. Carton or plastic packaging</li> </ol>	pc	60		
6	Electric Drill, Portable	<p>Type: Electric power  Material: Hard plastic  Rated voltage: 220 / 240 volts, AC 60 Hz  Power in watts: 550 to 650 watts  Speed: Variable speed  Chuck capacity: 2 to 13 mm  Power cord must have flat blade attachment plug (Type A plug)  Comes with HSS Drill bits: 2mm 4pcs. 4 mm 4pcs. 6 mm 4pcs. 8 mm 4pcs.  10 mm 4pcs.  12 mm 4pcs. 12.5 mm 4pcs. Total- (28 pcs) Masonry drill bits; 4 mm 2pcs.  6 mm 2pcs.  8 mm 2pcs. 10 mm 2pcs. 12 mm 2pcs. Total- ( 10 pcs.)  With hammer function for concrete drilling  Comes with English user's manual that includes the following: a. a diagram of the parts with label; b. assembly instructions; c. operating procedures; d. safety precautions when using the equipment; e. basic troubleshooting</p>	unit	10		



		and maintenance procedures. Warranty period of parts and service: 1 year				
7	External optical drive	<ol style="list-style-type: none"> <li>1. Interface: USB 3.0 or better;</li> <li>2. Compatibility: Windows 2000, XP, Vista, 7, 8, 10, Apple Mac, Linux or better;</li> <li>3. Read Speed: at least 8x DVD, at least 24x CD;</li> <li>4. Write Speed: at least 4x DVD, at least 16x CD;</li> <li>5. Package includes: <ol style="list-style-type: none"> <li>a) 1 x External optical drive,</li> <li>b) 1 x USB Power Cable,</li> <li>c) 1 x USB Data Cable,</li> </ol> </li> <li>6. Item size: 5.4"x 5.51"x0.63"(L x W x H) approximate</li> <li>7. Metal or hard plastic casing</li> <li>8. Smooth surface and no sharp edges</li> <li>9. Carton box packaging</li> <li>10. With User's Manual in English which includes: <ol style="list-style-type: none"> <li>a. a diagram of the parts with their names,</li> <li>b. operating procedures</li> </ol> </li> <li>11. With Service centers located in major cities in the Philippines.</li> </ol>	package	6		
8	Flash drive	<ol style="list-style-type: none"> <li>1. Capacity: 32 GB ;</li> <li>2. Connectivity: USB 3.0, Backward-Compatible with USB 2.0, Plug and Play ;</li> <li>3. Device/OS compatibility: Windows Vista, Windows 7, 8, 10, Mac OS 10.6+ or later versions;</li> <li>4. Form: Swivel type or with cover;</li> <li>5. Dimension: 0.40 x 0.80 x 2.31 in. (10.16 x 20.32 x 58.67 mm) approximate</li> <li>6. Metal or hard plastic casing</li> <li>7. Smooth surface and no sharp edges</li> <li>8. Carton and/or plastic packaging</li> </ol>	pc	30		

		9. User's Guide on name of parts, connection guide, maintenance and safety precautions.				
9	Flashlight, head-mounted	<ol style="list-style-type: none"> <li>1. Type: Rechargeable, Head mounted LED flashlight;</li> <li>2. Minimum of 160 lumens;</li> <li>3. Beam Distance: minimum of 150 meters;</li> <li>4. Includes 220 V AC Charger/Power Adaptor (or equivalent);</li> <li>5. Charging time: 3-6 hours;</li> <li>6. Provides up to 30 hours (minimum) of constant light on a single full charge;</li> <li>7. Approximate Size: 60X 30mm</li> <li>8. Smooth surface and no sharp edges</li> <li>9. Carton box or plastic pouch packaging.</li> <li>10. With User's Manual in English which includes: <ol style="list-style-type: none"> <li>a. a diagram of the parts with their names,</li> <li>b. operating procedures</li> <li>c. safety precautions when using the equipment,</li> <li>d. basic troubleshooting and maintenance procedures.</li> </ol> </li> </ol>	pc	20		
10	Hub / Switch	<ol style="list-style-type: none"> <li>1. Standards and Protocols: IEEE 802.3, IEEE802.3u, IEEE802.3X CSMA/CD</li> <li>2. Interface: 8 10/100Mbps Ports, Auto-Negotiation, Auto-MDI/MDIX</li> <li>3. External Power Supply Adapter: 100-240VAC,50/60Hz</li> <li>4. Fanless</li> <li>5. Data Rates: 10/100Mbps at Half Duplex ; 20/200Mbps at Full Duplex</li> <li>6.LED indicator: Power, 1, 2, 3, 4, 5, 6, 7, 8</li> <li>7.Dimensions: 5.3 x 3.1 x 0.9 in. (134.5 x 79 x 22.5mm) (Approx.)</li> <li>8. Transfer Method: Store and Forward</li> <li>9. Advance Functions: Green Technolgy, saving power up to 73%; 802.3X Flow Control, Back Pressure; Auto-Uplink Every Port</li> <li>10. Certification: FCC, CE, RohS</li> <li>11. Package Contents: 8-Port 10/100Mbps Desktop Switch, Power Adapter, User Guide</li> </ol>	unit	20		

		<p>12. System Requirements: Microsoft Windows 98SE, NT, 2000, XP, Vista or Windows 7, Windows 8, Mac OS, Netware, Unix or Linux.</p> <p>13. Operating Temperature: 0°C-40°C (32°F-104°F)</p> <p>14. Storage Temperature: -40°C-70°C (-40°F-158°F)</p> <p>15. Operating Humidity: 10%-90% non-condensing</p> <p>16. Storage Humidity: 5%-90% non-condensing</p> <p>17. Dimension: 141.5 x 78.5 x 23.8 mm (5.57 x 3.09 x 0.94 inches) approximate</p> <p>18. Metal or hard plastic casing</p> <p>19 Smooth surface and no sharp edges</p>				
11	LAN Cable tester	<p>1 Cable Tester with LED indication for RJ12, RJ11, RJ45, Cat5e, Cat5, 10/100 Base-T;</p> <p>2 Main tester: 1-2-3-4-5-6-7-8-G;</p> <p>3 Remote tester: 1-4-3-2-5-6-7-8-G;</p> <p>4 Power supply: 9 V battery (included);</p> <p>5 Capable of testing crossover, straight-through, and rollover cables;</p> <p>6 Includes plastic case or pouch;</p> <p>7 With User's Manual in English which includes:</p> <p>a. a diagram of the parts with their names,</p> <p>b. operating procedures</p> <p>c. safety precautions when using the equipment,</p> <p>d. basic troubleshooting and maintenance procedures.</p> <p>8 With Service centers located in major cities in the Philippines.</p> <p>9. Material: ABS</p> <p>10. Size: 103×100×30mm/4.06×0.39×1.18in approximate</p> <p>11. Smooth surface and no sharp edges</p>	unit	10		
12	Long Nose Pliers, 8"	<p>1 Material: chrome vanadium steel, HRc 38 to 60;</p> <p>2 Length: 7 inches (minimum);</p> <p>3 Handle type: curved handle with rubber cushion for easy grip;</p> <p>4 Jaws type: knurled and long tempered;</p>	pc	30		

		<p>5 Comes with hardened cutting edges and chrome-nickel finish.</p> <p>6. Smooth surface and no sharp edges</p> <p>7. Carton or plastic packaging</p>				
13	Multimeter, digital	<p>Material: Plastic casing</p> <p>Main functions: AutoRange/Data hold/Back light/ LED lamp/Diode test/Triode test/Continuity/ Over load protection/Low Battery Indication/Auto Power Off/Short-circuit protection.</p> <p>Display: True RMS, 6000 counts, 3 5/6 digits</p> <p>Overload Display: Display OL</p> <p>DC Voltage:600mV/6V/60V/600V(0.5%+3), 1000V (0.5%+3)</p> <p>AC Voltage:600mV/6V/60V/600V/750V (0.8%+5)</p> <p>DC Current:600A/6000A/60mA/600mA/10A (1.2%+3)</p> <p>AC Current:600A/6000A/60mA/600mA/10A (1.5%+3)</p> <p>Resistance:600/6K/60K/600K/(1.0%+3) ,6M/60M (1.5%+3)</p> <p>Capacitance: 10nf/100nf/1000nf/10uf/100uf/1000uf (4.0%+5), 10MF/100MF(5.0%+5)</p> <p>Frequency/Duty:10Hz/100Hz/1000Hz/10kHz/ 100kHz/ 1000kHz (1.0%+3),10MHz/(3.0%+3)</p> <p>Package Content: (a.) 1 x Digital Multimeter, (b.) 1 x Test Leads, (c.) 2 x 1.5V (AA or AAA) Battery, (d.) 1 x User manual in english, operating procedures, safety precautions when using the equipment, basic troubleshooting and maintenance procedures, (e.) 1 x Temperature Probe (Thermocouple)</p> <p>With Safety Level/Certification: IEC, CE or equivalent</p> <p>With carton box</p>	pc	30		
14	Patch panel (48 ports)	<p>1. Network Patch Panel</p> <p>2. 48 port Patch Panel</p> <p>3. CAT6 Cable</p> <p>4. Material: ABS Plastic</p> <p>5. Application: UTP(Unshielded)</p>	package	40		

		<p>6. Certification: RoHS, ISO, CE</p> <p>7. RJ45 Connector : two rows (1-24 ports &amp; 25-48 ports)</p> <p>8. Transport package: 1PCS/Box</p> <p>9. Smooth surface and no sharp edges</p>				
15	PC Video camera	<p>1) 5.0 Mega Pixel Web Camera, USB-type;</p> <p>2) With Microphone for Laptop and Desktop PC use;</p> <p>3) Resolution: at least 640 x 480;</p> <p>4) Support Windows XP/7/8/equivalent Mac OS or later versions;</p> <p>5) With User's Manual in English which includes:</p> <p>a) a diagram of the parts with their names,</p> <p>b) operating procedures</p> <p>c) basic troubleshooting and maintenance procedures.</p> <p>6) Hard plastic or metal casing</p> <p>7) Smooth surface and no sharp edges</p> <p>8) Carton or plastic packaging</p>	unit	20		
16	Phillip's screwdriver, 8" insulated	<p>1. Shank Material: chrome vanadium steel, HRc 38 to 60;</p> <p>2. Handle Material: Molded Plastic</p> <p>3. Overall length: 8 inches (minimum)</p> <p>4. Insulation protection (including shank): 1000VAC/ 1500VDC, VDE Certified (or its equivalent)</p> <p>5. Non slip handle design</p> <p>6. Carton or plastic packaging</p>	pc	20		
17	Precision Screwdriver Set	<p>1. Material: Hardened and tempered steel;</p> <p>2. 1 set comes with the following:</p> <p>a) 3 x Phillips tip No. 00, 0, and 1 ;</p> <p>b) 6 x Standard tip No. 1, 1.2, 1.4, 1.8, 2.4, and 3.0;</p> <p>c) 1 x Awl;</p> <p>d) 1 x Magnet;</p> <p>e) plastic storage case;</p> <p>3. Non slip design handle</p>	set	40		

18	Soldering Iron, 60W	<ol style="list-style-type: none"> <li>1. Type: Iron rod</li> <li>2. Voltage: 220/240VAC, 60Hz, Single phase;</li> <li>3. Power: 60W (minimum);</li> <li>4. Body Length: 8.3 inches (21 cm) approximate</li> <li>5. Cord Length: 1.5 meters (minimum)</li> <li>6. Handle: Plastic; (non slip handle)</li> <li>7. With user's manual written in English that contains user's guide, operating procedure, parts with description, safety procedure, and maintenance;</li> <li>8. Interchangeable copper tip;</li> <li>9. Should have available spare parts nationwide for a minimum period of 5 years;</li> <li>10. Carton and/or plastic packaging</li> </ol>	pc	20		
19	Standard screwdriver (Flat), 8" insulated	<ol style="list-style-type: none"> <li>1. Shank Material: chrome vanadium steel, HRc 38 to 60;</li> <li>2. Handle Material: Molded Plastic</li> <li>3. Overall length: 8 inches (minimum)</li> <li>4. Insulation protection (including shank): 1000v, VDE Certified (or its equivalent)</li> <li>5. Non slip handle design</li> <li>6. Carton or plastic packaging</li> </ol>	pc	20		
20	Uninterruptible Power Supply (UPS)	<p>The item shall have the following specifications:</p> <ol style="list-style-type: none"> <li>1. Type: Battery (included): Lithium ion battery or Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof</li> <li>2. Voltage: Nominal Input Voltage: 230V, 50/60 Hz</li> <li>3. Output Power Capacity: 600VA (minimum)</li> <li>4. Output Connections :2 Universal Receptacle (minimum)</li> <li>5. Cord Length: 1 meter (minimum)</li> <li>6. Maximum Input Current: 5A</li> <li>7. Protection: Overload, Short Circuit, Over Discharge &amp; Over Charge</li> <li>8. Transfer Time: 10ms maximum</li> </ol>	unit	20		

		<p>9. Size (Approx.): (H) 223mm x (W) 143mm x (D) 347mm</p> <p>10. Metal and/or hard plastic casing</p> <p>11. Smooth surface and no sharp edges</p> <p>12. Carton box packaging</p> <p>13. With User's Manual in English which includes:</p> <p>a. a diagram of the parts with their names,</p> <p>b. operating procedures / wire connections</p> <p>c. safety precautions when using the equipment,</p> <p>d. basic troubleshooting and maintenance procedures.</p>				
21	USB External HD	<p>1) 1TB Portable/External Hard Drive</p> <p>2) Application: Laptop / Desktop PC</p> <p>3) Interface Type: SATAII</p> <p>4) Installation: Mobile</p> <p>5) Formatted Capacity: 1000GB(Windows Display about 298GB)</p> <p>6) Size(mm): 14.29 x 80.01 x 17.60 (Approx.)</p> <p>7) Metal Casing</p> <p>8) Comes with USB 3.0 cable (18 inch minimum)</p> <p>9) User's manual (English) on name of parts, user's guide, wiring connection, safety precautions and maintenance</p> <p>10) Smooth surface and no sharp edges</p> <p>11) Optinal Colors: Black</p> <p>12) Carton box or plastic pouch packaging</p>	pc	10		
22	Wire stripper	<p>Type: Spring-loaded self opening;</p> <p>Body shape: Long jaw with slot</p> <p>Blade material: Hardened alloy steel (sharp edges to strip and cut the wires)</p> <p>Wires to be stripped: 10 AWG to 24 AWG</p> <p>Length: 7 inches (minimum)</p> <p>Comes with automatic self- adjusting spring, crimping slot, and hard</p>	pc	20		

		plastic handle Must be branded				
23	Wireless Access Point	<p>Type: Wireless access point Dual band</p> <p>WiFi Band / DataTransfer Rate: 867 Mbps at 5 GHz and 300 Mbps at 2.4 GHz band</p> <p>Operating Modes: Access Point (AP), Bridge, Wireless Client, Repeater</p> <p>Interface: One 10/100M Ethernet Port(RJ45), Support Passive PoE</p> <p>Power On/Off Button and Reset Button</p> <p>Comes with External Power Supply: 5VDC-12VDC / 0.5A-1.0A</p> <p>Dimensions ( L x W x D ): (76-191 x47-125 x30-68mm)</p> <p>Comes with at least 2 Antenna (External detachable)</p> <p>Operating Temperature: 0°C~40°C</p> <p>Storage Temperature: -40°C~60°C</p> <p>Operating Humidity: 10%~90% non-condensing</p> <p>Storage Humidity: 10%~85% non-condensing</p> <p>System Requirements: Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 10, MAC OS, NetWare, UNIX or Linux.</p> <p>Wireless Security (any): 64/128/152-bit WEP / WPA / WPA2,WPA-PSK / WPA2-PSK</p> <p>Protocols: Supports IPv4 and/or IPv6</p> <p>Plastic or metal casing</p> <p>The item must be branded.</p> <p>With User's Manual in English which includes:</p> <ol style="list-style-type: none"> <li>a. operating procedures,</li> <li>b. safety precautions when using the equipment,</li> <li>c. basic troubleshooting and maintenance procedures.</li> </ol> <p>Carton box packaging</p>	unit	20		

NOTE: For the technical specifications of each item in the tools and equipment for the various specializations and distribution list, which can be downloaded in Excel and Word format from this link: <https://tinyurl.com/TVL-Tools-2024-Docs>



I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**Lot 4: Cookery NC II**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Apple corer	Type: Apple Corer Body Shape: Tubular Material: Stainless Steel Total Length: 18 cm (minimum) Handle material: hard plastic, Polypropylene Handle Dimension: Length-10 cm x diameter-2 cm (minimum) Blade size: Length-8cm x Diameter-2 cm (minimum) Preferably with packing case Dishwasher Safe	pc	138		
2	BAIN MARIE, TABLE	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum) Power Soiuce: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb	unit	29		

		<p>Drain valve with attached gate valve 1/2 inch</p> <p>No rough surfaces and rough edges</p> <p>Accessories: 4 pcs Pans with lid</p> <p>Preferably with packing case</p> <p>Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure.</p> <p>The offered brand of the item must be an international brand with at least 5years presence at the local market and global presence in the USA, Europe or Japan market.</p> <p>Warranty period of 1 year (parts) and 3 years (service)</p> <p>With Service centers located in major cities in the Philippines</p>				
3	BLENDER, ELECTRIC	<p>Type: Blender Machine</p> <p>Body Shape: Round Jar</p> <p>Material Housing: Plastic (Polypropylene)</p> <p>Jar Height : 25 cm to 28 cm</p> <p>Jar Thickness: 4 mm to 8 mm</p> <p>Heat resistant Glass Jar with cover</p> <p>Source Voltage: 220 Volts / 240 Volts,50 Hz / 60 Hz with power cord 1.5 meter long with attachment of standard Type A male plug or provide plug Adapter 10A/220V.</p> <p>Power Wattage: 300 to 700 watts</p> <p>Blade: Stainless steel, 3 to 4 metal blades</p> <p>Capacity: 1.5 liters to 2 liters</p> <p>With 5 to 10 push button speed setting with pulse control switch</p> <p>Preferably with packing case</p> <p>With English Manual that contain: Operation guide, maintenance andtroubleshooting procedure</p> <p>With Service centers located in major cities in the Philippines.</p> <p>The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe</p>	unit	29		

		or Japan market. Warranty period of 1 year (parts and service)				
4	Board, Chopping/Cutting, plastic	Type: Cutting Board Body Shape: Rectangular Material: Plastic (Polypropylene), food grade Board Size: Length: 15 inches (minimum) Width: 12 inches (minimum) Thickness: 0.5 inch (minimum) With hole for storage purposes Preferably with packing case Food Grade and Dishwasher Safe	pc	290		
5	Boiler, Double	Material: Stainless steel Thickness: 1/16 inch (1.5 mm) (minimum) Lid material: Glass Riveted handle on both side Diameter: 9 1/2 inches (minimum) Total Height: 9.4 inches (minimum) Inset Bottom Diameter: 9 inches (minimum) Inset Top Diameter: 9 inches (minimum) Capacity: 2 liters (minimum) Must be a set which includes one (1) saucepan, one (1) boiler, and one (1) lid With Stainless steel handle and smooth surfaces with no sharp edges	pc	29		
6	BRAISING PAN, MEDIUM	Type: Braising Pan Body Shape: Round Material: Enameled cast iron and stainless steel Size: Diameter: 28 cm x Height: 10 cm (minimum) Capacity: 4 Liters (Approximate) With stainless steel cover, solid cast Stainless Steel side handles and riveted Handle on both side: Length: 10 cm (minimum)	pc	207		

		<p>Handle diameter: 8 mm to 10 mm</p> <p>Preferably with packing case</p> <p>Oven-safe up to 500 ° F; broiler, freezer, and Dishwasher-safe</p> <p>Warranty period of 1 year (parts and service)</p>				
7	Can Opener	<p>Type: Can Opener</p> <p>Body Shape:</p> <p>Materials: Stainless Steel</p> <p>Dimension: Length-21 cm x Width 10 cm x Depth:2.5cm (minimum)</p> <p>Multi-use: 3 in 1 Can Opener also opens bottle tops- Can lids and tabs</p> <p>Includes hanging loops on the end of each handle</p> <p>Double Round handles that are comfortable and easy to grip</p> <p>With rotating wheel and counter rotating serrated wheel</p> <p>Preferably with packing case</p> <p>Cutting Mechanism leaves a smooth edge on the can for your safety</p>	pc	164		
8	CART, UTILITY	<p>Type: Utility Cart</p> <p>Body Shape: Rectangular</p> <p>Material: Plastic, Polypropylene(PP)</p> <p>Dimension: (L x W x H) 84 cm x 43 cm x 95 cm (minimum)</p> <p>Capacity: 330 lbs (150 kg) loads (minimum)</p> <p>Three (3) Shelving with at least 25 cm distance between shelves</p> <p>Tub shelf measure (L x W x D) 84 cm x 43 cm x 7 cm (minimum)</p> <p>With four (4) Swivel Caster, 10 cm diameter, two which have locking brakes</p> <p>Preferably with a packing case</p> <p>Easy grip handles on each end of cart</p> <p>No sharp edges and rough surfaces</p>	unit	134		
9	CASSEROLE, MEDIUM	<p>Type: Casserole Pot</p> <p>Body Shape:Round</p> <p>Material:Stainless steel, 0.7 mm thick</p> <p>Dimension: Diameter- 24 cm x Height -14 cm (minimum)</p> <p>Tempered glass lid</p>	pc	311		

		<p>Welded handle on both sides, size: 7.5 cm (minimum)          Handle diameter: 8 mm to 10 mm          Preferably with packing case          Dishwasher safe</p>				
10	CASSEROLE, SMALL	<p>Type: Casserole Pot          Body Shape: Round          Material: Stainless steel, 0.7 mm thick          Dimension: Diameter- 20 cm x Height -12 cm (minimum)          Tempered glass lid          Welded handle on both sides, size: 7.5 cm (minimum)          Handle diameter: 8 mm to 10 mm          Preferably with packing case          Dishwasher safe</p>	pc	58		
11	COLANDER, MEDIUM	<p>Type: Colander, Medium          Body Type: Round          Material: 304 Stainless steel          Diameter: 30 cm (minimum)          Capacity: 8 quarts (9 liters)          Welded handle on both sides, size: 7.5 cm (minimum)          Handle diameter: 8 to 10 mm          Body Thickness: 0.8 mm (minimum)          Full-ring support base, 15 cm diameter          Preferably with a packing case          Food grade and Dishwasher safe</p>	pc	123		
12	COLANDER, SMALL	<p>Type: Colander (Small)          Body Shape: Round          Material: 304 Stainless steel          Diameter: 26 cm (minimum)          Capacity: 5 quarts (5.6 liters)          Welded handle on both sides, size: 7.5 cm (minimum)</p>	pc	226		

		<p>Handle diameter: 8 mm to 10 mm  Body Thickness: 0.8 mm (minimum)  Full-ring support base, 15 cm diameter  Preferably with packing case  Food grade and Dishwasher safe</p>				
13	CUP, MEASURING (FOR SOLID)	<p>Type: Measuring Cup Set  Body Shape: Round  Material: Stainless steel, 0.7 mm thick (minimum)  Each set contains the following:  1 pc - 1 cup (237 mL)  1 pc - 1/2 cup (118 mL)  1 pc - 1/3 cup (79 mL)  1 pc - 1/4 cup (59 mL)  Handle dimension: Length-12 cm x Width-1 cm (minimum)  Measuring capacity engraved on the handle  Strip Handles have provision for hanging  Preferably with packing case  Smooth surfaces and dishwasher safe</p>	set	127		
14	DISPENSER, PAPER TOWEL	<p>Type Paper Towel Dispenser  Body Shape: Rectangular  Material: ABS plastic  Dimensions: Length =260 mm x Width =100 mm x Height = 211 mm (minimum)  Capacity: 200 paper  Paper size: Length-20 cm x Width- 8 cm (Approximate)  Mounting style: wall mounted tissue box  Comes with 4 pcs screw, 4 pcs Tox for mounting and 1 pc Key to prevent random opening  Preferably with a packing case  The plastic material used must be non-toxic</p>	pc	29		

15	Fan, Electric	<p>Stand fan, electric  Material: Metal, plastic  Size/Diameter: 18 inches  Power rating: 70 watts (minimum), 220 / 240 VAC, 50 / 60 Hz, Single Phase  Rotation Angle: 90 degrees  Base: Stable, 16 inches diameter (approx.)  Removable metal guard on front and rear  3-speed settings  Comes with 1.5 meters power cord and with molded male plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option)  Smooth surface, no sharp edges  Includes User's Manual in English which contains:  a. A Diagram of the Parts with their Names,  b. Operating Procedures on how to use the Equipment,  c. Safety Precautions when using the Equipment,  d. Basic Troubleshooting and Maintenance Procedures  With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item  1 year warranty parts and service</p>	unit	29		
16	Fire Extinguisher (with contents)	<ol style="list-style-type: none"> <li>1.For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate)</li> <li>2.Portable type</li> <li>3.Capacity : 5 - 6 kgs</li> <li>4.Rechargeable Cylinder Metal</li> <li>5.Working pressure of Cylinder : 400 psi</li> <li>6.Brass Valve with Pressure Gage</li> <li>7.With Rubberized Hose and Aluminum Nozzle Attached</li> <li>8.With Squeeze lever to discharge and safety pin</li> <li>10.Painted with Metal Primer and Red Enamel Paint</li> <li>11.Includes with User's Guide in English that contains: <ol style="list-style-type: none"> <li>a. Operating procedure on how to use the equipment</li> </ol> </li> </ol>	pc	116		



		<p>b. Safety precaution when using the equipment</p> <p>12.1 year warranty parts and service</p> <p>13.The item must be branded and have good quality</p>				
17	FISH POACHER, MEDIUM	<p>Type: Fish Poacher</p> <p>Body Shape: Oval Pot for Poaching</p> <p>Material: Stainless Steel, 0.64 mm thick</p> <p>Dimensions (L x W x D): 45 cm x 15 cm x 12 cm (minimum)</p> <p>Handle Material: Stainless Steel</p> <p>Riveted looped handles on both side, 7 cm (minimum)</p> <p>Handle diameter: 8 mm to 10 mm</p> <p>Includes stainless steel lid with handle and removable insert</p> <p>Dimensions of the insert (L X w x D): 42 cm x 13 cm x 1.5 cm (minimum) with handle</p> <p>Preferably with a packing case</p> <p>Easy care, dishwasher safe</p>	pc	121		
18	FORK, CARVING	<p>Type: Carving Fork</p> <p>Body Shape: Square shape prong</p> <p>Prong Material:High Carbon Stainless steel</p> <p>Overall Length: 30 cm (minimum)</p> <p>Blade dimension: Length- 15 cm x Width- 0.5 cm x thickness- 0.3 cm (minimum)</p> <p>Number of Prongs: 2 prong</p> <p>Comes with square- shaped prongs and pointed tips</p> <p>ABS PlasticTriple-riveted handle</p> <p>Preferably with packing case</p> <p>Dishwasher safe</p>	pc	280		
19	FORK, KITCHEN	<p>Type: Kitchen Fork</p> <p>Body Shape: Standard</p> <p>Material: Stainless steel</p> <p>Dimension: Length - 32 cm x Width- 3.5 cm (minimum)</p>	pc	88		

		<p>Fork Size: Length: 8 cm x Width -3.5 cm (minimum)  Handle :ABS Plastic  Number of Tines: 2 Tines with tapered end  Preferably witha packing case  Heat resistant up to 220 ° C  Dishwasher safe</p>				
20	FRYING PAN, LARGE	<p>Type: Frying Pan (large)  Body Shape: Round  Pan Material: Aluminum with non-stick coating  Thickness: 3 mm thick (minimum)  Dimension: Diameter-30 cm (minimum) x Height- 5.5 cm (minimum)  Handle Material: Stainless steel with Silicone  Riveted Handle: 20 cm long (minimum)  Preferably with a packing case  Oven safe up to 250°F</p>	pc	217		
21	FRYING PAN, MEDIUM	<p>Type: Frying Pan (medium)  Body Shape: Round  Pan Material: Aluminum with non-stick coating  Thickness: 3 mm thick (minimum)  Dimension: Diameter-24 cm (minimum) x Height- 4.5 cm (minimum)  Handle Material: Stainless steel with Silicone  Riveted Handle: 19 cm long (minimum)  Preferablywith a packing case  Oven safe up to 250°F</p>	pc	145		
22	FRYING PAN, SMALL	<p>Type: Frying Pan (small)  Body Shape: Round  Pan Material: Aluminum with non-stick coating  Thickness: 3 mm thick (minimum)  Dimension: Diameter-20 cm (minimum) x Height- 3.8 cm (minimum)  Handle Material: Stainless steel with Silicone</p>	pc	145		

		Riveted Handle: 12 cm long (minimum) Preferably with a packing case Oven safe up to 250°F				
23	FUNNEL, S/S, MEDIUM	Type:Stainless Steel Funnel Body Shape: Round Material: 304 Stainless Steel Dimension: Diameter-15 cm (minimum) x Height- 15.8 cm (minimum) Tube diameter: 2 cm x Length: 7.3 cm (minimum) Comes with handle for easy hanging Preferably with packing case Dishwasher safe	pc	145		
24	FUNNEL, S/S, SMALL	Type: Stanless Steel Funnel Body Shape: Round Material: 304 Stainless Steel Dimension: Diameter-11 cm (minimum) x Height- 10 cm (minimum) Tube diameter: 1.5 cm x Length: 5 cm (minimum) Comes with handle for easy hanging Preferably with a packing case Dishwasher safe	pc	145		
25	Garbage Bin	Type: Swivel Lid Garbage Bin Body Shape: Round Material: Hard Plastic, Polypropylene Dimension: Diameter-26 cm x Height-47 cm (minimum) Capacity: 4 gallons (minimum) Removable dome shape Lid with spring return swivel Preferably with a packing case Color: Any color Smooth and no rough surfaces	pc	321		
26	GLASS RACK	Type: Glass Rack Body Shape: Square	pc	71		

		<p>Material: Polypropylene Plastic</p> <p>Overall Dimensions: Length - 19 1/2 inches x Width - 19 1/2 inches x Height - 4 inches (minimum)</p> <p>Compartments: Full-size 25 individual compartment glass rack</p> <p>Compartment Dimensions: Length - 3 1/2 inches x Width - 3 1/2 inches x Height - 4 inches (minimum)</p> <p>Easy grip handles molded into all four sides</p> <p>Preferably with a packing Case</p> <p>The plastic material used must be non-toxic</p>				
27	KNIFE, BONING	<p>Type: Flexible Boning Knife</p> <p>Body Shape: Ergonomic</p> <p>Material: High Carbon Steel</p> <p>Overall Length: 28 cm (minimum)</p> <p>Blade: Length-15 cm x Width- 3 cm (minimum), Pointed tip</p> <p>Cutting edge angle from tip to the heel is 13 to 14 degrees</p> <p>Handle Length: 12 cm (minimum)</p> <p>Handle Material: Hard plastic handle with rivets</p> <p>Preferably wiht packing case</p> <p>Dishwasher safe</p>	pc	244		
28	KNIFE, CHEF	<p>Type: Chef's Knife</p> <p>Body Shape: Flat</p> <p>Materials: Stainless steel</p> <p>Overall length: 30 cm (minimum)</p> <p>Blade Size: Length - 20 cm x Width-4 cm (minimum)</p> <p>Blade thickness: 2.5 mm (minimum)</p> <p>Cutting Edge: Straight, pointed end</p> <p>Handle: Triple Riveted Plastic (Polypropylene)</p> <p>Preferably with packing case</p> <p>The plastic material used must be non-toxic</p>	pc	308		

		Dishwasher safe Must be branded.				
29	KNIFE, CLEAVER	Type: Cleaver Knife Body Shape: Flat Blade Material: Forged Stainless steel Heavy duty Blade length: 17 cm (minimum) Overall length: 30 cm (minimum) Cutting Edge: Straight Handle Material: Ergonomic Wood Handle with triple rivets Blade thickness: 3 mm (minimum) Blade width: 12 cm (minimum) Preferably with packing case The plastic material used must be non-toxic Dishwasher safe Must be branded	pc	111		
30	KNIFE, OYSTER	Type: Oyster Knife Body Shape: Ergonomic Blade material: Stainless steel Blade dimension: length - 7 cm (minimum) x Width - 2 cm (minimum) Blade thickness: 2 mm (minimum) Handle Material: Smooth wood handle Rounded Handle size: Length-10 cm x Diameter- 3.5 cm (minimum) Total length (from the tip of the handle up to tip of the blade) :17 cm (minimum) Preferably with a packing case Dishwasher Safe Must be branded	pc	137		
31	Light, Emergency	Emergency light, 2 heads LED Materials: metal, anti-rust coated Duration Time (2 heads): 5 hours (minimum)	pc	34		

		<p>Automatically Light Up during Power Outage  Overcharge and Over- discharge Protection  Built - In AC Charger, power cord plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option)  Battery Test Switch - External Safety Fuse  Head: White LED 1W (minimum) 3.5 " Dome Reflector  Power rating: 220 -240 VAC , 50/60 Hz  20-24 Hours Charge Time  Dimensions: Rectangular 27 x 7 x 27 cm (approx.)  Sooth surface, no sharp edges  Includes User's Manual in English which contains:  a. A Diagram of the Parts with their Names,  b. Operating Procedures on how to use the Equipment,  c. Safety Precautions when using the Equipment,  d. Basic Troubleshooting and Maintenance Procedures  The item must be branded, Brand name and electrical ratings permanently mark on the item.</p>				
32	MEAT SLICER, SMALL	<p>Type: Meat Slicer  Body Shape: Circular  Housing Material: Die Cast Aluminum Alloy and body painted  Dimensions: Width-40.5 cm x Depth- 45.7 cm x Height- 38 cm (minimum)  Stainless Steel Rotary Blade Diameter: 190 mm (minimum)  Power Source: 220 Volts-230 Volts, 60 Hz with power cord 1.5 meter long with attachment of standard Type A male plug or provide plug Adapter 10A/220V  Power Rated: 150 Watts (minimum)  Adjustment slicing /Cutting Thickness: 0 - 20 mm thick  Complete with push button switch, pilot light and adjustable control knob for slice thickness  Equipped with food carrier, slide bracket, locking plate, blade, knife</p>	unit	145		

		<p>sharpener, handle bar and fixed ring guard for safety          Preferably with a packing case          Comes with an English manual that contain: Operation guide, Safety guide,maintenance / troubleshooting procedure and list of parts.          With Service centers located in major cities in the Philippines.          Warranty period of 1 year (parts and service)          Must be branded</p>				
33	PAN, ROASTING	<p>Type: Roasting Pan          Body Shape:Rectangular          Material: Stainless steel          Dimension: Length: 40 cm x Width-35 cm x Height -7 1/2cm (minimum)          Thickness: 1.5 mm thick (minimum)          Welded handles on both sides          Removable Stainless steel wire rack          Rack dimension: Length: 38 cm x Width 23 cm (minimum)          Rack wire diameter: 0.5 cm (minimum)          Preferably with a packing case          Dishwasher Safe          Must be branded</p>	pc	226		
34	PEELER, Y- TYPE	<p>Type: Y-Type Peelers          Body Shape: Ergonomic          Material: Stainless Steel          Overall dimensions (L x W x H): 7 inches x 2 1/4 inches x 1 inch (minimum)          Blade Material: 304 Stainless steel, 0.7 mm          Head dimension: (L x W x H) 2 1/4 inches x 2 1/4 inches x 1 inch (minimum)          Handle Material: Stainless steel          Handle length: 4 3/4 inches x 1 inch diameter (minimum)          2 in 1 design with 2 blade reel, built in potato eye remover and hole for hanger          Preferably with a packing case</p>	pc	267		

		Food grade and non-toxic material. Must be branded				
35	PEPPER AND SALT MILL	Type: Pepper & Salt Mill Body Shape: Round BODY Material: Wood SIZE: Diameter: 5 cm x Height: 20 cm (minimum) Carved of wood with stainless steel grinding mechanism Color: Natural Screw Cap at the top of the mill to adjust the thickness of peeper or spices Preferably with a packing case Food grade and nontoxic Must be branded	pc	220		
36	PIPING BAG	Type : Piping Bag Body Shape: Triangular Material: Transparent Disposable Plastic for dispensing ingredients to pastries Length: 9 inches minimum Width: 3 inches (minimum) Volume: 500 ml (approximate) Preferablywith packing case Food grade Must be branded.	pc	225		
37	PLATE RACK	Type: Plate Rack Body Shape: Rectangular Material: 304 Stainless Steel Dimension: Length-475 mm x Width- 290 mm x Height- 380 mm (minimum) Heavy duty wire shelving, 2.6 mm diameter (minimum) Tubular Post Diameter: 20 mm thick (minimum) Drawer type drainer tray: (L x W x H) 430 mm x 250 mm x 20 mm (minimum)	pc	322		



		<p>Preferably with a packing case  With 2 tier dish drying rack with non-slip rubber footing  Must be branded</p>				
38	PREPARATION TABLE WITH SINK	<p>Type: Preparation Table with sink &amp; Sheleves  Body Shape: Rectangular  Material: Stainless steel, 1 mm thick (minimum)  Dimensions: L-1200 mm x W - 700 mm x H - 850 mm (minimum)  Stainless Steel table top and stainless steel under shelf fully welded construction  Sink: Left Side Single bowl sink with drainer 4 inches &amp; faucet provision  Sink dimension (L x W x D) 400 mm x 500 mmx 25 mm (minimum)  With Backsplash 100 mm (minimum)  Measured 600 mm between table top to under shelf  Welded Tubular Stainless Steel legs: Diameter 35 mm x 1mm thick (minimum)  Preferably with a packing Case  Comes with screw-type adjustable bullet feet  Smooth surfaces and no sharp edges  Warranty period of 1 year (parts and service)  Must be branded.</p>	unit	141		
39	PRESSURE COOKER	<p>Type: Pressure Cooker  Body Shape: Round  Material: Polished aluminum  Dimension: Diameter: 32 cm x Height: 25 cm (minimum)  Capacity: 10 quarts (11.3 liters)  Side handles for secure carrying  Equipped with safety opening mechanism, spring safety valve, rubber seal ring  Dishwasher safe  Comes with an English manual that contain: Operation guide, safety</p>	pc	29		

		<p>guide,maintenance / troubleshooting procedure.  With Service centers located in major cities in the Philippines.  Warranty period of 1 year (parts and service)  Must be branded.</p>				
40	SCISSOR, KITCHEN	<p>Type:Kitchen Scissor  Body Shape: Ergonomic  Blade Material: Stainless Steel, 2 mm thick  Handle Material heavy duty Acrylonitrile Butadiene Styrene (ABS) plastic  Overall Length: 20 cm (minimum )  Width: 7.5 cm (minimum)  Blade size: Length- 9 cm x Width-1.5 cm (minimum)  Preferably with a packing case  The plastic material used must be non-toxic  Must be branded.</p>	pc	108		
41	SCOOPER, ICE CREAM	<p>Type: Ice Cream Scooper  Body Shape: Round  Material: Stainless Steel  Scoop: Diameter- 5 cm x Deep-2.5 cm (minimum)  Handle length: 10 to 12 cm  With trigger spring handle and scoop scraper mechanism  Easy grip and durable  Preferably with a packing case  The materials used must be food grade and non-toxic.  Dishwasher Safe and Rust Free  Must be branded.</p>	pc	246		
42	SIEVER, SMALL	<p>Type: Fine Mesh Siever  Body Shape: Round  Material: Stainless steel  Diameter: 20 cm (minimum)  Depth: 7 cm (minimum)</p>	pc	215		

		<p>Twin wire handle: Length 20 cm x 5 mm diameter (minimum)          Fine Mesh: 0.7 mm (1/32 inch) (minimum)          Preferably with a packing case          Dishwashing safe          Must be branded</p>				
43	SKIMMER, FINE	<p>Type: Medium fine Mesh Skimmer          Body Shape: Round          Material: Stainless steel, polished          Overall Length: 34 cm (minimum)          Skimmer Head: Diameter -10 cm x Depth- 4 cm (minimum)          Diameter of holes: 2 mm (approx.)          Handle: Length- 12 cm x Diameter- 2 cm (minimum)          Handle has hole for hanging          Preferably with a packing case          Dishwashing safe          Must be branded.</p>	pc	225		
44	SKIMMER, SPIDER	<p>Type: Skimmer, spider          Body Shape: Round          Material: Stainless steel, polished          Overall Length: 35 cm (minimum)          Skimmer Head Diameter: 15 cm x Depth 4 cm (minimum)          Handle length: 12 cm x 2 cm diameter (minimum)          Preferably with a packing case          Dishwasher safe          Heat resistant Handle, non-slip          Handle has hole for hanging          Must be branded</p>	pc	217		
45	SOUP CUP RACK	<p>Type: Soup Cup Rack          Body Shape: Square          Material: Polypropylene Plastic</p>	pc	318		

		<p>Dimension: Length: 50 cm x Width: 50 cm x Height: 10 cm (minimum)          Compartment Length: 11 cm          Compartment Width: 11 cm          Compartment /Inside Height: 6.7 cm          No. of Compartment: 16 Compartments          Rounded handles on all four sides, 1.5 cm overlap and smooth sides          Preferably with a packing case          The material used must be non-toxic          Must be branded</p>				
46	SOUP LADLE, 3 OZ	<p>Type: Soup Ladle          Body Shape: Round          Material: Stainless steel          Thickness: 1 mm thick (minimum)          Handle Length: 28 cm (minimum)          Capacity: 3 oz. (85 ml)          Ladle type: Round bottom          Hooked handle design allows it to easily sit on the edge of pots.          Preferably with a packing case          Dishwasher safe          Must be branded</p>	pc	112		
47	SOUP LADLE, 6 OZ	<p>Type: Soup Ladle          Body Shape: Round          Material: Stainless steel          Thickness: 1 mm thick (minimum)          Handle Length: 30 cm (minimum)          Capacity: 6 oz. (170 ml)          Ladle type: Round bottom          Hooked handle design allows it to easily sit on the edge of pots.          Preferably with a packing case</p>	pc	228		

		Dishwasher safe Must be branded				
48	SOUP LADLE, 8 OZ	Type: Soup Ladle Body Shape: Round Material: Stainless steel Thickness: 1 mm thick (minimum) Handle Length: 30 cm (minimum) Capacity: 8 oz. (236 ml) Ladle type: Round bottom Hooked handle design allows it to easily sit on the edge of pots. Preferably with a packing case Dishwasher safe Must be branded	pc	286		
49	SOUP LADLE, 12 OZ	Type: Soup Ladle Body Shape: Round Material: Stainless steel Thickness: 1 mm thick (minimum) Handle Length: 34 cm (minimum) Capacity: 12 oz. (341 ml) Ladle type: Round bottom Hooked handle design allows it to easily sit on the edge of pots. Preferably with a packing case Dishwasher safe Must be branded	pc	122		
50	Spatula	type: Offset Spatula Body Shape: Flat Blade material: Stainless steel 316 Handle material: Hardwood (Smooth finish) with rivets Blade Dimension: Length= 7 .5 inches x Width-1.5 inches (minimum) Thickness of Blade: 1.7 mm thick (minimum)	pc	235		

		Total length = 12 to 14 inches Preferably with a packing case Dishwasher Safe Must be branded.				
51	SPOON, KITCHEN	Type: Kitchen Spoon Body Shape: Oval Material: Stainless Steel, 1.5 mm thick Overall length: 30.5 cm x Width-7.5 cm (minimum) Spoon Head Dimension (L x W) 9 cm x 7.5 cm (minimum) Handle: ABS Plastic Spoon Head: Oval Type Preferably with a packing case Heat resistant up to 220 ° C Dishwasher safe Must be branded.	pc	304		
52	SPOON, KITCHEN (SLOTTED)	Type: Kitchen Spoon Slotted Body Shape: Oval with slot Material: Stainless Steel, 1.5 mm thick Overall length: 30.5 cm x Width-7.5 cm (minimum) Spoon Head Dimension (L x W) 9 cm x 7.5 cm (minimum) Handle: ABS Plastic Spoon Head: Oval Type with slot at least 6 rectangular slots Preferably with a packing case Heat resistant up to 220 ° C Dishwasher safe Must be branded.	pc	233		
53	SPOON, MEASURING	Type: Measuring Spoon Body Shape: Bowl in shape Material: Stainless Steel, 0.7 mm thick (minimum) The set consists of the following sizes:	set	248		

		<p>1 pc - 1 tbsp. (15 ml)  1 pc - 1/2 tbsp. ( 7.5 ml)  1 pc - 1 tsp. (5 ml)  1 pc - 1/2 tsp. (2.5 ml)  1 pc - 1/4 tsp. (1.25 ml)  Handle dimension: Length-12 cm x 1 cm (minimum)  Measuring capacity engraved on the handle  Strip Handles have provision for hanging  Preferably with packing case  Smooth surfaces and dishwasher safe  Must be branded.</p>				
54	SPOON, PARISIENNE	<p>Type: Parisiennes Spoon  Body Shape: Round  Double headed Parisiennes scoop bar tool  Material: Stainless steel, polished  Overall length: 240 mm (minimum)  Scoop Diameter: 30 mm and 24mm (minimum)  With plastic handle (Polypropylene), Size: 130 mm x Width-20 mm (minimum)  Draining small hole in the scoop  Preferably with a packing case  Food grade and dishwasher safe  Must be branded.</p>	pc	220		
55	SPOON, SERVING	<p>Type: Serving Spoon  Body Shape: Oval  Materials: Stainless Steel  Dimension: length: 23 cm x Width: 5 cm (minimum)  Scoop dimension (L x W x D): 7 cm x 5 cm x 0.9 cm (minimum)  Spoon thickness: 1.6 mm (minimum)  Preferably with a packing case</p>	pc	658		

		Dishwasher Safe Must be branded.				
56	SPOON, WOODEN	Type: Wooden Spoon Body Shape: Oval Material: Hardwood Dimensions: Length- 10 inches x Width- 2 inches (minimum) Bowl dimension: Length -3 inches X Width 2 inches X Depth -3/4 inches (minimum) Total Length: 10 inches (minimum) Preferably with a packing case Smooth surface finished and no sharp edges Handle with provision for hanging storage purposes Must be branded	pc	234		
57	STOCK POT, LARGE	Type: Stock Pot, large Body Shape: Round Material: Stainless Steel, 0.8 mm thick (minimum) Top Diameter: 30 cm (minimum) Height: 31 cm (minimum) Capacity: 20 quarts (22.7 liters) Oven safe to 350°F and Dishwasher safe. With aluminum disc layer in bottom for even heat (5 mm aluminum core) Comes with a cover and two reinforced stainless steel handle on both sides Preferably with a packing case Dishwasher safe Must be branded.	pc	58		
58	STRAINER CHINOIS, MEDIUM	Type: Strainer Chinois, medium Body Shape: Conical Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 21.5 cm (minimum)	pc	87		



		<p>Handle length: 20 cm (minimum)  With 2 mm. (approx.) fine mesh  Handle has provision for hanging  Preferably with a packing case  Dishwasher Safe  Must be branded</p>				
59	STRAINER CHINOIS, SMALL	<p>Strainer Chinois, small  Body Shape: Conical  Material: Stainless steel  Strainer diameter: 14 cm (minimum)  Strainer depth: 13 cm (minimum)  Handle length: 15 cm (minimum)  With 1 mm (approx.) fine mesh  Handle has provision for hanging  Preferably with a packing case  Dishwasher Safe  Must be branded</p>	pc	58		
60	STRAINER MEDIUM, FINE	<p>Type: Strainer, medium fine  Body Shape: Round  Material: Stainless steel  Strainer diameter: 20 cm (minimum)  Strainer depth: 7 cm (minimum)  Handle length: 18 cm (minimum)  With 2 mm. (approx.) fine mesh  Strainer's two layers of tightly woven mesh catches  Handle has provision for hanging  Preferably with a packing case  Dishwasher safe  Must be branded.</p>	pc	58		

61	STRAINER SMALL, FINE	<p>Type: Strainer, small fine  Body Shape: Round  Material: Stainless steel  Strainer diameter: 13 cm (minimum)  Strainer depth: 5 cm (minimum)  Handle length: 13 cm (minimum)  With 1 mm. (approx.) fine mesh  Handle has provision for hanging  Preferably with a packing case  Dishwasher safe  Must be branded.</p>	pc	58		
62	Table, Working	<p>Type: Working Table, stainless Steel  Body Shape: Rectangular  Material: 304 Stainless Steel, 1.29 mm thick (Gauge 16) minimum  Length: 1220 mm (minimum)  Width: 700 mm (minimum)  Height: 850 mm (minimum)  Tubular Stainless Steel legs, 38mm (minimum) with 4 adjustable bullet feet  Fully welded construction  Thickness:Gauge 16 (1.29 mm thick) minimum  Stainless steel table top with stainless steel undershelf  Distance between table top and undershelf is 650 mm (minimum)  Preferably with a packing case or crate  No sharp edges and rough surfaces  Must be branded.</p>	unit	232		
63	TENDERIZER, MEDIUM	<p>Type: Tenderizer  Body Shape: Ergonomic  Material: Cast aluminum  Overall Length: 26 cm (minimum)  Dual-sided hammer, square head: 6 cm x 6 cm (minimum)</p>	pc	87		

		<p>Ridged surface with rows of dull, pyramid-shaped spikes</p> <p>Weight: 250 grams to 500 grams</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>Must be branded</p>				
64	THERMOMETER, POCKET /PIN	<p>Type: Pocket/Pen Thermometer</p> <p>Body Shape: Tubular</p> <p>Pen Style Digital thermometer</p> <p>Product size: 100 mm x 40 mm x 14 mm (minimum)</p> <p>Display size: 40 mm x 20 mm (minimum)</p> <p>Probe length: 200 mm (minimum)</p> <p>Measuring range: -50 °C to 300 °C (-58 °F to 372 °F)</p> <p>Resolution: 0.1 °C / 0.2 °F</p> <p>Accuracy: (+/-) 1°C</p> <p>With °C/°F selectable readout</p> <p>Auto power off</p> <p>Power Supply :1.5Volts, LR44 button battery (included)</p> <p>Comes with tubular plastic casing</p> <p>Preferably with cartoon packing</p> <p>Warranty period of 1 year (parts and service)</p> <p>Must be branded.</p>	pc	232		
65	TONG, 12 INCHES	<p>Type: Tong , 12 inches</p> <p>Body Shape: Standard</p> <p>Material: Stainless Steel</p> <p>Size: 12 inches</p> <p>Stainless-steel arms with soft, comfortable grips</p> <p>Nylon heads safe for nonstick cookware</p> <p>Heat-resistant up to 400 degrees Fahrenheit</p> <p>Tongs lock closed for storage</p> <p>Preferably with a packing case</p>	pc	279		

		Food Grade and Dishwasher-safe Must be branded				
66	TONG, 8 INCHES	Type: Tong, 8 inches Body Shape: Standard Material: Stainless Steel Size: 8 inches Stainless-steel arms with soft, comfortable grips Nylon heads safe for nonstick cookware Heat-resistant up to 400 degrees Fahrenheit Tongs lock closed for storage Preferably with a packing case Food Grade and Dishwasher-safe Must be branded		234		
67	TRAY, BAKING, SMALL	Type: Baking Tray Body Shape: Rectangular Material: Stainless Steel Dimension: 20 cm x 30 cm x 3.7 cm (minimum) Body thickness: 0.7- 1.0 mm Preferably with packing case Dishwasher safe Must be branded.	pc	341		
68	TRAY, UTILITY	Type: Utility Tray Body Shape: Rectangular Material: Stainless Steel Dimension: Length- 48 cm x Width-32 cm x Height-2.5 cm (minimum) Reinforced edges Finish: Polished Preferably with a packing case Washable and oven safe Must be branded.	pc	232		

69	TUBE, PASTRY	<p>Type: Pastry Tubes  Body Shape: Tube in different shape of nozzles  Material: Stainless Steel  Set contain: 24 different shapes of nozzles (minimum)  Tube Height: 3.5 cm to 5 cm  Tube Diameter: 2 cm to 3.5 cm  Thickness: 0.5 mm (minimum)  Tube Tip: Assorted Designs (create swirls, rosettes, flowers, stars, leaves and other designs)  Include storage box  Food grade and non-toxic  Must be branded</p>	pc	29		
70	TURNER 3" X 6"	<p>Type: Slotted Turner, 3" x 6"  Body Shape: Straight  Material: Stainless steel  Blade Size (Lx W): 6 inches x 3 inches (minimum)  Handle length: 5 inches (minimum)  Overall length: 13 inches (minimum)  Solid Turner with straight slotted blade  Wooden Handle with triple rivets  Preferably with a packing case  Dishwasher safe  Must be branded</p>	pc	116		
71	WEIGHING SCALE, 1 KG, DIGITAL	<p>Type: Digital weighing scale  Body Shape: Rectangular  Materials: Engineering Plastic and Stainless Steel weighing plate  Capacity: 1 kg  Accuracy: 1 gram  Back light LCD display with 15 mm minimum high digits  Weighing Units: gram, ounce, pound</p>	unit	58		

		<p>Size: (L x W x H mm ) 163 mm x 245 mm x 79 mmm (minimum)  Battery Operated, (batteries included)  Auto power "OFF" after 3 minutes without a change of load  Preferably with a packing case  With Service centers located in major cities in the Philippines.  Warranty period of 1 year (parts and service)  Must be branded.</p>				
72	WEIGHING SCALE, 5 Kilograms, Mechanical	<p>Type: Mechanical Weighing Scale  Body Type: Circular Bowl  Material: Stainless Steel bowl and metal body (coated)  Mechanism Type: Spring Lever  Capacity: 5 kg /11 lb.  Sensitivity/Graduated by 10 gm  Measurement units: Gram/Kilogram  Manual Setting on Zero, must be accurate and durable  Calibrate the scale using the adjustment knob  Preferably with a packing case  Delivery must include instruction manual written in good English  With Service centers located in the major cities in the Philippines  Warranty period of 1 year (parts and service)  Must be branded</p>	unit	232		
73	WIRE SKIMMER, SMALL	<p>Type: Skimmer, wire mesh  Body Shape: Round  Material: Stainless steel, polished  Overall Length: 40 cm (minimum)  Skimmer Head Diameter: 12 cm (minimum)  Diameter of holes: 2 mm (approx.)  Handle has hole for hanging  Preferably with a packing case</p>	pc	58		

		Dishwashing safe Must be branded.				
74	WIRE WHISK, HEAVY DUTY	Type: Wire Whisk, heavy duty Body Shape: Ballon Material: Heavy Duty Stainless steel Dimensions (L x W): 31.8 cm x 7.6 cm (minimum) Handle length: 12 cm (minimum) with hanging loop No. of wires: 8 wires Wire Diameter: 2 mm (minimum) Preferably with a packing case Dishwasher safe Must be branded.	pc	232		
75	WIRE WHISK, MEDIUM	Type Wire Whisk, medium Body Shape: Ballon Material: Stainless steel wire whisk medium Dimensions (L x W): 25.4 cm x 7 cm (minimum) Handle length: 10 cm (minimum) with hanging loop No. of wires: 6 wires Wire Diameter: 1.8 mm (minimum) Preferably with a packing case Dishwasher safe Must be branded.	pc	232		
76	WIRE WHISK, SMALL	Type: Wire Whisk, small Body Shape: Baloon Material: Stainless steel wire whisk medium Dimensions (L x W): 20.3 cm x 6 cm (minimum) Handle length: 10 cm (minimum) with hanging loop No. of wires: 6 wires Wire Diameter: 1.8 mm (minimum) Preferably with a packing case	pc	29		

		Dishwasher safe Must be branded.				
77	WOK, MEDIUM	Type: Wok, medium Body Shape: Round Material: Carbon steel Thickness: 1.8 mm thick (minimum) Dimensions (Dia. x H): 45 cm x 14 cm (minimum) Handle Material: Steel Riveted Convenient both side handle 10 cm (minimum) With flat bottom Preferably with a packing case Dishwashing safe Must be branded	pc	116		
78	WOK, SMALL	Type: Wok, small Body Shape: Round Material: Carbon steel Thickness: 1.5 mm thick (minimum) Dimensions (Dia. x H): 36 cm x 10 cm (minimum) Handle Material: Steel Riveted Convenient both side handle 8 cm (minimum) With flat bottom Preferably with a packing Case Dishwashing safe Must be branded	pc	58		
79	ZESTER	Type: Cheese Zester Body Shape: Standard Material: Stainless Steel Grating surface dimensions (L x W): 20.3 cm x 4 cm (minimum) Overall length: 32.5 cm (minimum) Handle material: plastic (Polypropylene)	pc	232		



	Ergonomic Handle Preferably with a packing case Dishwasher safe The plastic material used must be non-toxic Must be branded.				
--	--	--	--	--	--

NOTE: For the technical specifications of each item in the tools and equipment for the various specializations and distribution list, which can be downloaded in Excel and Word format from this link: <https://tinyurl.com/TVL-Tools-2024-Docs>

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**Lot 5: Food and Beverage Services NC II**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Chair, Dining	Type : Dining Side Chair Body shape: Square Material : Metal (Round or Square) Dimesion: Total height - 33" x 15" x15" (minimum) Capacity: 150 kg. Black Colored Powder Coated Frame with Foam on Seat Packed in carton box The item must have good quality	pc	1204		
2	Coffee Pot, 2 Pints	Type: Manual drip Body shape: Round Material : Stainless Steel with cover Capacity : 2 pints Outside Diameter : 90 -110 mm Over-all Height : 200 - 230 mm Thickness : 0.5 - 1 mm With handle and spout Packed in carton box The item must have good quality	box	122		
3	Container, Creamer	Design: Type: Porcelain with spout Body shape: Circular Material: Porcelain	box	205		

		<p>Diameter : 50 - 65 mm Height : 80 - 105 mm  Color : White  Appearance : Glossy White  Packed in carton box  The item must have good quality</p>				
4	Cups and Saucers 5-6 oz.	<p>1. Material : Porcelain  2. Capacity : 5 oz./140 ml  3. Heatproof up to 300 deg. C  4. Color : White  5. The item must be of good quality  6. Packed in carton box</p>	pc	876		
5	Folder, Menu	<p>Type: Leather Menu Folder  Body shape: Rectangular  Material: Leather With 2 Partitions and 6 Inserts  Size: 31.5cm X 24.5cm  Color: Brown/Black  Applicable paper size: A4</p>	pc	833		
6	Fork, Cocktail	<p>1. Material/Appearance: Stainless Steel, Highly Polished, w/ plain Design  2. Type : Rounded Tip Handle  3. Over-all Length : 110 - 165 mm  4. Width : 20 - 30 mm (minimum)  5. Handle Thickness : 2 mm to 4 mm  6. Handle Length : 75 - 90 mm  7. Small,  8. Color : Silver  9. The item must be branded and have good quality.  10. Packed in plastic pouch</p>	pc	834		
7	Fork, Dessert	<p>Type : Dessert Fork  Body shape: Fork shape, round tip  Material/Appearance : Stainless Steel, highly Polished,with plain Design,</p>	pc	953		

		<p>Rounded tip Handle  Length : 150 mm - 175 mm  Width : 20 - 30 mm  Handle Thickness : 1.5 mm - 3 mm  Number of Tines : 4  Handle : 130 mm (minimum)  Color : Silver  Packed in plastic pouch  The item must be of good quality</p>				
8	Fork, Dinner	<p>Type: Dinner Fork  Body shape: Fork shape  Material / Appearance : Stainless Steel, highly Polished, with 4 tines  Over - All Length : 120 - 175 mm  Thickness of Handle : 2 - 3 mm  Color : Silver  Packed in plastic pouch  The item must be of good quality</p>	pc	877		
9	Fork, Fish	<p>Type : Fish Fork  Body shape: Fork shape with round tip  Material / Appearance : Stainless Steel, highly Polished, With plain Design  Over-all Length : 180 - 215 mm  Fork Width : 1.5 mm - 3 mm  Fork Thickness : 1 mm - 2 mm  Number of Tines : 4  Length Handle : 120 - 130 mm  Handle Thickness : 2 mm - 3 mm  Color : Silver  Packed in plastic pouch  The item must be of good quality</p>	pc	876		
10	Fork, Oyster	<p>Type: Oyster Fork  Body shape: Fork shape</p>	pc	828		

		<p>Material: Stainless Steel, with high polish appearance, and with plain design  Length: 90 - 120 mm  Thickness: 1 mm - 3 mm  Silver Color with three short wide curved tines  Packed in plastic pouch  The item must be of good quality</p>				
11	Fork, Salad	<p>Type: Salad Fork  Body shape: Fork shape  Material/Appearance: Stainless Steel, highly polished, with 4 tines  Length: 150 mm - 175 mm  Thickness of Handle : 2 mm - 3 mm  Color: Silver  Packed in plastic pouch  The item must be of good quality</p>	pc	829		
12	Glass, Champagne Flute	<p>Type : Flute Glass  Body shape: Round  Material: Clear Crystal Glass  Dimension : Height: 20 -24 cm,  Top diameter: 50 -70 mm,  Bottom diameter: 60 - 80 mm  Capacity: 250 mL. (minimum)  Thickness: 1.5 - 3 mm  Packed in carton box  The item must have good quality</p>	pc	854		
13	Glass, Collins	<p>Type: Tumbler  Body shape: Round  Material : Clear Glass  Capacity : 10 oz to 14 oz  Thickness : 1.5 -3 mm (minimum)</p>	pc	828		

		Packed in carton box The item must have good quality				
14	Glass, Juice / Hi- Ball	1. Material : Clear Glass 2. Type : Hi-ball 3. Height : 140 - 160 mm 4. Bottom Diameter : 50 -70 mm 5. Top Diameter : 50 - 70 mm 6. Thickness : 2 - 4 (minimum) 7. Capacity : 8 oz. To 10 oz. 8. Dishwasher Safe 9. The item must be branded and good quality 10. Packed in carton box	pc	829		
15	Glass, Pilsner (Ice Tea Glass)	Type: Flaired Rim Body shape: Round slender Material: Clear Glass Capacity: 20 oz. to 23 oz. Over-all Length: 22 -25 cm Thickness of Glass : 1 -3 mm With flaired rim and slender shape Packed in carton box The item must have good quality	pc	829		
16	Glass, Red Wine	Type: Royalty Body shape: Balloon shaped bowl Material: Crystal Clear Glass Rim diameter : 55 - 60 mm Thickness : 1.5 mm - 3 mm Over - all Length : 200 -220 mm Capacity : 250 -300 ml Stem diameter : 6 - 8 mm Stem Length : 85 - 90 mm	pc	471		

		<p>Base diameter : 75 - 85 mm  Base Thickness : 2 - 4 mm  Packed in carton box  The item must have good quality</p>				
17	Glass, White Wine	<p>Type: Royalty  Body shape: Balloon shaped bowl  Material: Crystal Clear Glass  Rim diameter : 55 - 60 mm  Thickness : 1.5 - 3 mm  Over -all Length : 200 -220 mm  Capacity : 270 - 300 ml  Stem diameter : 6 - 8 mm  Stem length : 75 - 85 mm  Base diameter : 70 - 80 mm  Base thickness : 2 - 5 mm  Packed in carton box  The item must have good quality</p>	pc	436		
18	Gravy Boats	<p>Type: Steel Type  Body shape: Boat shape with handle  Material: Stainless Steel  Capacity : 5 oz.  Appearance: Mirror Polish Finish  Size :17cm x 7.3cm x 8.2 cm / 6.7 x 2.9 x 3.2 inches (minimum)  The item must have good quality  Packed in plastic pouch</p>	pc	876		
19	Ice Bucket ,2 liters with Tongs	<p>Type: Steel Type  Body shape: Circular  Set includes:  A. Ice bucket  Material : Stainless Steel</p>	pc	865		

		<p>Diameter : 140 - 180 mm  Height : 140 - 170 mm  Thickness of bucket : 0.7 - 2 mm  Capacity : 2 liters (minimum)  The item must have good quality</p> <p>B. Ice Tongs  Material: Stainless Steel  Dimension: Over-All Length: 150 -170 mm  Thickness : 0.5 mm – 0.7 mm  The item must be of good quality  Packed in carton box</p>				
20	Knife, Butter	<p>1. Material : Stainless Steel w/ highly Polished Appearance  2. Over-all Length : 140 mm - 150 mm  3. Handle Thickness : 3 mm - 5 mm  4. With Dull Edge and Rounded Tip  5. The item must have good quality.  6. Packed in carton box</p>	pc	877		
21	Knife, Dinner	<p>Type: Dinner Knife  Body shape: Flat with round tip  Material / Appearance : Stainless Steel Blade Highly Polished  Handle Material : Stainless Steel  Overall Length : 160 - 190 mm  Blade Thickness : 2 - 4 mm  Handle Thickness : 3 - 6 mm  Serrated Blade with Rounded Tip  Packed in carton box  The item must have good quality</p>	pc	237		
22	Knife, Fish	<p>Type : Fish Knife  Body shape: Flat with pointed tip  Material / Appearance : Stainless Steel, highly Polished w/ plain design</p>	pc	244		



		<p>Overall Length : 200 - 220 mm  Width Blade : 20 - 25 mm  Thickness of Blade : 2 mm - 4 mm  Thickness of Handle: 3 mm - 6 mm  Wide blade, dull edge, tip made with a notched point  Color : Silver  Packed in carton box  The item must have good quality</p>				
23	Knife, Salad	<p>Type: Salad Knife  Body shape: Semi rectangular blade with pointed tip  Material/Appearance: Stainless Steel, highly polished, w/ plain design  Overall Length: 145 -160 mm  Blade Thickness: 2 mm to 4 mm  Handle Thickness: 4 mm to 6 mm  Handle Material: Stainless Steel Rounded tip handle Packed in carton box  The item must have good quality</p>	pc	215		
24	Knife, Steak	<p>Type: Steak knife  Body shape: Flat with serrated edge  Material: Stainless Steel steel blade with wooden handle  Length: 170 mm to 203 mm  Handle wood Thickness: 10 - 14 mm  With serrated blade  Packed in carton box  The item must have good quality</p>	pc	184		
25	Napkin Holder	<p>Type: Steel Type  Body shape: Rectangular  Material : Stainless Steel with Highly Polished Appearance  Dimension : Width : 70 - 90 mm x Length : 150 - 170 mm , Thickness : 0.7 mm -2 mm</p>	pc	366		

		Packed in plastic pouch The item must have good quality				
26	Order pads	Type: Numbered pads Body shape: Rectangular Material : 80 gsm offset paper Each pad comes with a 100 sheets and corresponding copy page Each pad has sequentially numbered orders to make it easy to keep track With 100 sheets per pad and 10 pads included Can take 1000 orders before you run out Packed in a plastic pouch		793		
27	PEPPER AND SALT MILL	Type: Pepper & Salt Mill Body Shape: Round BODY Material: Wood SIZE: Diameter: 5 cm x Height: 20 cm (minimum) Carved of wood with stainless steel grinding mechanism Color: Natural Screw Cap at the top of the mill to adjust the thickness of peeper or spices Preferably with a packing case Food grade and nontoxic Must be branded	pc	964		
28	Plate Covers	Type: Steel Type Body shape: Circular Material: Stainless Steel, mirror polished Diameter: 10 1/4 inches (minimum) Height: 2 7/8 inches (minimum) Thickness: 1/16 inch. (minimum) With handle Packed in plastic pouch The item must have good quality	pc	876		

29	Plate, Dessert, 7"to 8"	<p>Type: Plain Type  Body shape: Circular  Material: Porcelain  Supply must be a set, consisting of one (1) of each:  7 inches and 8 inches plates  Color : White  Inner Diameter: 145 to 165 mm  Thickness : 3 to 6 mm  Smooth and Glossy Surfaces  Packed in carton box  The item must have good quality</p>	set	112		
30	Plate, Dinner, 10"	<p>Type: Plain Type  Body shape: Circular  Material: Porcelain with no Design  Color: White  Inner Diameter : 200 mm - 215 mm  Outer Diameter : 250 - 260 mm  Thickness : 3 mm - 6 mm  Smooth and Glossy Surfaces  Packed in carton box  The item must have good quality</p>	pc	805		
31	Plate, Fish, 8" to 9"	<p>Type: Plain Type  Body shape: Circular  Material : Porcelain with no Design  Supply shall be a set consisting of:  one (1) each 8 inches and one (1) each, 9 inches  Color : White  Inner Diameter : 165 mm - 190 mm (minimum)  Thickness : 3 mm - 6 mm  Smooth and Glossy Surfaces</p>	set	805		

		Packed in carton box The item must have good quality				
32	Salad Plates 7” to 8”	Type: Plain Type Body shape: Circular Material: Porcelain with no design Supply must be a set consisting of one (1) each: 7 inches and 8 inches plates Color: White Diameter (Inner): 150 mm - 165 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality	set	877		
33	Salt and Pepper Shakers	Type: Glass Type Body shape: Square Material: Glass and Aluminum Over-all Height: 75 -90 mm Length: 50 -60 mm Width: 50 -60 mm Aluminum cover Packed in carton box The item must have good quality	pc	299		
34	Sauce Ladles	Type: Spouted bowl Body shape: Circular with pouring spout Material: Stainless Steel, highly polished appearance Over-all Length: 220 -230 mm Ladle Bowl Length: 60 -65 mm long Ladle Bowl Diameter: 65 -70 mm Depth: 10 -15 mm Handle details:	pc	188		

		<p>150-155 mm long x 20 -30 mm wide x 2 - 4 mm thick  Color: Silver  With hang hole for hanging and easy access  Dishwasher safe  Packed in plastic pouch  The item must have good quality</p>				
35	Server, Cake	<p>1. Material : Stainless Steel Blade , Highly Polished Appearance  2. Over-all Length : 220 to 270 mm  3. Width : 60 - 80 mm  4. Thickness : 1.5 mm to 2 mm  5. Handle : 120 -140 mm long, non-toxic plastic  6. Shape : Shovel-shaped  7. Color : Silver  8. The item must have good quality  9. Packed in carton box</p>	pc	172		
36	Service Forks	<p>Type : Service Fork  Body shape: Fork shape  Material/Appearance: Stainless steel, highly polished, w/ palin design  Over-all Length: 220 mm - 260 mm  Width: 20 - 25 mm  Handle Thickness: 1.5 mm - 4 mm  Handle length - 165 mm - 185 mm  4 tines  Color: Silver  Packed in plastic pouch  The item must have good quality.</p>	pc	239		
37	Service Tray	<p>Type: Plastic  Body shape: Rectangular  Material: Plastic (PP)  Size : 14 inches x 18 inches X 1 inch (minimum)</p>	pc	234		

		Color : Any Packed in plastic pouch The item must have good quality				
38	Show/Service/ Base Plates 11" to 14"	Type: Plain Type Body shape: Round Material: Porcelain with no design Supply must be a set consisting (1) of each: - 11 inches, - 12 inches, - 13 inches, and - 14 inches plates Color: White Diameter, Inner : 225 mm - 250 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality	set	238		
39	Side Plates or Bread Plates 6"	Type: Plain Type Body shape: Round Material: Porcelain with no design Color: White Inner Diameter: 95 mm to 120 mm Outer Diameter: 145 mm to 170 mm Thickness : 3 mm - 6mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality	pc	889		
40	Side Towels	Type: Chef's towel Body shape: Rectangular Material: Oxford Polyester soft cloth	pc	332		

		<p>Over-all Length : 640 - 680 mm  Over-all Width : 420 -460 mm  Color : Plain White  Packed in plastic pouch  The item must have good quality</p>				
41	Silver Platter	<p>Type: Steel Type  Body shape: Round  Material: Stainless Steel  Diameter: 300 -330 mm  Thickness: 1 - 2 mm  Packed in plastic pouch  The item must have good quality</p>	pc	328		
42	Soup Bowl	<p>Type: Plain with two handles  Body shape: Circular  Material : Porcelain  Capacity : 24 oz. (minimum)  Packed in carton box  The item must have good quality  Packed in a carton box</p>	pc	896		
43	Soup Ladle	<p>Type: Steel Type  Body shape: Circular  Material: Stainless Steel, highly polished appearance  Over-all Length : 220 -235 mm  Ladle Bowl Details :  60 -65 mm long, 60 -75 mm diameter, 10 -15 mm deep  Handle Details :  145 - 155 mm long x 12 - 25 mm wide x 1.5 -3 mm thick  Color : Silver  With hang hole for hanging and easy access</p>	pc	180		

		Packed in plastic pouch The item must have good quality				
44	Soup Tureen	Type: Steel Body shape: Round Material: Stainless Steel Capacity: 7 - 11 quart Size : 60 x 35 x 32 cm (minimum) Packed in plastic pouch The item must have good quality	pc	167		
45	Spoon, Dessert	Type : Dessert Spoon Body shape: Oval Material/Appearance: Stainless Steel, highly Polished with plain design Over-all Length : 175 to 190 mm Thickness : 2 mm - 3 mm Shorter handle : 120 -130 mm Color : Silver Packed in plastic pouch The item must have good quality	pc	877		
46	Spoons, Service	Type : Service Spoon Body shape: Oval Material: Stainless steel, highly polished, w/ plain design Over-all Length: 220 mm - 250 mm Width: 30 - 38 mm Handle Thickness: 1.5 mm - 4 mm Handle length - 165 mm - 185 mm Color: Silver Packed in plastic pouch The item must have good quality	pc	335		



47	Spoons, Soup (Cream and Consume)	Type: Soup Spoon Body shape: Round Material/Appearance : Stainless Steel, highly polished, w/ plain design, rounded tip handle Over-all Length : 165 mm - 200 mm Smaller oval shaped spoon bowl and tapers slightly to the tip Shorter handle : 110 mm - 170 mm Thickness : 1.5 mm - 3 mm Color : Silver Packed in plastic pouch The item must have good quality	pc	877		
48	Sugar Container	Type: Glass Type Body shape: Round Material: Glass with brass lid (or equivalent) Diameter: 70 -80 mm Height: 130 -140 mm Capacity: 12 oz. Packed in carton box The item must have good quality	pc	804		
49	Table Cloth, 54 x 54 inches	Type: Plain Cloth Body shape: Square Material: Oxford Polyester Cloth Color: Plain White Dimension: L 54 inches x W 54 inches (minimum) Packed in plastic pouch The item must have good quality	pc	294		
50	Table cloth, Rectangular	Type: Plain Cloth Body shape: Rectangle Material : Linen	pc	223		

		<p>Size : 120cm x160cm (minimum)  Color : Any Color but not black  Feature: Washable  Packed in a plastic pouch</p>				
51	Table Napkins, Cloth, 16" x 16"	<p>Type: Plain Cloth  Body shape: Square  Material: Oxford Polyester Cloth or its equivalent  Size: L 16 inches x W 16 inches (minimum)  Color: Plain White  Packed in plastic pouch  The item must have good quality</p>	pc	196		
52	Table Skirting Cloth 90"x90"	<p>Type: Plain Cloth  Body shape: Square  Material: American Cotton Twill Cloth  Color: Any Color except black  Dimension: 90 inches x 90 inches (minimum)  Packed in plastic pouch  The item must have good quality</p>	pack	1043		
53	Table, Round (8's)	<p>Type: Foldable  Body shape: Round  Material: High density polyethylene table top  Powder coated steel frame  Size: 154cm x 74cm x4.5cm (minimum)  Good for 8 to 10 seater capacity  Tube Size : 28 mm diameter x 1 mm thickness  Packed in a carton box  The item must have good quality</p>	unit	288		
54	Table, Square/Rectan	<p>Type: Foldble Plastic  Body shape: Square/Rectangle  Materia: High density polyethylene table top</p>	unit	194		

	gular (4's or 6's)	<p>Powder coated steel frame  Dimension: 37 - 39 x 37 - 39 inches  Color: White  Good for 4 persons  Packed in carton box  The item must have good quality</p>				
55	Tea Pot, 2 Pints	<p>Type: Porcelain Type  Body shape: Round with handle and pouring spout  Material : Porcelain  Capacity : (2 pint)  Color : White  Packed in carton box  The item must be of good quality</p>	pc	161		
56	Teaspoon	<p>Type : Tea Spoon  Body shape: Oval tip  Material/Appearance: Stainless Steel, highly polished, w/ plain design  Over-all Length: 120 mm to 140 mm  Handle Thickness: 2 mm to 4 mm  Short handle Length - 100 mm (minimum)  Color: Silver  Packed in plastic pouch  The item must have good quality</p>	pc	1212		
57	TONG, 8 INCHES	<p>Type: Tong, 8 inches  Body Shape: Standard  Material: Stainless Steel  Size: 8 inches  Stainless-steel arms with soft, comfortable grips  Nylon heads safe for nonstick cookware  Heat-resistant up to 400 degrees Fahrenheit  Tongs lock closed for storage</p>	pc	340		

		Preferably with a packing case Food Grade and Dishwasher-safe Must be branded				
58	Tooth Pick Holder	Type: Steel Type Body shape: Round Material: Stainless Steel, highly polished in appearance Diameter: 30 -35 mm diameter (minimum) Height: 65 -75 mm Capacity: 1.24 oz. (minimum) Packed in plastic pouch The item must have good quality	pc	210		
59	Tray Stand	Type: Foldable Body shape: Rectangular Material: Chrome Plated Metal folding tray stand Length: 470 -490 mm Width: 400 -440 mm Height: 770 -790 mm Packed in plastic pouch The item must have good quality	pc	300		
60	Tray, Bill Folders/ Change	1. Material : Heavy Duty Plastic ( ABS ) or its Equivalent 2. Height : 190 - 220 mm 3. Width : 120 -140 mm 4. Thickness : 2 mm to 3 mm (minimum) 5. Color : Black 6. With Check and pen holder 7. The item must have good quality 8. Packed in plastic pouch	pc	392		
61	Tray, Round (Bar)	Type: Plastic Body shape: Round Material: ( PE/ABS) Plastic rubberized surface, non-slip/grip tight	pc	340		

		<p>Over-all Diameter: 345 -360 mm (minimum)          Thickness: 2 - 4 mm (minimum)          Color: Black          Packed in plastic pouch          The item must have good quality</p>				
62	Water Goblet	<p>Type: Water Goblet          Body shape: Balloon-shaped bowl          Material: Crystal Clear          Glass Over-all Length: 200 -220 mm          Capacity: 270 ml to 300 ml          Rim diameter - 55 -65 mm          Thickness: 1 mm to 3 mm          Stem length : 75 -85 mm          Stem diameter : 6 -8 mm          Base thickness : 3 -4 mm          Base diameter : 7 -80 mm          Packed in carton box          The item must have good quality</p>	pc	816		
63	Water Pitcher	<p>Type: Steel Type          Body shape: Circular          Material: Stainless Steel, highly polished appearance          Height: 170 mm to 220 mm          Top Diameter: 110 -120 mm (approximate)          Capacity: 1 - 1.5 liter          With pour spout          Dishwasher safe          Packed in plastic pouch          The item must have good quality</p>	pc	340		

NOTE: For the technical specifications of each item in the tools and equipment for the various specializations and distribution list, which can be downloaded in Excel and Word format from this link: <https://tinyurl.com/TVL-Tools-2024-Docs>

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**Lot 6: Front Office Services NC II**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Calculator	Type: Simple calculator, Non scientific Body material: Hard plastic Minimum Size: 110mm Width x 140mm Long LCD display: at least font size is 8mm x 5mm With Dual power; Solar cell and battery With at least 8 digits display Includes spare battery Packed with protective carton box User's Manual in English which includes: a. parts manual with labels, b. assembly instructions c. operating procedures on how to use the equipment, Branded	pc	64		
2	Cart, Bell Boy	Type:Hotel luggage trolley Capacity: at least 450 kilograms Minimum dimensions: Length - 1000mm x Width - 600mm x Height - 1700mm Frame material: Stainless Steel Tubing Stainless Tube Diameter: at least 35mm Black Powder Coated Steel Platform With carpeted surface and Rubber Bumper at the edge With 4 pieces x 200mm Diameter Black Pneumatic Swivel Wheels	unit	8		

		Packed with shipping carton box Branded				
3	Cash Register with Drawer	Printer: Width: 57mm (minimum) Speed: 2 lines/sec (minimum) LCD Display Size: 5cm Width x 10cm Long(minimum) With drawer at least 4 bills and 5 coins compartments With drawer dimension at least 410mm Width x 450mm Depth Input Method: Numeric 10-key Interface with at least 2 ports Power Source: 220-240Volts AC, 50/60Hz; With AC/DC Adapter Can be Operated with battery Programmable User's Manual in English which includes: a. parts manual with labels, b. assembly instructions c. operating procedures on how to use the equipment, Packed with carton box with styrofoam protection	unit	4		
4	Credit Card Imprinter	Height of the imprinter 2 1/2 inch (minimum) x Width 5 1/2 inch (minimum) x Length 11 inches (minimum) Carriage material: Steel Body:Plastic Color: Black 20 characters per line Card Mounting can accepts at least 0.030" thick size credit cards Plate can accommodate up to 5 lines, Manual type With User's Manual in English which includes: a. parts manual with labels,	pc	4		



		b. assembly instructions, c. operating procedures				
5	Credit Card Voucher holder	Material: 3 mm thick clear, acrylic, Dimensions: Height: at least 255 mm, Width: at least 210 mm, Thickness: at least 70 mm	pc	4		
6	Detector, Fake Bills	LED Display; LED Display Size: at least 5 cm Width x 10 cm Long; Hard plastic casing; Ultraviolet (UV) and Magnetic (MG) sensors; Power Source: Built in Rechargeable Battery,12V output and AC 100-240V Adapter; With complete detection; Accessories includes: Tough Plastic Carrying Case, Power Cord, Cleaning Brush, and Power Charger; User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures on how to use the equipment	unit	12		
7	Guest folio rack	Material: Hard plastic; Accommodates at least 50 room divider indexes; With divider boards with metal tabs; A4 size divider; With metal sidings	pc	12		
8	Hypercom	Memory: 1 MB RAM (Minimum) LCD Display; 160 x 80 pixel graphics (minimum) With Card Reader Magnetic stripe PIN pad port: 4-wire, RS485;	unit	8		

		<p>With Peripheral Ports for PC connection;  Electronic cash register or journal printer;  With at least 2400bps modem;  Support Synchronous (SDLC) and asynchronous, LAN operation;  With PIN Encryption;  With Thermal Printer at least 576 dots per line;  Thermal Paper – 2 inches wide x 3 inches roll diameter (min.);  Keypad: Membrane, 12 keys, water-resistant;  Dimension: Length: 10 inches;  Width: 5 inches;  Height: 2 inches (minimum);  Power: 220-250 Volts AC, 50/60 Hz; DC: 24 V, 1A;  User's Manual in English which includes:  (a) parts manual with labels, (b) assembly instructions, (c) operating procedures on how to use the equipment;</p>				
9	Key card marker with Verifier	<p>Set of Hotel Door Lock System with Management software;  a) 1 unit - Card Type Door Lock with Inductive distance at least 4cm  b) 1 unit - Card Encoder Unit  with 25 pieces Door Room Key Cards  Computer software system for Door Lock and making cards  With complete accessories including the USB Type A cable interface to the computer  User's Manual in English which includes:  a. parts manual with labels,  b. assembly instructions  c. operating procedures on how to use the equipment</p>	unit	8		
10	Key rack	<p>Rack material: wood  Number of Racks: Can accommodate at least 40 Key Cards  Minimum rack size: 70mm Width x 110mm Height  Depth of the rack at least 50mm</p>	unit	8		

		Any color paint Type:Wall mounted rack Pack with shipping carton box				
11	Safety deposit box/ drop vault	Material: Metal, powder coated, Solid steel door thickness: 4mm(minimum) Body thickness: 2mm(minimum) Minimum outer dimension: L: 30cm x H: 20cm x W: 20cm Electronic lock system Battery Operated Digital Panel: Requires 4 x 'AA' Batteries User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures on how to use the equipment, Branded	unit	8		
12	Speaker, Lapel	Frequency at least 500MHz With audio input connector With operation range at least 50meters Receiver/70mA Earphone output level: 32ohm, 65mW Operates with energizer battery With minimum powerconsumption of transmitter at least 3V/70mA Receiver: 3V/70mA	pc	110		

NOTE: For the technical specifications of each item in the tools and equipment for the various specializations and distribution list, which can be downloaded in Excel and Word format from this link: <https://tinyurl.com/TVL-Tools-2024-Docs>

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**Lot 7: Hairdressing NC II**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Bowl, Mixing, plastic	Material: Plastic Inner Diameter: 10.5 cm (minimum) Height: 6cm (minimum) Thickness is 2mm (minimum) Any Color Non toxic	pc	15		
2	Bowl, Shampoo	Bowl material:ABS plastic With Adjustable stand (Height: 39 inches to 54 inches ) Minimum Bowl Dimensions: 19 inches(L) x 20 inches(W) x 10 inches(H); With Sealed foam rubber neck rest for shampoo bowls With Hose attachment of 7 ft. long(minimum) Stainless steel frame Portable type Packed with shipping carton box Branded	pc	15		
3	Chair, High	Bar stool material: metal,painted with anti rust Width of the chair :15 inches minimum Height :33 inches (minimum) Synthetic Leather seat material Barstool crown back type With rubber ring of barstool for anti skidding	unit	9		

4	Chair, Hydraulic	<p>Material: Metal base  Size: Length 59 cm, width 54 cm, height from 51-78cm  Hydraulic pump can be up and down by pedaling  Load capacity: 180kg  Hydraulic styling chair type  Heavy duty hydraulic pump for height adjustable and 360' rotation  Hydraulic Pump Build in for Adjusting the Seating Height.  With foot rest  Lockable hydraulic pump for safety feature  With User's Manual in English which includes:  a. parts manual with labels,  b. assembly instructions,  c. operating procedures,  Packed with transport protective carton box</p>	unit	18		
5	Curling Iron	<p>Ceramic Curling iron  Capacity: 65watts  Voltage: 210-240Volts AC with power cord  Barrel size: 1 inch (minimum)  Adjustable heat setting with maximum temperature of 200 degrees  Centigrade  Swivel cord up to 360 degree  Cylindrical shape  Plastic handle for safety purpose  Packed with protective carton box  Branded</p>	pc	18		
6	Dryer, Hair	<p>Power: 1000W  Rated Voltage: 220VAC  At least (L x W x H): 18.5cm x 16cm x 6.5cm  With plastic handle design  Packed with carton box with styrofoam holder</p>	unit	18		

		<p>With User's Manual in English which includes:</p> <ul style="list-style-type: none"> <li>a. parts manual with labels,</li> <li>b. assembly instructions,</li> <li>c. operating procedures,</li> </ul> <p>Branded</p>				
7	Infrared Iron	<p>Material: Ionic ceramic tourmaline-infused plates and ABS Plastic body  Power: 70 watts (minimum)  Power Rating: 220-240 Volts AC;  Over-all Size: 24 cm long (minimum)  Heating plate size up to 50 mm  Heating time: within 30 seconds;  Variable Heat settings: From 250 to 450 Degrees Fahrenheit  With digital temperature control  Safety Mode: Auto shut off after 60 minutes;  With swivel cord  Comes with storage pouch  Branded</p>	unit	15		
8	Razor, straight	<p>Blade material: High carbon steel  Type: Foldable Straight Razor, replaceable blade;  Dimensions (LxW): 14 cm x 2 cm (minimum) when folded;  Compatible with double-edged razor blades;  Package includes 10 pieces blade/box  Non corrosive  Branded</p>	pc	15		
9	Steamer, Hair	<p>Power 450 watts (minimum)  Rating is 220 Volts/50-60Hz  Hood material: Polycarbonate  Hood has at least 30 cm diameter opening x 25 cm deep  Timer setting is up to 60 minutes  With at least 32 ounce water reservoir</p>	unit	30		

		Adjustable height from 100 to 150cm With at least 5 swivel caster With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Branded				
10	Stool	Material: Metal, electroplated Load capacity: 150kg Design: Swivel stool with backrest With Hydraulic lift to adjust height freely. With Thick sponge cushion. With at least four caster wheels. With Thick sponge cushion. Swivel stool with backrest No sharp edges Branded	pc	30		

NOTE: For the technical specifications of each item in the tools and equipment for the various specializations and distribution list, which can be downloaded in Excel and Word format from this link: <https://tinyurl.com/TVL-Tools-2024-Docs>

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**Lot 8: Hairdressing NC II**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Baskets, Laundry	3 - bag Laundry Sorter, with wheels Bag: Polyester, Rectangular shape, detachable from frame with metal handle and hanging hook Bag Dimensions : Rectangular 22 x 15 x 8 inch (minimum) Frame Material : Corrosion resistant Steel, sturdy no wobble Frame Overall Dimensions : Rectangular, 31 x 30 x15 inch (minimum) With four casters, 2 inch diameter (minimum) Smooth surface, no sharp edges	pc	20		
2	Bed, Queen	Bed Set, Queen Size (60 x 75 inch) rectangular 1) Frame: Knock-down type, all steel, powder coated including Head board, Bare weight: 20 kg (minimum) No wobble and noise 2) Comes with fabric covered foam 6 inches thick Foam Density: 29 -33 kg/cu.m. 3) No sharp edges	unit	4		
3	Bed, Single	Bed, Single Size (W36 x L75 inch) rectangular 1) Frame: Knock-down type, all steel, powder coated including Head board, Bare weight: 13 kg (minimum) No wobble and noise 2) Comes with fabric covered foam 6 inches thick Foam Density: 29 -33 kg/cu.m. 3) No sharp edges	unit	4		



4	Board, Ironing	<p>TYPE: FOLDABLE TYPE IRONING BOARD          BODY SHAPE : STANDARD          MATERIAL : 25 mm tubing approx., 0.8 mm thickness          BOARD SIZE: 32 INCHES (minimum )          BODY SIZE :120 cm x 30 cm x 5 cm          COLOR : ANY          COMES WITH BOX          NO SHARP EDGES</p>	pc	4		
5	Boots, Safety, Plastic	<p>Upper material: Elastic PVC          Sizes:          7 inches - 5pcs          8 inches - 5pcs          9 inches - 5pcs          10 inches -5pcs          11 inches - 5pcs          Height: 13 to 14 inches          Plain toe          Type of boots: Unisex rain boots with rugged tractor lug outsole          Packed with carton box per size</p>	pc	40		
6	Carpet Sweeper	<p>Carpet sweeper, cordless electric          Motorized single brush roll (removable)          Body Material : Hard plastic ,(ABS) or its equivalent, any color          Equipped with Rechargeable Battery (16 minutes run time on carpet), removable dirt box          Sweep Width : 8 inches (minimum)          Capacity (volume) : 0.35 Lit.(minimum)          Handle: Metal, Powder- Coated, With plastic/rubber grip, Swivel Steering          Assembled Height: 44 inches (minimum)          Comes with Battery Charger 220/240VAC, 50/60Hz with plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option)</p>	pc	4		

		No sharp edges Includes User's Manual which contains operation procedure, name of parts, safety precautions, trouble shooting.				
7	Cart, for Housekeeping NC II	Housekeeping Cart trolley Equipped with Three-shelves with steel/laminated panels single door, top layer with divider, bag holder, and 4 wheels Cart Frame: steel, powder coated Wheels: 2non-swivel 2 swivel, 6 inch diameter, non-markings Overall Dimensions : rectangular 90 x 48 x 1010 cm (minimum) Comes with accessory linen bag Smooth surface, No sharp edges	unit	4		
8	Coffee maker	Coffee Maker, electric Material: metal, plastic, glass Capacity: 6 cups (minimum) Detachable Tank, with Water Level Indicator Non-Stick Warming Plate : Removable and Washable Filter Non-Drip Valve : Lighted ON/OFF Switch Power Supply: 220 V -240 V AC 50/60 Hz , 500W minimum Comes with a heat resistant glass pitcher With a 1 meter (minimum) power cord, molded male plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option) Smooth surface, no sharp edges With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide. 1 year warranty parts and service With Service centers located in major cities in the Philippines.	pc	4		
9	Dust Pan	Dust Pan, upright standing Material: Plastic	pc	8		

		Overall Length: 65 cm (minimum) Pan: Round back, 24 x 26 x 9 cm (minimum) Smooth surface, no sharp edges				
10	Fan, Electric	Stand fan, electric Material: Metal, plastic Size/Diameter: 18 inches Power rating: 70 watts (minimum), 220 / 240 VAC, 50 / 60 Hz, Single Phase Rotation Angle: 90 degrees Base: Stable, 16 inches diameter (approx.) Removable metal guard on front and rear 3-speed settings Comes with 1.5 meters power cord and with molded male plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option) Smooth surface, no sharp edges Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item 1 year warranty parts and service	unit	8		
11	Fire Extinguisher (with contents)	1.For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate) 2.Portable type 3.Capacity : 5 - 6 kgs 4.Rechargeable Cylinder Metal 5.Working pressure of Cylinder : 400 psi 6.Brass Valve with Pressure Gage 7.With Rubberized Hose and Aluminum Nozzle Attached 8.With Squeeze lever to discharge and safety pin	pc	12		

		<p>10. Painted with Metal Primer and Red Enamel Paint</p> <p>11. Includes with User's Guide in English that contains:</p> <p>a. Operating procedure on how to use the equipment</p> <p>b. Safety precaution when using the equipment</p> <p>12. 1 year warranty parts and service</p> <p>13. The item must be branded and have good quality</p>				
12	Hairdryer	<p>Electric hairdryer, with concentrator nozzle</p> <p>Two heat setting and 1 speed (minimum)</p> <p>Rating : 220/240 VAC, 1200 W (minimum)</p> <p>Body Length including nozzle: 20 cm</p> <p>Folding handle design, with hanging ring</p> <p>Smooth surface, no sharp edges</p> <p>Branded, Brand name and electric rating permanently mark on the item, with DTI-BPS certification</p> <p>With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance.</p> <p>With Service centers located in major cities in the Philippines.</p> <p>1 year warranty (parts &amp; service)</p>	pc	4		
13	Laundry Sorter	<p>3 - bag Laundry Sorter, with wheels</p> <p>Bag: Polyester, Rectangular shape, detachable from frame with metal handle and hanging hook</p> <p>Bag Dimensions : Rectangular 22 x 15 x 8 inch (minimum)</p> <p>Frame Material : Corrosion resistant Steel, sturdy no wobble</p> <p>Frame Overall Dimensions : Rectangular, 31 x 30 x 15 inch (minimum)</p> <p>With four casters, 2 inch diameter (minimum)</p> <p>Smooth surface, no sharp edges</p>	pc	16		
14	Light, Emergency	<p>Emergency light, 2 heads LED</p> <p>Materials: metal, anti-rust coated</p> <p>Duration Time (2 heads): 5 hours (minimum)</p>	pc	8		

		<p>Automatically Light Up during Power Outage  Overcharge and Over- discharge Protection  Built - In AC Charger, power cord plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option)  Battery Test Switch - External Safety Fuse  Head: White LED 1W (minimum) 3.5 " Dome Reflector  Power rating: 220 -240 VAC , 50/60 Hz  20-24 Hours Charge Time  Dimensions: Rectangular 27 x 7 x 27 cm (approx.)  Sooth surface, no sharp edges  Includes User's Manual in English which contains:  a. A Diagram of the Parts with their Names,  b. Operating Procedures on how to use the Equipment,  c. Safety Precautions when using the Equipment,  d. Basic Troubleshooting and Maintenance Procedures  The item must be branded, Brand name and electrical ratings permanently mark on the item.</p>				
15	Polisher, Floor, Electric, With Accessories	<p>Electric floor polisher with accessories  Material: Stainless steel, Aluminum Alloy  Handle: Stainless tube, adjustable height 1 meter long (approximate), With Dual Switch Lever  Size/Capacity :13 inch (minimum) diameter  Power Supply: 220/240 VAC, 50/60 Hz.  Power: 1/3 Hp (minimum)  Rotation Speed : 160 rpm (minimum)  Heavy duty (Royal) Power Cord Length : 12 meters (minimum) with Type A plug (or providing 10A plug adapter is an option)  With pair of Rubber Wheels,  Smooth surface, no sharp edges  Comes with pad holder, 2 pcs - polishing brush and 3 pcs - floor polishing</p>	unit	4		

		<p>pads</p> <p>Includes User's Manual in English which contains:</p> <ol style="list-style-type: none"> <li>A Diagram of the Parts with their Names,</li> <li>Operating Procedures on how to use the Equipment,</li> <li>Safety Precautions when using the Equipment,</li> <li>Basic Troubleshooting and Maintenance Procedures</li> </ol> <p>Branded, Brand name and electric rating permanently mark on the item, With 1 year Warranty Parts and Service</p> <p>The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.</p>				
16	Squeegee	<p>Squeegee, short handle</p> <p>Head/Blade Material: stainless, rubber</p> <p>Handle: plastic or stainless steel</p> <p>Blade Length: 25 - 30 cm</p> <p>Overall length (handle and head) 20 - 32 cm</p> <p>No sharp edges</p>	pc	8		
17	Squeezer, Mop	<p>Mop bucket with squeezer/wringer and wheels</p> <p>Hand lever to squeeze, made of metal, with hand grip</p> <p>Material : Hard Plastic, (PS) Polystyrene or its equivalent</p> <p>Capacity : 30 L (minimum)</p> <p>Overall Dimension (excluding handle: ( L x W x H ) 40 x 27 x 57 cm (minimum)</p> <p>Color : Yellow</p> <p>With 3 inches non-marking rubber casters</p> <p>"CAUTION" printed in black on both sides of the mop bucket</p> <p>Smooth surface, no sharp edges</p>	pc	8		
18	Step Ladder	<p>Material: aluminum U channel</p> <p>Capacity: 250 lbs (minimum)</p> <p>Type: Flatform type</p> <p>Number of step: 6 (including top step)</p>	unit	4		

		<p>Reach height: 6 to 8 Feet(minimum)  Width: 15 inches minimum  Spread: 4 feet (minimum)  Twin steps with gripped treads to prevent slipping  Step braces on top and bottom step  Heavy duty aluminum foot bracket with slip-resistant foot pad  With User's Manual in English which includes:  a. parts manual with labels,  b. assembly instructions,  Branded</p>				
19	Vacuum Cleaner , Dry and Wet	<p>Electric vacuum cleaner, wet and dry function, sucks even screws, with 4 swivel caster wheels  Material : Hard Plastic, (ABS) or rust proof body equivalent  Power Supply : 220/240VAC, 50/60Hz, 1000 Watts (minimum)  Auto shut off  Tank Capacity : 20 Liters (minimum)  Equipped with complete accessories i.e., detachable Vacuum Hose assembly (flexible non-kink), extension tubes/wands, carpet (long square) brush nozzle, wet and dry floor brush nozzle, crevice nozzle, hepa filter, sponge filter/washable cloth bag.  Comes with 4 meters (minimum) heavy duty (royal) power cord, molded male plug to adapt Type A outlet (or providing 10A plug adapter is an option)  Smooth surface, no sharp edges  With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance.  The item must be branded, Brand name and electric rating permanently mark on the item.  1 year warranty parts and service  With Service centers located in major cities in the Philippines.</p>	unit	4		

		The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.				
20	Washer, Laundry	<ol style="list-style-type: none"> <li>1. Front Load Electric Washer, laundry</li> <li>2. Electronic control, digital indicator display , transparent glass door</li> <li>3. Body Material : steel, powder coated, Any Color</li> <li>4. Dimensions (WxDxH): 590 mm (minimum) x 490 mm (minimum) x 820 mm (minimum)</li> <li>5. Drum Material : Stainless Steel</li> <li>6. Capacity : 8 kg (minimum)</li> <li>7. Spin Speed : 1200 rpm (minimum)</li> <li>8. Power rating: 220 /240VAC, 50/60 Hz.</li> <li>9. Comes with a 1 meter (minimum) heavy duty power cord with male plug to adapt Type A outlet (or providing 20A plug adapter is an option)</li> <li>10. Smooth surface, no sharp edges</li> <li>11. With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item 9.Includes User's Manual in English which contains: <ol style="list-style-type: none"> <li>a. A Diagram of the Parts with their Names,</li> <li>b. Operating Procedures on how to use the Equipment,</li> <li>c. Safety Precautions when using the Equipment,</li> <li>d. Basic Troubleshooting and Maintenance Procedures</li> </ol> </li> <li>12.The item must be branded, DTI-BPS certified, 1 year warranty parts and service</li> <li>13. With Service centers located in major cities in the Philippines.</li> <li>14.The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.</li> </ol>	unit	4		



NOTE: For the technical specifications of each item in the tools and equipment for the various specializations and distribution list, which can be downloaded in Excel and Word format from this link: <https://tinyurl.com/TVL-Tools-2024-Docs>

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**Lot 9: Local Guiding Services NC II**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	First Aid kit	Type: Emergency case; Contents: First Aid Quick Reference Guide, 1pc; Sterize Gauge Swab(4 x4 x12 ply) 100 pcs/pack, 1 pack; Adhesive strips/Band -Aid, 50 pcs/pack, 2 packs; Gloves, disposable, medium size, 2 pairs; Hypo Allergenic adhesive tape, 5cm x 5cm, 2 rolls; Triangular bandage/arm sling, min 90cm x 90cmx 120cm, 2pcs; Safety pins, 1 1/4 inches, (12 pcs), 1 3/4 inches (12 pcs); Stainless steel bandage scissors, 2pcs; Betadine, 60ml, 2 -3 years expiration, 2 bottles; Dust mask, 2pcs; Hand towels or face towels, white color, 6 pcs; Gauze bandage, minimum 5cm x 4cm, 2 rolls; Antiseptic handwash/germicidal soap, 60 gms , 2pcs; Tourniquet, 2 pcs; Spirit of ammonia, 30ml, 2-3 years expiration, 1 bottle; Burn cream ointment, 20g to 30g, 2- 3years expiration, 1 tube; Medical tweezers min. 8cm, plastic, 2pcs; Plastic bags, resealable, minimum of 24pcs, 100mm x 180mm, 24pcs, 150mm x 230mm Cotton balls , 50 balls in a sealed package, 2 packs	package	6		

		Hot and Cold pack, reuseable, 1 pack Water resistant and sturdy case w/ handle that can accommodate all the listed items.				
2	Megaphone	Battery operated (4 pcs - Size D battery) With Built-in siren Power output: 20-Watts (minimum) Range: 700 meters (minimum) With hand grip and carrying strap Branded With Users manual that contains the specification, list of parts, instruction guide, troubleshooting, safety instruction.	pc	6		
3	Whistle	Anodized Aluminum;Size : Length - 6.5cm x 3cm diameter; Handy and Lightweight; Loud whistle can be heard for far distance of 100 meters; With Key ring for attachment	pc	66		
4	White board	White board, floor standing, rolling Board: White Formica Laminated, plane will not deform.Board Size: Rectangular 1800mm W x 1000 to 1200mm H, Board Edges secured with Aluminum Clip Edging 17 mm (minimum) wih plastic corner capsComes with Metal Tray for Marker and EraserThe stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobbleWith 4 lockable hard plastic caster wheelsOverall Height from floor: 210 to 214cmSmooth surface, no sharp edges	unit	22		

NOTE: For the technical specifications of each item in the tools and equipment for the various specializations and distribution list, which can be downloaded in Excel and Word format from this link: <https://tinyurl.com/TVL-Tools-2024-Docs>

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**Lot 10: Wellness Massage NC II**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	Dummy, Anatomical	<ol style="list-style-type: none"> <li>1. Half Life-Size Muscular Figure Measures 32" tall (minimum).</li> <li>2. This model features 27 removable parts that are held on by metal screws, posts, and hooks.</li> <li>3. It shows the muscular system with numbered parts that comes with a corresponding key.</li> <li>4. It has removable arms, a removable calvarium, and a removable chest plate that hides the individual numbered organs of the digestive system</li> <li>5. Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis longus and brevis, Biceps Brachii, Pronator teres with palmaris longus and flexor carpi radialis, Sartorius Muscle, Rectus Femoris, Extensor Digitorum Longus, Tensor Faciae Latae, Gluteus Maximus, Biceps Femoris, Semitendinosus, Gastrocnemius, Soleus.</li> <li>6. Removable organs include: Brain (2parts), Lungs (2 parts), Heart (2 parts, Liver, Intestines, Stomach</li> <li>7. Base is 13" x 9" (removable)</li> <li>8. Weighs 12 lbs. (approximately)</li> <li>9. Plastic material</li> <li>10. Non toxic material</li> <li>11. Carton box packaging</li> </ol>	pc	5		
2	Massage Bed / Table	Materials: Hard wood with steel bracings, Hardwood Frame, Marine Plywood Deck; Color: Black	unit	25		

		<p>Dimensions: W:75 cm x L:183 cm x H: (adjustable)  Height: adjustable from 24 in. - 33in.  Leg thickness - 35mm (minimum)  Cushion System: High density foam (7.5 cm / 2.95") minimum with PU leather cover (1mm thick)  Finishing: Round Corner  Weight Capacity: 250 kg(minimum)  Gross Weight: 21 kg (Approximate)  2 end support bearer to strengthen the base and increase weight capacity  Accessories - aluminum headrest (Adjustable) + face plug + armrest + arm sling + carry case  Portable and Foldable</p>				
3	Massage Chair	<ol style="list-style-type: none"> <li>1. Padded with 3" thick, high-density, small-cell foam</li> <li>2. Size: 14"-diameter seat (minimum) but without back and arm rest, with metal post and hard plastic star.</li> <li>3. Pneumatic spring will effortlessly adjust the height from 18" to 24" with the pull of a lever</li> <li>4. Five heavy-duty, smooth-rolling wheels</li> <li>5. Load capacity: 265 lbs / 120 kg (maximum)</li> <li>6. Smooth surface and no sharp edges</li> <li>7. Any color with one color only for whole lot</li> </ol>	unit	5		
4	Sphygmomano meter	<p>Aneroid Type; (for adult use)  Large cuff sizes: 33 to 42 cm arm diameters  Accuracy: ±3mm Hg;  Measurement range : 0mm Hg to 300mm Hg;  Smallest scale: 1mm HgIndex and range markings on the dial for clear readings  Nylon cuff is durable and stain resistant with a Velcro closure  Inflation system is latex free and has an easy-release deflation valve  Chrome-plated brass air release valve;</p>	pc	35		

		Set includes: 1 unit Sphygmomanometer; 1 zippered nylon carrying case Smooth surface and edges, non toxic material				
5	Stethoscope	Chest-piece Description: Stainless Steel Double Chest Piece Color: Black Tubing Description: Y-tube PVC Uses extra soft replaceable and pivotable Ear Tips The binaural is chromium-plated Chest-piece diameter: 44 mm (minimum) and has non-chill rim Overall Length: 29" /74 cm (minimum) The stethoscope is latex-free Comes with a pair of replacement Ear Tips, a replacement Membrane, and a Name Plate Smooth surface and no sharp edges	pc	35		
6	Talking Sphygmomanometer	Type: arm type blood pressure monitor (talking english), Nylon cuff sizes: 33 to 42 cm arm dia. LCD Digital Display: Systolic, diastolic, pulse rate with real voice, loud and clear, announcing blood pressure automatically when reading is detected and displayed simultaneously Dimensions: 98mm*126mm*60mm (approximate) Hard plastic casing, smooth surface and no sharp edges, non toxic materials Measurement range : 0mm Hg to 300mm Hg; Smallest scale: 1mm Hg Weight: 450g (approximate) Pressure measurement range: 20~280mmHg(0.4kPa-37.3kPa) Pressure accuracy: $\pm 3$ mmHg( $\pm 0.4$ kPa) Pulse measurement range: 40 ~199 beats /min Voltage: 4*AAA alkaline batteries or power adapter Certificate: CE ROHS Intelligent automatic pressurization and decompression	unit	5		

		<p>Incorrect prompting function</p> <p>Automatic shutdown: 1 min after last operation</p> <p>Carton box packaging</p>				
7	Talking Thermometer	<p>Case Material: Hard plastic</p> <p>Sensing unit: Thermistor</p> <p>Measurement method: Actual measurement</p> <p>Measurement Range: 32 C - 42 C (89.6F-107.6F)</p> <p>Measurement Accuracy: <math>\pm 0.1C</math> 32C-42.0C (<math>\pm 0.2</math> F 89.6.9F-107.6F)</p> <p>Power Supply: 1.5V DC, LR41 Alkaline-Magnesium button battery</p> <p>Real voice (loud and clear in english) announces temperature automatically when reading is detected</p> <p>Temperature display: 3-digit, +deg C (deg F) display in 0.1 degree increment</p> <p>Dimension Approx.: 2.0 (W) x 4.4 (H) x 1.2 (D) inches (not including probe) / 51 (W) x 110 (H) x 30 (D) mms (not including probe)</p> <p>Choices in degrees Celsius or Fahrenheit</p> <p>Talk button repeats last temperature reading</p> <p>Last reading memory</p> <p>Auto switch off</p> <p>Accessories: Protective case, 5 probe covers, instruction sheet</p> <p>Paddle shape with sensor on small end</p>	unit	10		
8	Thermometer, Digital	<p>Case Material: Hard plastic</p> <p>Sensing unit: Thermistor</p> <p>Measurement method: Actual measurement</p> <p>Measurement Range: 32 C - 42 C (89.6F-107.6F)</p> <p>Measurement Accuracy: <math>\pm 0.1C</math> 32C-42.0C (<math>\pm 0.2</math> F 89.6.9F-107.6F)</p> <p>Power Supply: 1.5V DC, 1 LR41 Alkaline-Magnesium button battery when measured at a standard room temperature of 23 deg C (73.4 deg F) in a test tank held at constant temperature</p> <p>Power consumption: 0.1mW</p> <p>Low battery indication: Battery symbol displayed</p>	pc	30		

		<p>Temperature display: 3-digit, +deg C (deg F) display in 0.1 degree increment</p> <p>Memory: Last measuring reading</p> <p>Beeper function: 1 beep when power on 3 beeps after measurement completed</p> <p>External Size (mm): 19.4(W) × 132.5 (L) × 10.0(D)</p> <p>Accessories: Protective case, test battery, 5 probe covers, instruction sheet</p> <p>Paddle shape with sensor on small end</p>				
9	White board	<p>White board, floor standing, rolling</p> <p>Board: White Formica Laminated, plane will not deform.</p> <p>Board Size: Rectangular 1800mm W x 1000 to 1200mm H,</p> <p>Board Edges secured with Aluminum Clip Edging 17 mm (minimum) wih plastic corner caps</p> <p>Comes with Metal Tray for Marker and Eraser</p> <p>The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble</p> <p>With 4 lockable hard plastic caster wheels</p> <p>Overall Height from floor: 210 to 214cm</p> <p>Smooth surface, no sharp edges</p>	unit	5		

NOTE: For the technical specifications of each item in the tools and equipment for the various specializations and distribution list, which can be downloaded in Excel and Word format from this link: <https://tinyurl.com/TVL-Tools-2024-Docs>

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date



## ***Section VIII. Checklist of Technical and Financial Documents***

### **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class "A" Documents*

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR**

#### Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission **or** Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with the Technical Specifications **with an attachment of official brochure or unamended sales literature of the offered items**, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS) **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

- (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) **or A** committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

### *Class "B" Documents*

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

## II. FINANCIAL COMPONENT ENVELOPE

- (i) Original of duly signed and accomplished Financial Bid Form; **and**
- (j) Original of duly signed and accomplished Price Schedule(s).

#### Other documentary requirements under RA No. 9184 (as applicable)

- (k) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.



DISTRIBUTION LIST  
FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

SPECIALIZATION: Caregiving NC II

Item Name	Mt. Province	Total No. of Items
	Cagubatan National High School	
	1	
Airpot	4	4
Apron	4	4
Basin, plastic, round	12	12
Bath tub, Baby	5	5
Bedpan	5	5
Blanket	5	5
Blanket, Baby	5	5
Board, Chopping/Cutting, plastic	5	5
Bottle Sterilizer, electric	5	5
Bowl, Mixing, stainless steel, 6-piece set	5	5
Brush, Clothes	5	5
Brush, Feeding Bottle	5	5
Cane	5	5
Carpet 4ft.x 8 ft.	5	5
China Ware	5	5
Cloth, Burping	5	5
Comforter	5	5
Commode	5	5
Crutches, adjustable	5	5
Cup, Measuring, 1/4, 1/3, 1/2, 1 cup set	5	5
Cutlery	5	5
First Aid Kit	5	5
Garbage Bin (biodegradable and non –biodegradable)	5	5
Gloves, Rubber (15 mils)	10	10
Gloves, Surgical (disposable)	10	10
Gown (hospital)	10	10
Grooming kit (hairbrush comb, nail cutter, nail clipper)	5	5
Hamper, Clothes	5	5
Hand Towel	5	5
High chair/ booster seat/ portable seat	5	5
Hot Water Bag	5	5
Kettle, Electric	5	5
Knife, Electric	5	5
Mixer, Portable	5	5
Pail, Plastic, 10 Liters	5	5
Pans	5	5
Peeler	5	5
Pick up Forcep	5	5
Pillow	12	12
Pillow Case	10	10

Potato Masher	5	5
Pots	5	5
Rack, Clothes	5	5
Sheet, Flat	10	10
Skillet	5	5
Sphygmomanometer	5	5
Stethoscope	5	5
Thermometer, Digital, 32 C - 42.9 C (90.0F-109.	5	5
Toaster, Bread	5	5
Towel/Towellete, Bath	10	10
Towel/Towellete, Face	10	10
Tray, Medical	10	10
Trolley, Dressing	2	2
Urinal	5	5
Utensils, Cooking	5	5
Utensils, Feeding (child)	5	5
Vacuum Cleaner	5	5
Wheel Chair	5	5
TOTAL		

DISTRIBUTION LIST  
 FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

SPECIALIZATION: Computer System Servicing (NC II)

Item Name	Abra		Total No. of Items
	Ananaao Integrated School	Sto. Tomas National High School	
	1	2	
Allen Wrench	15	15	30
Anti-Static Device (Anti-static Wrist Strap)	15	15	30
Combination Pliers, 8"	20	20	40
Crimping Tool (RJ 11/45)	20	20	40
Desoldering pump	30	30	60
Electric Drill, Portable	5	5	10
External optical drive	3	3	6
Flash drive	15	15	30
Flashlight, head-mounted	10	10	20
Hub / Switch	10	10	20
LAN Cable tester	5	5	10
Long Nose Pliers, 8"	15	15	30
Multimeter, digital	15	15	30
Patch panel (48 ports)	20	20	40
PC Video camera	10	10	20
Phillip's screwdriver, 8" insulated	10	10	20
Precision Screwdriver Set	20	20	40
Soldering Iron, 60W	10	10	20
Standard screwdriver (Flat), 8" insulated	10	10	20
Uninterruptible Power Supply (UPS)	10	10	20
USB External HD	5	5	10
Wire stripper	10	10	20
Wireless Access Point	10	10	20
Total			







DISTRIBUTION LIST  
 FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

SPECIALIZATION: Front Office Services NC II

Item Name	Apayao		Benguet	Mt. Province	Total No. of Items
	Kabugao Agro-Ind'l. HS	Luna National High School	Tublay School of Home Industries	Ankileng National High School	
	1	2	3	4	
Calculator	16	16	16	16	64
Cart, Bell Boy	2	2	2	2	8
Cash Register with Drawer	1	1	1	1	4
Credit Card Imprinter	1	1	1	1	4
Credit Card Voucher holder	1	1	1	1	4
Detector, Fake Bills	3	3	3	3	12
Guest folio rack	3	3	3	3	12
Hypercom	2	2	2	2	8
Key card marker with Verifier	2	2	2	2	8
Key rack	2	2	2	2	8
Safety deposit box/ drop vault	2	2	2	2	8
Speaker, Lapel	30	30	30	20	110
Total					

DISTRIBUTION LIST  
 FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

SPECIALIZATION: Hairdressing NC II

Item Name	Benguet	Ifugao	Tabuk City	Total No. of Items
	Tublay School of Home Industries	Sta. Maria National High School	TUGA NATIONAL HIGH SCHOOL	
	1	2	3	
Bowl, Mixing, plastic	5	5	5	15
Bowl, Shampoo	5	5	5	15
Chair, High	3	3	3	9
Chair, Hydraulic	6	6	6	18
Curling Iron	6	6	6	18
Dryer, Hair	6	6	6	18
Infrared Iron	5	5	5	15
Razor, straight	5	5	5	15
Steamer, Hair	10	10	10	30
Stool	10	10	10	30
Total				

DISTRIBUTION LIST  
 FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

SPECIALIZATION: Housekeeping NC II

Item Name	Apayao	Benguet	Tabuk City		Total No. of Items
	Kabugao Agro-Ind'l. HS	Tublay School of Home Industries	Tabuk City National High School	TUGA NATIONAL HIGH SCHOOL	
	1	2	3	4	
Baskets, Laundry	5	5	5	5	20
Bed, Queen	1	1	1	1	4
Bed, Single	1	1	1	1	4
Board, Ironing	1	1	1	1	4
Boots, Safety, Plastic	10	10	10	10	40
Carpet Sweeper	1	1	1	1	4
Cart, for Housekeeping NC II	1	1	1	1	4
Coffee maker	1	1	1	1	4
Dust Pan	2	2	2	2	8
Fan, Electric	2	2	2	2	8
Fire Extinguisher (with contents)	3	3	3	3	12
Hairdryer	1	1	1	1	4
Laundry Sorter	4	4	4	4	16
Light, Emergency	2	2	2	2	8
Polisher, Floor, Electric, With Accessories	1	1	1	1	4
Squeegee	2	2	2	2	8
Squeezer, Mop	2	2	2	2	8
Step ladder	1	1	1	1	4
Vacuum Cleaner , Dry and Wet	1	1	1	1	4
Washer, Laundry	1	1	1	1	4
White board					0
Total					

DISTRIBUTION LIST  
 FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

SPECIALIZATION: Local Guiding Services NC II

Item Name	Apayao	Benguet		Ifugao	Mt. Province	Tabuk City	Total No. of Items
	Luna National High School	Laurencio Fianza National High School	Marcelo Marquez National High School	Gohang NHS	Ankileng National High School	New Tanglag National High School	
	1	2	3	4	5	6	
First Aid kit	1	1	1	1	1	1	6
Megaphone	1	1	1	1	1	1	6
Whistle	11	11	11	11	11	11	66
White board	2	4	4	4	4	4	22
Total							

DISTRIBUTION LIST  
 FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

SPECIALIZATION: Wellness Massage NC II

Item Name	Benguet			Ifugao	Kalinga	Total No. of Items
	Bakun National High School	Laurencio Fianza National High School	Tublay School of Home Industries	Sta. Maria National High School	Rizal National School of Arts & Trades	
	1	2	3	4	5	
Dummy, Anatomical	1	1	1	1	1	5
Massage Bed / Table	5	5	5	5	5	25
Massage Chair	1	1	1	1	1	5
Sphygmomanometer	7	7	7	7	7	35
Stethoscope	7	7	7	7	7	35
Talking Sphygmomanometer	1	1	1	1	1	5
Talking Thermometer	2	2	2	2	2	10
Thermometer, Digital	6	6	6	6	6	30
White board	1	1	1	1	1	5
<b>Total</b>						

**List of all Ongoing Government & Private Contracts including contracts awarded but not yet started**

Business Name : \_\_\_\_\_

Business Address : \_\_\_\_\_

Name of Contract	Date of Contract	a. Owner's Name b. Address c. Telephone Nos.	Contract Duration	Date of Delivery	Kinds of Goods	Amount of Contract	Value of Outstanding Contracts
<b>GOVERNMENT</b>							
<b>PRIVATE</b>							

Note:

State all ongoing contracts including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid. Statement must be supported by a copy of the following:

1. Notice of Award or Contract
2. Notice to Proceed issued by the owner (*in the absence of Notice to Proceed (NTP), execute an affidavit that the bidder asserted all efforts in requesting the NTP. Indicate the circumstances and state the reasons. Attach letter of request as supporting documents*).

Submitted by: \_\_\_\_\_  
(Printed Name and Signature)

Designation : \_\_\_\_\_

Date : \_\_\_\_\_

*NOTE: Use another sheet if necessary*

## Statement of Single Largest Completed Contract (SLCC) Similar to the Contract to be Bid

Business Name : \_\_\_\_\_

Business Address : \_\_\_\_\_

Name of Contract	Date of Contract	a. Owner's Name b. Address c. TelephoneNos.	Contract Duration	Date of Delivery	Kinds of Goods	Amount of Completed Contract

Note: This statement shall be supported with:

1. Certificate of End-users Acceptance or Official Receipt/s or Sales Invoice.

Submitted by : \_\_\_\_\_

(Printed Name and Signature)

Designation : \_\_\_\_\_

Date : \_\_\_\_\_

## Omnibus Sworn Statement (Revised)

*[shall be submitted with the Bid]*

---

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

*[If a partnership, corporation, cooperative, or joint venture:]* I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

*[If a partnership, corporation, cooperative, or joint venture:]* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or



the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_ day of \_\_\_, 20\_\_ at \_\_\_\_\_, Philippines.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*

Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

**Bid Form for the Procurement of Goods**  
*[shall be submitted with the Bid]*

---

**BID FORM**

Date : \_\_\_\_\_

Project Identification No. : \_\_\_\_\_

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

*[Insert this paragraph if Foreign-Assisted Project with the Development Partner:*

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Purpose of Commission or gratuity
---------------------------	--


(if none, state “None”) ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: \_\_\_\_\_

Legal capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Date: \_\_\_\_\_

## **Bid Securing Declaration Form**

*[shall be submitted with the Bid if bidder opts to provide this form of bid security]*

---

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_) S.S.

### **BID SECURING DECLARATION** **Project Identification No.: *[Insert number]***

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED  
REPRESENTATIVE]*

*[Insert signatory's legal capacity]*

Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

**Price Schedule for Goods Offered from Within the Philippines**  
*[shall be submitted with the Bid if bidder is offering goods from within the Philippines]*

---

**For Goods Offered from Within the Philippines**

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_ of \_\_\_

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit  (col 5+6+7+8)	Total Price delivered Final Destination  (col 9) x (col 4)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

# ***Price Schedule for Goods Offered from Abroad***

*[shall be submitted with the Bid if bidder is offering goods from Abroad]*

---

## ***For Goods Offered from Abroad***

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_ of \_\_\_

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place  (specify border point or place of destination)	Total CIF or CIP price per item  (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

